Y. ENDO, M. HASEGAWA,* T. MATSUI, H. YAGI, S. HINO, Y. MAZAKI* (KITASATO UNIVERSITY, SAGAMIHARA, AND EHIME UNIVERSITY, MATSUYAMA, JAPAN)

Synthesis and Electronic Structure of Dicyanofulvene-Fused Electron Accepting Molecule Based on a 1,5-Dihydros-Indacene Framework

Org. Lett. 2014, 16, 5608-5611.

A High Cyano Content Indacene as a Stable **Organic Electron Acceptor**

Significance: The authors used rational design to target the reported structure, compound 1. The indacene framework was stabilized by the high degree of cyano functionalization without compromising ease of reduction, which has been an issue with indacenes stabilized by benzannulation. The high cyano content also lowered the LUMO to -5.8 eV. Cyclic voltammetry shows four reversible single electron transfers, and UV/Vis shows a band gap of ~1.9 eV.

Comment: The synthesis began from a previously reported compound (C. Adams et al. Inorg. Chim. Acta 2011, 366, 44), produced 330 mg of pure 3a, and should be scalable. Compound 3a was found to be generally stable both as a solid and in solution, possibly due to the low-lying LUMO.

Synfacts 2015, 11(1), 0039 Published online: 15.12.2014

DOI: 10.1055/s-0034-1379671; Reg-No.: S13014SF

Synthesis of Materials and **Unnatural Products**

Key words

electron acceptor indacenes

nitriles

SYNFACTS Contributors: Timothy M. Swager, Elizabeth S. Sterner