Lumboperitoneal shunt: a foreign body detected in the small bowel by capsule endoscopy

Ventriculoperitoneal or lumboperitoneal shunts have a high rate of complications (23.8%) [1], of which gastrointestinal complications account for 10%–30% [2]. Small-bowel perforation secondary to ventriculoperitoneal shunt is reported in 0.1%–1% of cases [3], with a 15% risk of mortality [4]. Infection and chronic inflammation can lead to perforation of the bowel [2,4], and acute traumatic or foreign body-type allergic reaction to

the tubing material has been implicated in some cases [4]. Patients present asymptotically, or with abdominal pain, diarrhea, shunt dysfunction, fever, leukocytosis or seizures [4]. The condition often causes peritonitis and other complications such as meningitis, which can be fatal if unrecognized [4], and which may require surgical, endoscopic, or a combination of surgical and endoscopic management [5].

A 63-year-old woman with a history of pseudotumor cerebri requiring a lumboperitoneal shunt since 2000 presented with a 2-month history of abdominal pain and diarrhea without fever or blood. Video capsule endoscopy (VCE) was performed and identified a white, elongated, and smooth foreign body located approximately in the jejunum/ileum (► **Video 1**). The contrast computed tomography scan of the abdomen and pelvis showed the lumboperitoneal shunt entering the jejunum/ileum, from where it followed an intraluminal route through multiple small-bowel loops (► **Fig. 1**, ► **Fig. 2**).

To the best of our knowledge, the current case is the first bowel perforation by a lumboperitoneal shunt catheter to be observed by VCE.

Endoscopy_UCTN_Code_CCL_1AC_2AH

Competing interests

None

► **Video 1** A lumboperitoneal shunt detected in the small bowel by capsule endoscopy.

► **Fig. 1** Contrast computed tomography scan of the abdomen and pelvis. **a** Axial plane. Maximum intensity projection (MIP) reconstruction. The lumboperitoneal shunt can be seen at its exit from the canal (yellow arrow), following the course of the subcutaneous fat up to the entrance in the abdominal cavity (red arrow). **b** Axial plane. Shunt within multiple small-bowel loops (red circle). **c** Coronal plane. MIP reconstruction. Shunt inside the intestinal loops (red circle).

► **Fig. 2** Volume rendering reconstruction allows the entire length of the catheter to be tracked (red arrow).

The authors

Alejandro Pérez Fernández, José Francisco Sánchez Melgarejo, José María Rubio Mateos, María Josefa Sánchez Fernández, Silvia Chacón Martínez, Pilar Esteban Delgado, Enrique Pérez-Cuadrado Martínez
Gastroenterology, Hospital General Universitario José M Morales Meseguer, Murcia, Spain

Corresponding author

Alejandro Pérez Fernández, MD
Gastroenterology, Hospital General Universitario José M Morales Meseguer, Marqués de los Velez Avenue, 30008 Murcia, Spain
Fax: +34-968-243895
alejandro.p.f.8@gmail.com

References

- [1] Merkler AE, Ch'ang J, Parker WE et al. The rate of complications after ventriculoperitoneal shunt surgery. *World Neurosurg* 2017; 98: 654–658
- [2] Bryant MS, Bremer AM, Tepas JJ 3rd et al. Abdominal complications of ventriculoperitoneal shunts. Case reports and review of the literature. *Am Surg* 1988; 54: 50–55
- [3] Voronovich ZA, Albright AL. Enterocutaneous fistula in the setting of ventriculoperitoneal shunt extrusion through the skin and perforation through the small bowel. *J Neurosurg Pediatr* 2014; 14: 340–343
- [4] Bourm K, Pfeifer C, Zarchan A. Small bowel perforation: a rare complication of ventriculoperitoneal shunt placement. *J Radiol Case Rep* 2016; 10: 30–35
- [5] Mandhan P, Wong M, Samarakkody U. Laparoscopic removal of peroral extrusion of a ventriculoperitoneal shunt. *Asian J Endosc Surg* 2015; 8: 95–97

Bibliography

DOI <https://doi.org/10.1055/a-0889-7425>
Published online: 9.5.2019
Endoscopy 2019; 51: E249–E250
© Georg Thieme Verlag KG
Stuttgart · New York
ISSN 0013-726X

ENDOSCOPY E-VIDEOS

<https://eref.thieme.de/e-videos>

Endoscopy E-Videos is a free access online section, reporting on interesting cases and new techniques in gastroenterological endoscopy. All papers include a high quality video and all contributions are freely accessible online.

This section has its own submission website at
<https://mc.manuscriptcentral.com/e-videos>