Balloon-assisted endoscopic extraction of a lamp bulb stuck in the rectosigmoid junction: an inspiration from ERCP

► **Fig. 1** Images during proctosigmoidoscopy showing: **a** a lamp bulb wrapped with black tape at the rectosigmoid junction; **b** the bulb being grasped with a snare; **c** a balloon being passed along a guidewire alongside the bulb; **d** the snare and balloon being pulled outward at the same time.

► **Video 1** Endoscopic extraction of a lamp bulb that was stuck at the rectosigmoid junction.

A 35-year-old man was referred to our hospital owing to insertion of a lamp bulb into his anus 5 hours earlier. The patient's abdomen was soft and not distensible. An abdominal radiograph showed a spherical opaque foreign body at the junction of the rectum and sigmoid, without any signs of perforation. Proctosigmoidoscopy found a black spherical foreign body (5.0 cm in transverse diameter) at about 15 cm from the anus (► **Fig. 1 a**), which was wrapped with black tape and whose neck pointed to the oral side. Several attempts were made to remove it with a snare grasping the neck of the bulb (► **Fig. 1 b**). However, the bulb rotated with endoscopic extraction and could not be passed through the acute angle of the rectosigmoid junction. Subsequently, a balloon was delivered over the bulb along a guidewire (► **Fig. 1 c**). After inflation of the balloon, the snare and the balloon were pulled outward at the same time (► **Fig. 1 d**; ► **Video 1**). Finally, the bulb was extracted successfully with withdrawal of the scope (► **Fig. 2**). There were no additional injuries, and the patient was discharged uneventfully the same day.

Rectal foreign body is a unique part of colorectal trauma. It is very common nowadays and usually causes difficulties in extraction because of the delay in attending hospital while several attempts

► **Fig. 2** The lamp bulb after it had been removed.

are made to extract it at home [1]. For high-lying foreign bodies, like the one described above, they are usually located near the rectosigmoid junction and a proctosigmoidoscopic procedure is always necessary [2, 3]. Our experience in extracting foreign bodies stuck at the rectosigmoid junction suggests that the use of a snare and a balloon at the same time is helpful in fixing the rotatory foreign body, which then makes it easier to extract a difficult object such as this.

Endoscopy_UCTN_Code_TTT_1AQ_2AH

Acknowledgment

We acknowledge the support from National Key R&D Program of China (Grant No. 2017YFC0112300 and 2017YFC0112305).

Competing interests

None

The authors

Zhe Feng^{*}, Zi-ming Liu^{*}, Lian-song Ye, Wen-juan Yang, Lin-jie Guo, Jing Li, Bing Hu

Department of Gastroenterology, West China Hospital, Sichuan University, Chengdu, China

Corresponding author

Bing Hu, MD

No. 37, Guo Xue Xiang, Wu Hou District, Cheng Du City, Sichuan Province, 610041, China

Fax: +86-028-85423387

hubingnj@163.com

References

- [1] Coskun A, Erkan N, Yakan S et al. Management of rectal foreign bodies. *World J Emerg Surg* 2013; 8: 11
- [2] Lyons MF, Tsuchida AM. Foreign bodies of the gastrointestinal tract. *Med Clin North Am* 1993; 77: 1101–1114
- [3] Cologne KG, Ault GT. Rectal foreign bodies: what is the current standard? *Clin Colon Rectal Surg* 2012; 25: 214–218

* Equal first authors

Bibliography

DOI <https://doi.org/10.1055/a-1022-4387>

Published online: 25.10.2019

Endoscopy 2020; 52: E124–E125

© Georg Thieme Verlag KG

Stuttgart · New York

ISSN 0013-726X

ENDOSCOPY E-VIDEOS

<https://eref.thieme.de/e-videos>

Endoscopy E-Videos is a free access online section, reporting on interesting cases and new

techniques in gastroenterological endoscopy. All papers include a high quality video and all contributions are freely accessible online.

This section has its own submission website at

<https://mc.manuscriptcentral.com/e-videos>