Single-step endoscopic ultrasound-guided gastroenterostomy and ERCP in patient with Roux-en-Y hepaticojejunostomy after right lobe hepatectomy

Since endoscopic ultrasound-guided gastroenterostomy (EUS-GE) with a lumen-apposing metal stent was introduced first in an animal model in 2012 [1], and then in humans in 2015 [2], this technique has become more and more promising; it is now used in many expert centers around the world [3] to treat gastric outlet obstruction and to perform endoscopic retrograde cholangiopancreatography (ERCP) in patients with surgically altered anatomy.

A 32-year-old woman with a history of right hepatectomy for a Klatskin IIIb cholangiocarcinoma (pT4N1pM1), with Roux-en-Y hepaticojejunostomy and incomplete chemotherapy, was referred to our center for sepsis with cholestasis and cytotoxicity. CT scan revealed a dilated intrahepatic bile duct and dilated afferent jejunal limb in contact with carcinoid lymph node metastasis (►Fig. 1, ►Video 1). After multidisciplinary discussion, we decided to perform an endoscopic ultrasound-directed transgastric ERCP (EDGE) in one single session. First, under sonographic guidance in the stomach, a 10-cm dilated jejunal limb was seen, and a 15-mm Hot Axios stent system (Boston Scientific, New York, USA) was deployed to form a gastroenterostomy. Then we di-

►Fig. 1 CT scan revealed a dilated intrahepatic bile duct and dilated afferent jejunal limb in contact with carcinoid lymph node metastasis.

lated the anastomosis with a 12-mm balloon to facilitate the passage into the jejunal limb of a conventional gastroscope. Next, the biliary anastomotic orifice was located and cannulated with a sphincterotome. Some small dilation of the orifice was achieved through repeated pas-

sing of the sphincterotome (►Fig. 2, ►Fig. 3). In this way we achieved good emptying of the bile duct without the need for biliary stenting at the end of the procedure (►Fig. 4). No related adverse event occurred after the procedure. The patient was discharged home 24 h later

►Fig. 2 a–c Fluoroscopic images: a cholangiogram through gastroenterostomy orifice; b balloon dilation of gastroenterostomy orifice; c wireguide cannulation of intrahepatic bile duct with conventional gastroscope.

► **Fig. 3 a–d** Endoscopic images: **a** endoscopic ultrasound-guided gastroenterostomy; **b** balloon dilation of gastroenterostomy orifice; **c** afferent jejunal limb with hepaticojejunal anastomosis orifice; **d** ERCP with conventional gastroscope.

► **Fig. 4** No bile duct dilation; Axios stent in place.

with significant clinical improvement and continued oral antibiotics. EDGE was initially reported in 2015 as a two-stage procedure to minimize the risk of stent dislodgment [4], and was not then recommended for urgent cases. In this report, we wish to demonstrate its feasibility and safety as a single-step pro-

cedure. Moreover, despite the high cost of the Hot Axios system, in a comparison with other current alternative strategies for Roux-en-Y anastomosis, EDGE was shown to be the most cost-effective [5]. Thus, shortening the procedure into a single session should reduce even further the cost of patient management.

Endoscopy_UCTN_Code_TTT_1AS_2AD

Competing interests

The authors declare that they have no conflict of interest.

The authors

Borathchakra Oung^{1,2}, **Julien Faller**¹, **Isabelle Lienhart-Chambon**³, **Jérôme Rivory**¹, **Jean-Christophe Saurin**¹, **Thierry Ponchon**¹, **Mathieu Pioche**¹

- 1 Department of Endoscopy and Gastroenterology, Pavillon L, Edouard Herriot Hospital, Lyon, France
- 2 Cambodian Association of Gastrointestinal Endoscopy (CAGE), Cambodia
- 3 Gastroenterology and Endoscopy Unit, Centre Hospitalier Annecy Genevois, France

Corresponding author

Mathieu Pioche, MD

Endoscopy Unit, Digestive Diseases Department, Pavillon L, Edouard Herriot Hospital, 69437 Lyon Cedex, France
mathieu.pioche@chu-lyon.fr

References

- [1] Binmoeller K, Shah J. Endoscopic ultrasound-guided gastroenterostomy using novel tools designed for transluminal therapy: a porcine study. *Endoscopy* 2012; 44: 499–503
- [2] Khashab MA, Kumbhari V, Grimm IS et al. EUS-guided gastroenterostomy: the first US clinical experience (with video). *Gastrointest Endosc* 2015; 82: 932–938
- [3] McCarty TR, Garg R, Thompson CC et al. Efficacy and safety of EUS-guided gastroenterostomy for benign and malignant gastric outlet obstruction: a systematic review and meta-analysis. *Endosc Int Open* 2019; 7: E1474–E1482
- [4] Kedia P, Kumta NA, Widmer J et al. Endoscopic ultrasound-directed transgastric ERCP (EDGE) for Roux-en-Y anatomy: a novel technique. *Endoscopy* 2015; 47: 159–163
- [5] James HJ, James TW, Wheeler SB et al. Cost-effectiveness of endoscopic ultrasound-directed transgastric ERCP compared with device-assisted and laparoscopic-assisted ERCP in patients with Roux-en-Y anatomy. *Endoscopy* 2019; 51: 1051–1058

Video 1 Single-step endoscopic ultrasound-guided gastroenterostomy and ERCP in patient with Roux-en-Y hepaticojejunostomy.

Bibliography

DOI <https://doi.org/10.1055/a-1076-5201>
 Published online: 20.12.2019
 Endoscopy 2020; 52: E229–E231
 © Georg Thieme Verlag KG
 Stuttgart · New York
 ISSN 0013-726X

ENDOSCOPY E-VIDEOS

<https://eref.thieme.de/e-videos>

Endoscopy E-Videos is a free access online section, reporting on interesting cases and new

techniques in gastroenterological endoscopy. All papers include a high quality video and all contributions are freely accessible online.

This section has its own submission website at
<https://mc.manuscriptcentral.com/e-videos>