Successful endoscopic retrieval of dislodged jejunostomy Foley catheter

► **Fig. 1** Abdominal radiograph revealed the dislodged tube in the right lower abdomen. Proximal small bowel dilatation was observed.

► **Video 1** A jejunostomy Foley tube became dislodged and migrated as far as the terminal ileum, where it became stuck. Attempts using snare or forceps all failed to pull out the impacted catheter. We deflated the balloon after puncturing it with an injection needle and the Foley tube was successfully removed.

► **Fig. 2** Colonoscopy revealed the tip of the feeding tube in the terminal ileum with inflated balloon.

► **Fig. 3** Balloon was deflated after injection needle puncture and retracted from the ileum.

► **Fig. 4** Colonoscopic view of the retrieved catheter.

A 56-year-old man who had undergone replacement of a feeding jejunostomy secondary to esophageal cancer presented believing that his feeding tube had fallen out but he was unable to locate it in his home. He had not experienced any abdominal pain, tarry stool, intestinal obstruction, or peritonitis. Radiological examination revealed that the missing jejunostomy Foley tube had migrated into the small intestine. Endoscopy failed

to find the migrated tube, which remained stuck over the terminal ileum with proximal small bowel dilatation after 3 days (► **Fig. 1**). We decided to perform endoscopic retrieval and the migrated tube with inflated balloon was found in the terminal ileum (► **Fig. 2**). Attempts using snare or forceps all failed to pull out the impacted catheter due to adhesion resistance. We deflated the balloon after puncturing it with an injection

needle (► **Video 1**), and the Foley tube was successfully removed without resistance (► **Fig. 3**, ► **Fig. 4**).

A jejunal tube is one of the common methods for providing enteral feeding access for nutritional support [1] when the oral route is restricted or not accessible [2]. Complications of the feeding tube, which include obstruction, intussusception, and migration of the tube, are uncommon [3]. Complete migration is rare and usually requires surgical inter-

vention if bowel obstruction or peritoneal signs occur [4]. If, as in our patient, the tube is not spontaneously passed out, endoscopic retrieval should be attempted, leaving surgical removal as the last treatment option.

Endoscopy_UCTN_Code_CPL_1AH_2AI

Funding

Changhua Christian Hospital
109-CCH-IRP-008

Competing interests

The authors declare that they have no conflict of interest.

The authors

Chu-Hsuan Kuo^{1,2,*}, Chia-Wei Yang^{2,*}, Hsu-Heng Yen^{2,3}

- 1 Grigore T. Popa University of Medicine and Pharmacy, Iasi, Romania
- 2 Endoscopy Center, Division of Gastroenterology, Changhua Christian Hospital, Changhua Taiwan
- 3 School of Medicine, Chung Shan Medical University, Taichung, Taiwan

Corresponding author

Hsu-Heng Yen, MD

Endoscopy Center, Division of
Gastroenterology, Changhua Christian
Hospital, 135, Nanhsiao Street, Changhua
500, Taiwan
Fax: +886-7-7228289
91646@cch.org.tw

References

- [1] Rashid K, Asif M. Complete impulsive migration of feeding jejunostomy tube and jejunal intussusception – sporadic complications of a common procedure. *J Coll Physicians Surg Pak* 2016; 26: S21–S23
- [2] Basil T, Sundaramurthi S, Huthalm S et al. Uncommon complication of feeding jejunostomy: a case report. *JGH Open* 2019; 3: 444–445
- [3] Krishnamurthy G, Pandit N, Singh H et al. Successful conservative management of spontaneous antegrade migration of feeding jejunostomy. *Euroasian J Hepatogastroenterol* 2017; 7: 84–86
- [4] Ozben V, Karataş A, Atasoy D et al. A rare complication of jejunostomy tube: enteral migration. *Turk J Gastroenterol* 2011; 22: 83–85

Bibliography

Endoscopy 2021; 53: E450–E451

DOI 10.1055/a-1322-2062

ISSN 0013-726X

published online 4.2.2021

© 2021. Thieme. All rights reserved.

Georg Thieme Verlag KG, Rüdigerstraße 14,
70469 Stuttgart, Germany

ENDOSCOPY E-VIDEOS

<https://eref.thieme.de/e-videos>

Endoscopy E-Videos is a free access online section, reporting on interesting cases and new techniques in gastroenterological endoscopy. All papers include a high quality video and all contributions are freely accessible online.

This section has its own submission website at
<https://mc.manuscriptcentral.com/e-videos>

* Chu-Hsuan Kuo and Chia-Wei Yang contributed equally to the manuscript.