First treatment of Crohn's disease refractory anastomotic stricture with a lumen-apposing metallic stent suitable for colonoscopy

▶ **Video 1** Stenting of an anastomotic Crohn's stricture.

A 58-year-old patient with Crohn's disease and prior ileocecal resection, experienced repeated bouts of bowel occlusion related to a short and fibrotic anastomotic stricture despite several endoscopic dilations. To avoid further surgery, endoscopic stenting was chosen to relieve symptoms and prevent relapses.

Colonoscopy was performed under general anesthesia (▶ **Video 1**). The stricture was located 80 cm from the anal margin and could not be passed by the colonoscope (▶ **Fig. 1**). Stricture diameter and length were 0.5 cm and 1 cm, respectively, when measured using contrast injection and traction with an extraction balloon under X-ray control (▶ **Fig. 2**). A guidewire and fully covered lumen-apposing metallic stent (LAMS; Niti-S-SPAXUS; Taewoong Medical, Gyeonggi-do, South Korea) were inserted through the stricture (▶ **Fig. 3**, ▶ **Fig. 4**). The delivery system allowed deployment of the distal flange in the ileum and the proximal flange in the colon (▶ **Fig. 5**). No immediate complications occurred. The patient experienced immediate relief and remained symptom free after 4 months of follow-up.

Endoscopic stents are commonly used to treat benign strictures, especially in the esophagus. However, endoscopic stenting in Crohn's strictures has often been disappointing due to high rates of migration [1,2]. The design of LAMS reduces the risk of migration while allowing removal when necessary. Despite promising early results showing the efficacy of LAMS in Crohn's strictures [3–5], widespread use has not followed, partly because the short delivery catheter of the currently used model (AXIOS; Boston Scientific, Marlborough, Massachusetts, USA) is only compatible with gastroscopies.

The Niti-S-SPAXUS stent has a 180-cm delivery system that is compatible with colonoscopes, making it particularly suitable for benign refractory strictures remotely located in the colon, such as anastomotic Crohn's strictures.

To our knowledge, this is the first use of this stent in this indication. Being able to use LAMS during colonic examination might ease and increase the use of this effective treatment.

Endoscopy_UCTN_Code_TTT_1AQ_2AJ

▶ **Fig. 1** Ileocolonic anastomotic stricture.

▶ **Fig. 2** Balloon probe set beyond the stricture confirming the short nature of the stricture.

▶ **Fig. 3** SPAXUS stent (Taewoong Medical, Gyeonggi-do, South Korea) set in the ileocolic anastomotic stricture. The whitening of the mucosa reflects the dilation of the stricture by the prosthesis.

► **Fig. 4** A week after the procedure, a computed tomography scan was performed to investigate rectal bleeding (which happened to be proctologic) and confirmed the correct position of the SPAXUS stent.

► **Fig. 5** Half-opened SPAXUS stent (Taewoong Medical, Gyeonggi-do, South Korea).

Competing interests

The authors declare that they have no conflict of interest.

The authors

Gabriel Marcellier¹, **Diane Lorenzo¹**,
Abdellah Hedjoudje¹, **Benedicte Jais¹**, **Yoram Bouhnik²**, **Frederic Prat¹**

- 1 Endoscopy Unit, Beaujon Hospital, Clichy, France
- 2 Gastroenterology and Nutrition Support Department, Department of Gastroenterology, Beaujon Hospital, Clichy, France

Corresponding author

Gabriel Marcellier, MD

Endoscopy Unit, Beaujon Hospital, 100
Boulevard du Général Leclerc, 92110 Clichy,
France
gabriel.marcellier@aphp.fr

References

- [1] Attar A, Branche J, Coron E et al. An anti-migration self-expandable and removable metal stent for Crohn's disease strictures: a nationwide study from the GETAID and the SFED. *J Crohns Colitis* 2021; 15: 521–528
- [2] Shen B, Kochhar G, Navaneethan U et al. Practical guidelines on endoscopic treatment for Crohn's disease strictures: a consensus statement from the Global Interventional Inflammatory Bowel Disease Group. *Lancet Gastroenterol Hepatol* 2020; 5: 393–405
- [3] Jain D, Patel U, Ali S et al. Efficacy and safety of lumen-apposing metal stent for benign gastrointestinal stricture. *Ann Gastroenterol* 2018; 31: 425–438
- [4] Majumder S, Buttar N, Gostout C et al. Lumen-apposing covered self-expanding metal stent for management of benign gastrointestinal strictures. *Endosc Int Open* 2015; 04: 96–101
- [5] Axelrad J, Lichtiger S, Sethi A et al. Treatment of Crohn's disease anastomotic stricture with a lumen-apposing metal stent. *Clin Gastroenterol Hepatol* 2018; 16: 25–26

Bibliography

Endoscopy 2022; 54: E409–E410

DOI 10.1055/a-1559-1279

ISSN 0013-726X

published online 8.9.2021

© 2021. Thieme. All rights reserved.

Georg Thieme Verlag KG, Rüdigerstraße 14,
70469 Stuttgart, Germany

ENDOSCOPY E-VIDEOS

<https://eref.thieme.de/e-videos>

Endoscopy E-Videos is an open access online section, reporting on interesting cases and new techniques in gastroenterological endoscopy. All papers include a high quality video and all contributions are freely accessible online. Processing charges apply (currently EUR 375), discounts and waivers acc. to HINARI are available.

This section has its own submission website at
<https://mc.manuscriptcentral.com/e-videos>