

## A challenging endoscopic approach to an unexpected case of extraluminal recurrence after rectal surgery




Postsurgical anastomotic recurrences of colorectal cancer represent a specific type of local recurrence [1] and several theories exist regarding their pathogenesis, including positive margins, lymphatic dissemination, and implantation of tumor cells [2]. Here, we present an unusual case of anastomotic recurrence that developed in a para-anastomotic cavity and was approached endoscopically.

A 73-year-old man underwent a lower anterior resection of the rectum. Over time, he developed several nonmalignant anastomotic recurrences that were treated endoscopically and, 10 years after the surgical intervention, he was referred to our center for management of a further recurrence. Owing to the presence of fibrosis and the histology from fragments showing low/high grade adenomatous dysplasia, a piecemeal knife-assisted snare resection was performed. During the procedure however, a fistulous orifice communicating with a cavity that was endoscopically accessible was noticed (► **Fig. 1 a**). Inside the cavity, a florid villous tissue growth was observed, so biopsies were taken (► **Fig. 1 b**). An endoscopic ultrasound examination was performed to evaluate the cavity, which was 62 × 34 mm in size.

Pathological examination diagnosed a low grade adenoma, so an endoscopy session was scheduled to remove the intracavitary tissue recurrence. The procedure was performed using a standard gastroscope (EG-2990i; Pentax Medical, Japan) equipped with a cap. The “lifting sign” was not observed, so multiple tissue fragments were resected with cold and hot snares (► **Fig. 1 c**). Avulsion of debris with a biopsy forceps led to complete resection of the tissue (► **Video 1**). No complications occurred, and the patient was discharged on the subsequent day; however, the histology showed invasive adenocarcinoma, so the patient was ultimately referred to surgery.



► **Fig. 1** Endoscopic images showing: **a** the access to the cavity through the fistulous orifice; **b** the villous tissue growing inside the cavity; **c** resection of the tissue being performed using a cold snare.



► **Video 1** Endoscopic approach to an unusual postsurgical anastomotic recurrence of colorectal cancer.

This case demonstrates how malignant locoregional recurrences of colorectal cancer may occur, even in unusual locations and after a considerable time. Although endoscopic management did not prove curative in this case, it should be considered as the first treatment option for anastomotic recurrence, where the endoscopic appearance and histologic findings are nonmalignant, in order to avoid immediate surgical re-intervention.

Endoscopy\_UCTN\_Code\_CCL\_1AD\_2AB

### Competing interests

S. Danese has served as a speaker, consultant, and advisory board member for Schering-Plough, AbbVie, Actelion, Alphawasserman, AstraZeneca, Cellerix, Cosmo Pharmaceuticals, Ferring, Genentech, Grunenthal, Johnson and Johnson, Millenium Takeda, MSD, Nikkiso Europe GmbH, Novo Nordisk, Nycomed, Pfizer, Pharmacosmos, UCB Pharma and Vifor. F. Azzolini, F. V. Mandarino, E. Fasullo, A. Barchi, and D. Esposito declare that they have no conflict of interest.

## The authors

**Francesco Azzolini, Francesco Vito  
Mandarino, Ernesto Fasulo, Alberto Barchi,  
Dario Esposito, Silvio Danese**

Division of Gastroenterology and  
Gastrointestinal Endoscopy, IRCCS San Raffaele  
Scientific Institute, Vita-Salute San Raffaele  
University, Milan, Italy

## Corresponding author

**Alberto Barchi, MD**

Division of Gastroenterology and  
Gastrointestinal Endoscopy, IRCCS San  
Raffaele Scientific Institute, Vita-Salute San  
Raffaele University, Via Olgettina, 60,  
20136 Milan, Italy  
barchi.alberto@hsr.it

## References

- [1] Galandiuk S, Wieand HS, Moertel CG et al. Patterns of recurrence after curative resection of carcinoma of the colon and rectum. *Surg Gynecol Obstet* 1992; 174: 27–32
- [2] Gopalan S, Bose JC, Periasamy S. Anastomotic recurrence of colon cancer-is it a local recurrence, a second primary, or a metastatic disease (local manifestation of systemic disease)? *Indian J Surg* 2015; 77: 232–236

## Bibliography

Endoscopy 2023; 55: E464–E465

DOI 10.1055/a-2020-9623

ISSN 0013-726X

© 2023. The Author(s).

This is an open access article published by Thieme under the terms of the Creative Commons Attribution-NonDerivative-NonCommercial License, permitting copying and reproduction so long as the original work is given appropriate credit. Contents may not be used for commercial purposes, or adapted, remixed, transformed or built upon. (<https://creativecommons.org/licenses/by-nc-nd/4.0/>)

Georg Thieme Verlag KG, Rüdigerstraße 14,  
70469 Stuttgart, Germany



## ENDOSCOPY E-VIDEOS

<https://eref.thieme.de/e-videos>



*Endoscopy E-Videos* is an open access online section, reporting on interesting cases and new techniques in gastroenterological endoscopy. All papers include a high quality video and all contributions are freely accessible online. Processing charges apply, discounts and waivers acc. to HINARI are available.

This section has its own submission website at

<https://mc.manuscriptcentral.com/e-videos>