L. ILIES, T. YOSHIDA, E. NAKAMURA* (THE UNIVERSITY OF TOKYO, JAPAN)
 Iron-Catalyzed Chemo- and Stereoselective Hydromagnesiation of Diarylalkynes and Diynes
J. Am. Chem. Soc. **2012**, *134*, 16951–16954.

Iron-Catalyzed Hydromagnesiation of Diarylalkynes and Diynes

R¹ = Ph, 2-thienyl, 4-FC₆H₄, Tol, PMP

R² = Ar, HetAr, Alk, alkene, and alkyne substituents

E = H₂O, D₂O, allyl bromide, DMF, PhCHO, Ph₂SiHCl, PhI, *N*-ethyl-*N*-(2-iodobenzyl)ethanamine

Selected examples:

89% yield
E/Z = 4:96

75% yield
E/Z = 11:89

73% yield
E/Z > 99:1

80% yield

38% yield
E/Z > 99:1

64% yield
E/Z > 1:99

63% yield
E/Z = 11:89

Significance: The authors report a novel iron-catalyzed hydromagnesiation of diarylalkynes in high yield with high stereoselectivity. Furthermore, alkenyl-magnesium compounds can be synthesized from diynes in a chemo-, regio- and stereoselective way.

Comment: The alkenylmagnesium intermediates can further be functionalized in a one-pot sequence. Reactions with allyl bromide, *N,N*-dimethylformamide and even nickel-catalyzed cross-couplings have been disclosed. The authors suggest a radical mechanism instead of a pure anionic mechanism.

SYNFACTS Contributors: Paul Knochel, Andreas K. Steib
 Synfacts 2013, 9(1), 0088 Published online: 17.12.2012
 DOI: 10.1055/s-0032-1317741; Reg-No.: P16312SF

2013 © THIEME STUTTGART • NEW YORK