S. A. SNYDER,* A. P. BRUCKS, D. S. TREITLER, I. MOGA (COLUMBIA UNIVERSITY, NEW YORK, USA)

Concise Synthetic Approaches for the *Laurencia* Family: Formal Total Syntheses of (±)-Laurefucin and (±)-*E*- and (±)-*Z*-Pinnatifidenyne

J. Am. Chem. Soc. **2012**, *134*, 17714–17721.

Formal Syntheses of (±)-Laurefucin and (±)-*E*- and (±)-*Z*-Pinnatifidenyne

Significance: (±)-Laurefucin and (±)-*E*- and (±)-*Z*-pinnatifidenyne are oxocanes belonging to the class of *Laurencia* haloethers. The authors implement a previously developed bromoetherification–ring-expansion sequence to obtain the stereochemically rich medium-sized rings present in the natural products.

SYNFACTS Contributors: Erick M. Carreira, Julian Egger
Synfacts 2013, 9(1), 0016 Published online: 17.12.2012
DOI: 10.1055/s-0032-1317851; **Reg-No.:** C02312SF

Comment: Treatment of highly functionalized tetrahydrofuran substrates **D** and **O** with bromonium source **E**, induces a haloetherification giving oxonium intermediates **F** and **P**. Subsequent intramolecular trapping by an internal nucleophile provides previously reported cyclic ethers **G** and **R**.