M. GHOLAMI, S. RAMSAYWACK, M. N. CHAUR, A. H. MURRAY, R. MCDONALD, M. J. FERGUSON, L. ECHEGOYEN, R. R. TYKWINSKI* (UNIVERSITY OF ERLANGEN-NUREMBERG, GERMANY; UNIVERSITY OF ALBERTA, EDMONTON, CANADA; UNIVERSIDAD DEL VALLE, SANTIAGO DE CALI, COLOMBIA; UNIVERSITY OF TEXAS AT EL PASO, USA)

Synthesis and Derivatization of Expanded $[n]$ Radialenes ($n = 3, 4$)

Chem. Eur. J. **2013**, *19*, 15120–15132.

Category

Synthesis of
Materials and
Unnatural Products

Key words

expanded
radialenes

strained
macrocycles

carbon-rich
molecules

Expanded $[n]$ Radialenes: Unusual Carbon-Rich Molecules

Synthesis of extended $[4]$ radialenes:

Synthesis of extended $[3]$ radialenes:

Significance: Conjugated macrocycles belong to a class of carbon-rich molecules that exhibit unusual structures and fascinating electronic and optical properties. Here, Tykwinski and co-workers report synthetic approaches to extended $[4]$ radialenes **1** and $[3]$ radialenes **2**.

Comment: Synthesis of the extended radialenes **1** and **2** is accomplished by a one-pot deprotection and palladium-catalyzed cross-coupling reaction of common intermediates **3** and **4**, respectively. Increased bond-angle strain appears to reduce yields in the synthesis of **2** compared to **1**. A modified synthesis that leads to C_2 -symmetric expanded $[4]$ radialenes is also presented in this work.

SYNFACTS Contributors: Timothy M. Swager, Derik K. Frantz
Synfacts 2014, 10(1), 0037 Published online: 13.12.2013
DOI: 10.1055/s-0033-1340394; Reg-No.: S15013SF