D. N. TRAN, N. CRAMER* (ÉCOLE POLYTECHNIQUE FÉDÉRALE DE LAUSANNE, SWITZERLAND)

Rhodium-Catalyzed Dynamic Kinetic Asymmetric Transformations of Racemic Allenes by the [3+2] Annulation of Aryl Ketimines

Angew. Chem. Int. Ed. **2013**, 52, 10630–10634.

Enantioselective Rhodium-Catalyzed DYKAT of Racemic Allenes

Significance: Chiral amines are present in numerous biologically active compounds (see Book below). Starting from readily accessible racemic allenes, the authors were able to access indane structures containing chiral amines via a dynamic kinetic asymmetric transformation (DYKAT) in a [3+2] cycloaddition.

Book: *Chiral Amine Synthesis*: T. C. Nugent, Ed.; Wiley-VCH: Weinheim, **2010**.

Comment: The rhodium hydride, formed by the initial directed C–H activation, adds across the racemic allene forming a rhodium allyl species. The rhodium allyl species can then interconvert via σ - π - σ isomerization leading to a chiral intermediate which adds to the imine (see below for a Review on axis-to-center chirality transfer).

Review: N. Krause, C. Winter *Chem. Rev.* **2011**, 111, 1994–2009.

SYNFACTS Contributors: Mark Lautens, Zafar Qureshi
Synfacts 2014, 10(1), 0052 Published online: 13.12.2013
DOI: 10.1055/s-0033-1340440; Reg-No.: L15013SF

2014 © THIEME STUTTGART • NEW YORK