A fatal case of a colonic fistula communicating with a walled-off area of pancreatic necrosis

Fig. 1 Computed tomography (CT) scan of the upper abdomen in a 28-year-old woman with chronic glomerulonephritis, pneumonia, and acute necrotizing pancreatitis showing: **a** a walled-off area of necrosis in the pancreas (arrows) containing an air bubble (*) in axial view; **b** a walled-off area of necrosis in the transverse mesocolon (*) with pressure effect on the transverse colon (arrows) in coronal view.

Fig. 2 Colonoscopy images showing: **a** the edematous wall on the mesenteric side of the transverse colon; **b** necrotic material protruding through an orifice in the edematous wall of the transverse colon; **c** a close-up view of the necrotic material protruding through another orifice in the same area of the colon.

A 28-year-old woman with chronic glomerulonephritis who was treated with prednisolone for many years developed pneumonia due to *Nocardia* that required treatment with co-trimoxazole. She subsequently developed acute necrotizing pancreatitis and her hospital course was complicated by a prolonged fever. In the fourth week, a computed tomography (CT) scan of the abdomen to evaluate the severity of the pancreatitis demonstrated a walled-off area of pancreatic necrosis (5×6cm) that was extending via the transverse mesocolon to the edematous wall of the transverse colon. In addition, an air pocket was seen in the necrotic cav-

ity (● Fig. 1). This raised the suspicion of infected pancreatic necrosis and/or fistula formation.

The patient developed hematochezia with hypotension 1 day later, and a colonoscopy demonstrated edema of the colonic wall on the mesenteric side of the transverse colon (● Fig. 2a). In the edematous area, there were three indurated fistulas with necrotic material protruding through the orifices (● Fig. 2b,c; ● Video 1). Unfortunately, standard debridement and drainage could not be performed because her condition deteriorated rapidly, and she died from severe bacterial and fungal sepsis.

Colonic involvement is an uncommon, but potentially serious, complication of severe acute pancreatitis [1–4]. The colonic complications typically range from moderate to severe and include localized ileus, obstruction from severe edema or inflammation, colonic ischemia with or without necrosis, hemorrhage, and fistula formation [1].

Colonic fistulas occur in 3%–10% of patients with severe acute pancreatitis [2]. An air pocket in a necrotic area of the pancreas usually indicates that infected necrosis is present and/or there is a fistula to the gastrointestinal tract. The root of the mesocolon, which is anterior to the pancreas, serves as a potential route for spread of inflammatory mediators to the colonic wall. This inflammation may lead to thrombosis of mesenteric vessels and subsequently to necrosis of the colonic

wall [5]. The consequences of a colonic fistula may be more severe than those of fistulas at other sites because of the heavy load of multiple organisms, including fungus, present within the colon.

Endoscopy_UCTN_Code_CCL_1AD_2AG

Competing interests: None

Rungsun Rerknimitr¹, Narisorn Lakannurak¹, Piyapan Prueksapanich¹, Sasipim Sallapant¹, Phonthep Angsuwatcharakon^{1,2}, Pradermchai Kongkam¹, Pinit Kullavanijaya¹

¹ Division of Gastroenterology, Department of Internal Medicine, Chulalongkorn University, Bangkok, Thailand

² Department of Anatomy, Faculty of Medicine, Chulalongkorn University, Bangkok, Thailand

References

- 1 Mohamed SR, Siriwardena AK. Understanding the colonic complications of pancreatitis. *Pancreatol* 2008; 8: 153–158
- 2 Suzuki A, Suzuki S, Sakaguchi T et al. Colonic fistula associated with severe acute pan-

creatitis: report of two cases. *Surg Today* 2008; 38: 178–183

- 3 Ho HS, Frey CF. Gastrointestinal and pancreatic complications associated with severe pancreatitis. *Arch Surg* 1995; 130: 817–822 ; discussion 22–23
- 4 Tsiotos GG, Smith CD, Sarr MG. Incidence and management of pancreatic and enteric fistulae after surgical management of severe necrotizing pancreatitis. *Arch Surg* 1995; 130: 48–52
- 5 Aldridge MC, Francis ND, Glazer G et al. Colonic complications of severe acute pancreatitis. *Br J Surg* 1989; 76: 362–367

Bibliography

DOI <http://dx.doi.org/10.1055/s-0033-1359134>
Endoscopy 2014; 46: E30–E31
© Georg Thieme Verlag KG
Stuttgart · New York
ISSN 0013-726X

Corresponding author

Rungsun Rerknimitr, MD
Division of Gastroenterology
Department of Internal Medicine
Faculty of Medicine
Chulalongkorn University
Bangkok 10310
Thailand
Fax: +66-2-2527839
ERCP@live.com

Video 1

Colonoscopic view during air insufflation showing necrotic material protruding through an orifice in the edematous wall of the transverse colon.