Cotton wool-like plaques due to *Candida* in ulcerative colitis

Fig. 1 A 62-year-old man with a long history of ulcerative colitis developed intermittent abdominal pain and prolonged diarrhea. After 5 weeks of treatment with prednisolone, he developed high fever and abdominal colic pain. **a** Colonoscopic imaging in the transverse colon revealed cotton wool-like plaques on a background of inflamed mucosa. **b** The lesions seemed to be an aggregation of filaments when magnified (under narrow-band imaging).

Fig. 2 On microscopic imaging, numerous *Candida* fungi were seen in the sample.

A 62-year-old man with a long history of ulcerative colitis and who was taking 2250 mg of mesalazine and 50 mg of azathioprine daily, developed intermittent abdominal pain and prolonged diarrhea. He was referred to our hospital with a suspicion of exacerbated ulcerative colitis. A physical examination revealed a man in acute distress with mild tenderness to palpation in the mid abdomen. Oral prednisolone was prescribed at a dose that was to be gradually decreased from 80 mg. After 5 weeks, when the dose of prednisolone had decreased to 30 mg, he developed high fever and abdominal colic pain. In his stool examination, *Pseudomonas aeruginosa*, *Clostridium difficile*, and some *Candida* species were present. Serum cytomegalovirus (CMV) antigen was also positive. Colonoscopy revealed multiple ulcers, marked granular change, and edema

throughout the colon. White plaques as well as cotton wool-like plaques on a background of inflamed mucosa were seen in the transverse colon (Fig. 1a). The lesions seemed to be an aggregation of filaments when magnified (Fig. 1b). Samples were collected which led to the diagnosis of candidiasis (Fig. 2). Intravenous antifungal medication was administered, and the whitish plaques and inflammation disappeared within 2 months. Acute infectious colitis mimics ulcerative colitis with the presence of diffuse lesions or focal colitis, thus necessitating differential diagnosis [1]. In ulcerative colitis, *C. difficile* and CMV infections are common while other infections such as *Salmonella*, *Campylobacter*, and *Listeria monocytogenes* have also been reported [2, 3]. There are some reports describing candidiasis of the digestive tract in immuno-

compromised hosts [4], however, candidiasis in patients with ulcerative colitis has rarely been reported [5]. Patients with ulcerative colitis undergoing treatment with steroids or immunosuppressive agents, and who develop prolonged diarrhea or high fever, should undergo colonoscopy to evaluate whether this is due to a relapse of ulcerative colitis or to infection.

Endoscopy_UCTN_Code_CCL_1AD_2AZ

Competing interests: None

Yasuteru Fujino¹, Yoshifumi Takaoka¹, Naoki Muguruma¹, Miwako Kagawa¹, Toshiya Okahisa¹, Mika Sakaki², Tetsuji Takayama¹

¹ Department of Gastroenterology and Oncology, The University of Tokushima Graduate School, Tokushima, Japan

² Division of Pathology, Tokushima University Hospital, Tokushima, Japan

References

- 1 Rutgeerts P, Geboes K, Ponette E et al. Acute infective colitis caused by endemic pathogens in western Europe: endoscopic features. *Endoscopy* 1982; 14: 212–219
- 2 Mylonaki M, Langmead L, Pantes A et al. Enteric infection in relapse of inflammatory bowel disease: importance of microbiological examination of stool. *Eur J Gastroenterol Hepatol* 2004; 16: 775–778
- 3 Kassalik M, Fry LC, Didowacz-Grollmann A et al. *Listeria monocytogenes* sepsis in ulcerative colitis. *Endoscopy* 2012; 44 (Suppl. 02): E219–220
- 4 Kumamoto CA. Inflammation and gastrointestinal *Candida* colonization. *Curr Opin Microbiol* 2011; 14: 386–391
- 5 Kudo T, Aoyagi Y, Fujii T et al. Development of *Candida albicans* colitis in a child undergoing steroid therapy for ulcerative colitis. *J Pediatr Gastroenterol Nutr* 2010; 51: 96–99

Bibliography

DOI <http://dx.doi.org/10.1055/s-0034-1390841>
Endoscopy 2015; 47: E61
 © Georg Thieme Verlag KG
 Stuttgart · New York
 ISSN 0013-726X

Corresponding author

Naoki Muguruma, MD, PhD

Department of Gastroenterology and Oncology
 The University of Tokushima Graduate School
 3-18-15 Kuramoto-cho
 Tokushima city 770-8503
 Japan
 Fax: +81-88-6339235
muguruma.clin.med@gmail.com