L. M. MARTÍNEZ-PRIETO*, I. CANO, A. MÁRQUEZ, E. A. BAQUERO, S. TRICARD, L. CUSINATO, I. DEL ROSAL, R. POTEAU, Y. COPPEL, K. PHILIPPOT, B. CHAUDRET, J. CÁMPORA*, P. W. N. M. VAN LEEUWEN* (CSIC-UNIVERSIDAD DE SEVILLA, SPAIN; INSTITUT DES SCIENCES APPLIQUÉES, TOULOUSE, AND UNIVERSITÉ DE TOULOUSE, FRANCE)

Zwitterionic Amidinates as Effective Ligands for Platinum Nanoparticle Hydrogenation Catalysts
Chem. Sci. **2017**, *8*, 2931–2941.

Zwitterionic Ligand Supported Platinum Nanoparticles as Hydrogenation Catalysts

Significance: Zwitterionic imidazolium amidinate ligand-supported platinum nanoparticle catalysts **2a–c** [$\text{Pt}/\text{ICy}^{(\text{Ar})}\text{NCN}_{0.2}$] were prepared as shown in eq. 1. The hydrogenation of olefins, carbonyl or nitro compounds was carried out with platinum nanoparticles **2a–c** to give the corresponding reduced products (eqs. 2–5).

Comment: The platinum nanoparticle catalyst **2b** was characterized by means of ^{15}N and ^{13}C MAS NMR, TEM, HR-TEM, WAXS, TGA and elemental analyses. The authors have previously reported the synthesis of $\text{Ru}-\text{ICy}^{(p\text{-Tol})}\text{NCN}_{0.2}$ and its application in the hydrogenation of styrene (L. M. Martínez-Prieto et al. *Chem. Commun.* **2015**, 51, 4647).

SYNFACTS Contributors: Yasuhiro Uozumi, Yoichi M. A. Yamada, Kenta Shinohara
 Synfacts 2017, 13(07), 0765 Published online: 19.06.2017
 DOI: 10.1055/s-0036-1590616; Reg-No.: Y07917SF