F. ISHIWARI*, N. TAKEUCHI, T. SATO, H. YAMAZAKI, R. OSUGA, J. N. KONDO,
T. FUKUSHIMA* (TOKYO INSTITUTE OF TECHNOLOGY, JAPAN)
Rigid-to-Flexible Conformational Transformation: An Efficient Route to Ring-Opening of a Tröger's Base-
Containing Ladder Polymer
ACS Macro Lett. **2017**, 6, 775–780.

Mission Accomplished: Synthesis of 'Flexible' Ladder Polymers

Significance: Ladder polymers are generally rigid because the repeating units are connected by two or more bonds. If 'flexible' ladder polymers were synthesized, they would be novel materials that have the potential to exhibit viscoelastic and dynamic properties in addition to their inherent, excellent thermal and mechanical properties. Herein, Ishiwari, Fukushima, and co-workers report the first example of the synthesis of a well-defined conformationally flexible ladder polymer.

Comment: The 'flexible' ladder polymer **poly-3** was synthesized by an efficient ring opening of a rigid Tröger's base unit in the main chain of the polymer. ^1H NMR studies and gas-adsorption measurements of the polymers confirm the flexibility of **poly-3**. SEC-MALS profiles suggest that no breaking of the polymer main chain was observed in any of the reactions. Further functionalization of **poly-3** can be achieved by acylation of the secondary amine moiety, which demonstrates the versatility of **poly-3**.

SYNFACTS Contributors: Timothy M. Swager, Kosuke Yoshinaga
Synfacts 2017, 13(10), 1027 Published online: 18.09.2017
DOI: 10.1055/s-0036-1591240; Reg-No.: S08717SF