P. E. DAWSON, T. W. MUIR, I. CLARK-LEWIS, S. B. KENT* (THE SCRIPPS RESEARCH INSTITUTE, LA JOLLA, USA)

Synthesis of Proteins by Native Chemical Ligation

Science **1994**, 266, 776–779.

Synthesis of Human Interleukin-8 by Native Chemical Ligation

Principle of native chemical ligation (NCL):

Synthesis of human interleukin 8 (IL-8) via NCL:

Significance: The realization that unprotected peptide thioesters react chemoselectively with unprotected *N*-terminal cysteine residues to form amide linkages is an important advancement in protein synthesis. Native Chemical Ligation (NCL) allows synthetic access to proteins of moderate size.

Comment: NCL proceeds by the formation of an intermediate thioester linkage with cysteine that then spontaneously rearranges to the native amide bond. This strategy was applied to the total chemical synthesis of human interleukin 8 (IL-8), a 72-amino acid protein containing four cysteine residues.

SYNFACTS Contributors: Dirk Trauner, Julius R. Reyes
Synfacts 2019, 15(04), 0439 Published online: 19.03.2019
DOI: 10.1055/s-0037-1612404; Reg-No.: T01919SF

2019 © Georg Thieme Verlag Stuttgart · New York

Category

Chemistry in
Medicine and
Biology

Key words

peptide synthesis

native chemical
ligation

protein synthesis

human interleukin 8

Synfact
Classic

This document was downloaded for personal use only. Unauthorized distribution is strictly prohibited.