Calcium/Citrate Ratio and Risk of Kidney Stone

Beuy Joob¹ Viroj Wiwanitkit²

¹Medical Center, Sanitation1 Medical Academic Center, Bangkok Thailand

²Joseph Ayobabalola University, Ikeji-Arakeji, Nigeria

J Child Sci 2019;9:e90.

Address for correspondence Beuy Joob, PhD, Sanitation 1 Medical Academic Center, Bangkok, 10140 Thailand (e-mail: beuyjoob@hotmail.com).

We read the publication on “Does the Urinary Calcium/Citrate (UCa/UCi) Ratio Add to the Diagnostic Work-up of Children at Risk of Kidney Stones?” with a great interest. Lee et al noted in the article “*UCa/UCi rather than UCi/UCr may be more predictive in the clinical setting when evaluating for nephrolithiasis.*”¹ The result in this report is concordant with the previous publication by DeFoor et al.² Nevertheless, there is an important consideration regarding the urine calcium and citrate measurement. The sexual variation should also be mentioned. For urine calcium, there is no sexual variation; however, a sexual variation is reported for urine citrate.³ This variation should be kept in mind while interpreting the UCa/UCi ratio in pediatric patients.

Conflict of Interest

None declared.

References

- 1 Lee M, Cuellar CIR, Nagra R, Wang ZTP, VBhayana V, Filler G. Does the urinary calcium/citrate ratio add to the diagnostic workup of children at risk of kidney stones? A cross-sectional study. J Child Sci 2019;9:1–6
- 2 DeFoor W, Jackson E, Schulte M, Alam Z, Asplin J. Calcium-to-citrate ratio distinguishes solitary and recurrent urinary stone forming children. J Urol 2017;198(02):416–421
- 3 Perry GM, Scheinman SJ, Asplin JR. Effects of sex on intra-individual variance in urinary solutes in stone-formers collected from a single clinical laboratory. PLoS One 2013;8(06):e53637

received
June 25, 2019
accepted after revision
June 30, 2019

DOI <https://doi.org/10.1055/s-0039-1697944>.
ISSN 2474-5871.

Copyright © 2019 Georg Thieme Verlag
KG Stuttgart · New York