EFFECTIVENESS OF AN INFORMATIONAL LEAFLET ON KNOWLEDGE REGARDING BREAST CANCER AMONG WOMEN OF REPRODUCTIVE AGE

Laveena¹ & Sushmitha Karkada²

¹M.Sc(N) Student, ²Assistant Professor, Manipal College of Nursing Manipal, Manipal University

Correspondence:
Sushmitha Karkada

Mobile : + 91 99641 44224, E-mail : sushmitha.karkada@manipal.edu, sushmil_k@yahoo.com

Abstract:

The study was conducted to determine the knowledge regarding breast cancer and also to find the effectiveness of informational leaflet to enhance women's knowledge regarding breast cancer. The study adapted evaluative approach and the design was one group pretest post test design. The study was carried among 100 women of reproductive age group (15-45 years) residing at Mattar village , Shirva Panchayat Udupi District. Knowledge was assessed using Structured knowledge Questionnaire on Breast cancer. A significant difference between pretest and posttest knowledge scores was found (mean difference 8.58, t=25.83). Imparting knowledge regarding breast cancer is useful to maintain healthy life style practices & also promotes one's own as well as others wellbeing.

Keywords : Informational leaflet, Knowledge, Breast Cancer, Women,

Introduction :

Breast cancer is the most common cancer and the leading cause of cancer deaths in women throughout the world; it is a major public health concern .The incidence of breast cancer is increasing throughout the world. Although higher age-specific incidence rates for female breast cancer occur in developed countries, nearly half of the cases of breast cancer diagnosed in the next year will be in developing countries.¹

More than one million new patients suffer from breast cancer annually in the world. It is estimated that 2, 11,240 patients suffer from invasive breast cancer in a year in the United States. These numbers represent a sharp increase over the past 30 years. Currently, in India, the incidence of breast cancer has steadily increased over the years and as many as 1,00,000 new patients are being detected

every year. The increase reported by cancer registries is nearly 12% from 1985 to 2001, representing a 57% rise in India's cancer burden.²

Based on National Cancer

Registry Programme (ICMR), report of (2001-03), about 25% of the total cancer cases among Indian women constitutes of Breast cancer. The crude incidence rate of Breast cancer at India level is about 85 per 100,000 women per year. It is estimated that about 85000 new cases of Breast cancer are occurring in India, every year. The mortality rate is around 7 per 100,000 cases per year.³

A case control study was done Pakseresht S, in Lok Nayak Hospital, regarding risk factors with breast cancer among women in Delhi. 332 women were studied. Subjects were women with breast cancer (N=115) and age matched Control subjects (N=217) without breast cancer, admitted Lok Nayak Hospital during 2006. Subjects were interviewed using a pretested questionnaire. The risk factors studied were age, parity, socioeconomic status marital status, breast feeding, menarche, menopause, family history. Results revealed that there was a significant difference between breast cancer cases and controls in relation to place of residence, occupation, marital status, body mass index and breast feeding.⁵

A community based, cross sectional study was carried out in 2007 by Somdatta P. to know the Awareness of breast cancer in urban women in South Delhi. Semi-structured

Access this article online

Quick Response Code

interview method was used to collect information regarding breast cancer. A total of 333 women were included. The mean age was 36 years and 46% were illiterate. Fifty six percent women were aware of breast cancer, among them 51% knew about at least one of the signs & symptoms, 53% were aware that breast cancer can be detected early, and only 35% mentioned about risk factors. Study concluded that there is need for awareness generation programmes to educate women about breast cancer, propagation of correct messages and promote early detection of breast cancer.⁶

The nurses play a vital role in health promotion and health maintenance and there are variety of techniques which can be adopted to impart knowledge. Hence the investigators felt to take up this study which will help women to be aware of the breast cancer and inculcate healthy lifestyle and also promote wellness to others.

Materials & Methods :

In order to accomplish the main objective of evaluating the effectiveness of an information booklet on knowledge regarding breast cancer among women in the reproductive age one group Pre test Post test design was adopted. The study was conducted in Mattar village, Shirva panchayat of Udupi District. 100 women of Mattar village, Shirva Panchayat were selected by convenience sampling. After obtaining consent from the participants pretest was administered using structured knowledge questionnaire. After pretest researcher distributed information booklet on knowledge regarding Breast cancer to participants. Seven days later post test was administered to assess the knowledge. The collected data were analysed using descriptive & inferential statistics.

Results:

Main findings are discussed under the following headings

Section I: Description of sample characteristics

- 1 Out of 100 women, 35 (35%) of them belonged to age group of 31-38 years
- 1 Thirty one percent had an education of high school, seventy five percent were married

- 1 Sixty three percent of women didn't have information regarding breast cancer none of them (100%) had family history of Breast cancer.

Section II:

Figure I: Knowledge of women regarding breast cancer depicted in Pie diagram
n=100

Above diagram shows that 52% (52) had poor knowledge and 48% (48) had average knowledge and none had good knowledge.

Section III: Effectiveness of informational leaflet on Breast cancer in terms of gain in knowledge scores

Table I: Paired t test of knowledge score of pretest and posttest
n=100

	Mean	Mean difference	Standard Deviation	t	Significance
Pre-test	7.41	8.58	3.32	25.83	0.0001
Post-test	15.99				

The above table shows that the women who had received informational leaflet on awareness of breast cancer had gained the knowledge. So the information was found to be effective.

Knowledge is independent of the age ($\chi^2=1.228$), education ($\chi^2=3.840$), marital status ($\chi^2=0.214$), because there is no significant association found between these variables.

Discussion:

The pre-test knowledge of the subjects showed that (52%) had poor knowledge and (48%) had average knowledge. The areas in which the all most all women had inadequate knowledge was Breast Self Examination and identifying the breast cancer at an earlier stage. This finding can be supported by a study conducted by Amdahl P. in CSI Kalyani Multispecialty Hospital, Chennai to know the effectiveness of structured teaching programme on breast self examination for early detection of breast cancer among the

nursing students. The students had in adequate knowledge of 38.3%. The effectiveness of programme showed high level of significance at $p < 0.0001$ level. It showed that structured teaching programme was an effective method to improve the knowledge.

Conclusions :

Breast cancer is the common cancer seen in the developing countries. It is more common in urban area. But due to the urbanization now it is common in rural areas too. Early detection of breast cancer can be enhanced by community oriented awareness programmes on breast cancer. In this context the health professional especially the nurses have a major role to play in helping the women to be aware about breast cancer and its early detection method, which is one of the most cost effective and most simple method that the BSE. Cancer education programme can be introduced at early age. It can be done at various settings.

Currently we are moved from the hospital oriented care to community oriented care. In the hospital cancer awareness programmes can be conducted in the general wards in OPD. . Primary level of prevention may not be possible to the fullest in all disease condition, due to the complexity of the causes. But the early detection and treatment is possible in all the cancer, by which the morbidity and mortality can be reduced. This is possible when the nurses are competent and equipped with their sound knowledge. It can be reflected to the public through the awareness programmes. In addition oncology nurses and Community nurses can easily carry out planned as well as incidental health education programmes for improving the knowledge of women on Breast cancer and BSE. The interaction between the nurse and the women leads to the primary aim of cancer awareness.

References :

1. Langhorne ME, Fulton JS, Otto SE. Oncology Nursing, 5th edn. 2007; Missouri: Mosby Elsevier.
2. Black M. Joyce, Hawks J. H. Medical Surgical Nursing. 8th edn. 2009; New Delhi: Elsevier.
3. Lewis S.M. Heilkemper M, S.R. Medical surgical nursing 6th edn; New Delhi.
4. www.medindia.net > Indian Health News breast cancer.
5. www.highbeam.com/doc/1G1-56528824.html Article: Recent Advances in Breast Cancer Imaging.
6. Pakseresht S., Ingle G.K. et al. Indian Journal of Cancer. 2009; 46(2):132-138.
7. Somdatta P., Baridalyne N. Indian Journal of Cancer. 2008; 45(4):149-153.
8. Bharath R, Parikh P.M. Indian Journal of Cancer 2010; 47(2):95-97.
9. Karimian Z, Mehran N, Haddad Research Journal of Medical Sciences. 2010; 4(3)116-118.
10. Grunfeld E A., Ramirez A.J. British Journal of Cancer 2002; 86:1373-1378.
11. Akpo E.E., Khator M.A. The internet Journal of Health. 2010; 11(2).
12. Linsell L., Burgess C C., Ramirez A. British Journal of Cancer. 2008; 23(2).
13. Quannetta T.E., Diane S., Journal of the American Academy of Nurse Practitioners. 2010; 22(7):376-381.
14. Ackerman T., Chronicle H.W.W. chron.com. (2010).
15. Guerra C.E., Sherman M., Journal of the American Board of Family Medicine. 2009; 22(3):272-279.
16. Sebahat G., Karayurt O., et al. An International Journal for Cancer Care 2010; 33(3)
17. Houlihan R H., Kennedy M., Interdisciplinary International Journal of the American Cancer Society. 2010; 116(15).
18. Scaria A. Determine the effectiveness of an information booklet on hypertension among the employees of a selected factory in udupi district M.Sc. thesis. MU. Manipal; 2006