F. A. HICKS, S. L. BUCHWALD* (MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, USA)

Highly Enantioselective Catalytic Pauson–Khand Type Formation of Bicyclic Cyclopentenones

J. Am. Chem. Soc. **1996**, *118*, 11688–11689, DOI: 10.1021/ja9630452.

Titanium-Catalyzed Asymmetric Pauson–Khand Type Reaction

Proposed catalytic cycle:

Selected examples:

Significance: Hicks and Buchwald reported an asymmetric titanium-catalyzed Pauson–Khand type reaction to access bicyclic cyclopentenones in excellent yields and enantioselectivity. In addition to good to excellent ee values, the reaction also tolerates 1,1-disubstituted olefins amongst its wide substrate scope; a weakness in earlier Pauson–Khand systems.

Comment: The active catalyst is generated in situ, from $(S,S)\text{-(EBTHI)TiMe}_2$. Both temperature of the reaction and the pressure of CO impacted the yield; temperatures lower than 90 °C or pressures above and below 14 psig were observed to result in diminished conversions.

Review: S. E. Gibson (née Thomas), A. Stevenazzi *Angew. Chem. Int. Ed.* **2003**, *42*, 1800–1810.

SYNFACTS Contributors: Mark Lautens, Randy Sanichar
Synfacts 2020, 16(11), 1327 Published online: 20.10.2020
DOI: 10.1055/s-0040-1706337; Reg-No.: L13020SF

© 2020, Thieme. All rights reserved.
Georg Thieme Verlag KG, Rüdigerstraße 14, 70469 Stuttgart, Germany

Category

Metals in Synthesis

Key words

titanium catalysis

Pauson–Khand type reaction

asymmetric synthesis

bicyclic cyclopentenones

Synfact
Classic

This document was downloaded for personal use only. Unauthorized distribution is strictly prohibited.