G. DILAURO, C. S. AZZOLLINI, P. VITALE, A. SALOMONE, F. M. PERNA*, V. CAPRIATI*
(UNIVERSITÀ DI BARI "ALDO MORO", ITALY)

Scalable Negishi Coupling between Organozinc Compounds and (Hetero)Aryl Bromides under Aerobic Conditions when using Bulk Water or Deep Eutectic Solvents with no Additional Ligands
Angew. Chem. Int. Ed. **2021**, DOI: 10.1002/anie.202101571.

Negishi Cross-Couplings in Water and Deep Eutectic Solvents

Selected examples:

Significance: Capriati, Perna, and co-workers report the efficient Pd-catalyzed cross-coupling of aryl bromides with a broad range of functionalized organozinc reagents in water containing NaCl or choline chloride/urea eutectic mixture [deep eutectic solvents (DES)] as reaction medium. The method chemoselectively affords the functionalized (hetero)aryl compounds in good to excellent yields under very mild reaction conditions without the use of any additional ligand. This protocol proved to be scalable by performing the reaction at a 5 mmol scale without a loss of yield.

Comment: The authors demonstrated the practicability of their method by recycling the Pd catalyst and the DES. The catalyst remained active for seven cycles with a drop of up to 29% yield at the end of the seventh cycle. However, the catalyst retained good catalytic activity until the end of the fourth cycle. This procedure allows the use of well-studied organometallic reactions in environmentally friendly solvent mixtures and can be of great interest for industrial applications.

SYNFACTS Contributors: Paul Knochel, Alexander Kremsmair
Synfacts 2021, 17(05), 0513 Published online: 20.04.2021
DOI: 10.1055/s-0040-1720488; Reg-No.: P04221SF

© 2021, Thieme. All rights reserved.
Georg Thieme Verlag KG, Rüdigerstraße 14, 70469 Stuttgart, Germany

Category

Metals in Synthesis

Key words

water chemistry

organozinc

deep eutectic solvents

cross-coupling

Synfact
of the
Month

This document was downloaded for personal use only. Unauthorized distribution is strictly prohibited.