Effectiveness of Virtual Reality and Interactive Simulators on Dental Education Outcomes: Systematic Review

Rania Moussa¹ Amira Alghazaly² Nebras Althagafi³ Rawah Eshky³ Sary Borzangy¹

¹Department of Substitutive Dental Sciences, College of Dentistry, Taibah University, Medinah, Saudi Arabia

²Department of Restorative Dental Sciences, College of Dentistry, Taibah University, Medinah, Saudi Arabia

³Department of Pediatric Dentistry and Orthodontics, College of Dentistry, Taibah University, Medinah, Saudi Arabia

Address for correspondence Rania Moussa, BDS, MS, PhD, Department of Substitutive Dental Sciences, College of Dentistry, Taibah University, Prince Naif Ibn Abdulaziz, Medinah 42353, Saudi Arabia (e-mail: rania.moussa17@hotmail.com).

Eur J Dent 2022;16:14–31.

Abstract

In recent years, virtual reality and interactive digital simulations have been used in dental education to train dental students before interacting with real patients. Scientific evidence presented the application of virtual technology in dental education and some recent publications suggested that virtual and haptic technologies may have positive effects on dental education outcomes. The aim of this systematic review was to determine whether virtual technologies have positive effects on dental education outcomes and to explore the attitudes of dental students and educators toward these technologies. A thorough search was conducted in PubMed, Scopus, MEDLINE (via EBSCO), The Cochrane Library (via Wiley), Web of Science Core Collection (via Thomson Reuters), and Dentistry and Oral Science source (via EBSCO) using the keywords (student, dental) AND (education, dental) AND (virtual reality) OR (augmented reality) OR (haptics) OR (simulation) AND (dentistry) OR (dental medicine). The quality of the reported information was assessed following the Preferred Reporting Items for Systematic Review and Meta-Analysis (PRISMA) statement for systematic reviews. A total of 73 publications were considered for this review. Fifty-two of the selected studies showed significant improvement in educational outcomes and virtual technologies were positively perceived by all the participants. Within the limitations of this review, virtual technology appears to improve education outcomes in dental students. Further studies with larger samples and longer term clinical trials are needed to substantiate this potential positive impact of various virtual technologies on dental education outcomes.

Keywords

- augmented reality
- simulation
- dental education
- haptics
- students
- dental
- virtual reality
- education

Introduction

In recent years, virtual reality (VR) simulations have been employed in dental education as an adjunctive to the traditional skill training curriculum to train dental students

before interacting with actual patients.^{1,2} Dental education differs from any other form of medical education as it is a combination of theory, laboratory, and clinical practice. The challenge in dental education arises from the fact that theoretical knowledge acquisition requires spatial imagination

published online
August 24, 2021

DOI <https://doi.org/10.1055/s-0041-1731837>
ISSN 1305-7456

© 2021. The Author(s).

This is an open access article published by Thieme under the terms of the Creative Commons Attribution License, permitting unrestricted use, distribution, and reproduction so long as the original work is properly cited. (<https://creativecommons.org/licenses/by/4.0/>).

Thieme Medical and Scientific Publishers Pvt. Ltd. A-12, 2nd Floor, Sector 2, Noida-201301 UP, India

and the patient-centered training on traditional mannequin simulation does not resemble realistic clinical situations.³ Preclinical and clinical training is of paramount importance for developing fine motor skills to prepare dental students to engage in the dental profession. Many of the required dental education competency skills are challenging to acquire, and mandates repeated training and long practice.⁴ Since the breakthrough of the novel coronavirus SARS-Co-V-2 (severe acute respiratory syndrome coronavirus 2) in late 2019,⁵ all essential activities were affected, calling for social distancing, and the traditional dental teaching models of one-on-one pedagogical design had to be partially replaced by digital or virtual setups to avoid the gathering of the youth in closed spaces.

VR is gaining acknowledgment as a valuable tool for training dental students, and its use by dental schools is rising worldwide.⁶ VR is defined as a computer-generated medical simulation of a three-dimensional (3D) image or environment that uses software to create an immersive computer-generated environment. Users put on a head-mounted display that places them inside an experience, where they can engage with the setting and virtual characters in a way that feels real. VR could be beneficial in dental education, permitting a patient noncontact training environment.^{1,2}

Augmented reality (AR) is a superimposition of computer-generated graphics over a real-life scene. It differs from VR, which does not demonstrate natural conditions. AR refers to a form of technology that integrates both real and virtual elements in a combined experience and allows learners to visualize complex spatial relationships, abstract concepts, and experience phenomena that might have been impossible in the real world, especially in surgical procedures coaching.^{7,8} Immersive virtual reality (IVR) is one form of AR where the user interacts with a digital 3D environment recreated through 360 degrees actual records.⁹

Haptic technology (HT) is a more recent simulation that involves tactile sensation while interacting with computer-generated objects. Haptics means the sense of touch and consists of the science of incorporating the interaction with the external environment through contact.² Implementing these technologies in dental education motivated designers to create virtual teeth with and without pathology, multilayered and featured with different mechanical hardness for enhanced reality.^{10,11}

The applications of VR in dental education attracted the attention of researchers even in the early experimental stages.⁷ It was suggested that it could enhance dental education compared with traditional teaching,¹ especially in the training of restorative dentistry,^{12,13} and dental surgery,^{14,15} although it may expand to include endodontics and orthodontics.¹⁶⁻¹⁸ VR enabled the delivery of distant online lectures through 3D VR workplace. The flexibility of the technology allowed the attendees' active contribution and facilitated 3D understanding of surgery and related anatomy, despite the limitation of technical issues.¹⁹ However, the results of VR effectiveness in dental education outcomes are controversial. Thus, this systematic review aimed to evaluate

the effectiveness of VR simulations on dental education outcomes. The assessed results of VR interventions were knowledge, clinical skills, attitude, and satisfaction of both learners and educators.

Methods

Protocol and Eligibility Criteria

This systematic review was conducted according to the Preferred Reporting Items for Systematic Review and Meta-Analysis (PRISMA) guidelines.²⁰ A modified PICOS search was defined, and studies that fulfilled the following criteria were selected:

1. Population (P): Undergraduate and postgraduate dental learners enrolled in any dental-related education or training program were included in the review.
2. Intervention (I): Virtual simulation teaching and assessment methods including but not limited to VR, AR, and HT.
3. Primary outcomes (O): Include clinical competencies measured pre or post intervention represented in learners' knowledge and manual skills. Secondary outcomes included students' and educators' perceptions of VR designs.
4. Study design (S): the review applied no limits for the study design.
5. Comparison (C): was not a mandatory item to include a study in this review.

Information Sources

A systematic electronic search was performed limited to English language articles published between January 2010 to the end of March 2021. Studies were identified by searching the following electronic databases for relevant studies: PubMed, Scopus, MEDLINE (via EBSCO), The Cochrane Library (via Wiley), Web of Science Core Collection (via Thomson Reuters), and Dentistry and Oral Science source (via EBSCO).

The following search terms were used for identification of eligible studies: (student, dental) AND (education, dental) AND (VR) OR (AR) OR (haptics) OR (simulation) AND (dentistry) OR (dental medicine). Keywords were adjusted for use with each of the databases mentioned earlier. Further electronic search of the relevant articles in the Journal of Dental Education and the European Journal of Dental Education was performed while running our electronic search. The bibliographies of the revealed full texts, were manually searched for additional studies.

Study Selection

The search results were combined in a single Mendeley library (Mendeley Desktop v1.19.6) and duplicates were excluded. Two authors independently screened titles, abstracts to identify potentially eligible studies. Exclusion criteria included preliminary reports, reports without an underlying study design, and studies describing the software or hardware of the virtual technology. One co-author retrieved full-text versions of the selected studies. Selected publications were independently reviewed by two investigators.

Data Collection

Customized forms following the guidelines of the Cochrane Consumers and Communication Review Group template for review authors,²¹ were used to record the following data from the selected studies:

- Characteristics of the study: study design, research country, and time of intervention (before-after).
- Characteristics of the study participants: number of participants, stage of education (under or postgraduate), and year of study.
- Virtual intervention applied: dental specialty where simulation was used, type of the system, and the source of virtual simulations: whether access to virtual simulation was from home or at academic laboratories.
- The outcome investigated; subjective or objective assessment, and the tools used to measure the output.
- Results of the selected studies.

Results

Studies Included

The study selection process for inclusion in this review is summarized in ►Fig. 1 (diagram flow). The database search strategy identified 498 potentially eligible references. Twelve additional articles were included after review of references. Duplicates were excluded. After screening titles, abstracts, 437 articles were excluded applying the exclusion criteria. Eventually 73 studies were included in the review that included 5,275 participants.

The retrieved studies were categorized according to the field of dental education in which VR was applied. ►Fig. 2 shows the percentile representation of each dental specialty in the selected studies.

Description of the Study Characteristics

Restorative Dentistry

Twenty-three of the selected studies applied VR in restorative dentistry with total included participants, $n = 2,201$, in which 62.1%, $n = 1,367$ were first year dental students. The detailed characteristics of the included studies are shown in ►Table 1. HT was the most used in 18 of the selected studies,^{12,22-38} VR simulator in three studies³⁹⁻⁴¹ and AR,¹³ and interactive video games,⁴² one study each. Access to all these technologies was through academic laboratories except in one study.¹³ In the selected studies, students' manual skills was the most common tested outcome represented in cavity preparations in 52.17%, $n = 12$,^{13,24,25,28-30,33-35,38,39,41} or geometric figures 34.78%, $n = 8$.^{12,22,23,26,27,31,32,36} Other manual skills tested were dentin etching and resin bonding,⁴² and zinc phosphate cement application,⁴⁰ one study each. Four studies assessed VR on theoretical knowledge.^{13,37,40,42} Results showed significant difference in 14 of the selected studies in manual clinical skills^{12,13,23,27,29-31,34-36,38-41} and two studies in theoretical knowledge.^{37,40}

Fig. 1 Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) diagram flow of the selection process.

Endodontics

Six of the selected studies applied VR in endodontic with total included participants, $n = 189$. Characteristics of the selected studies are shown in ►Table 2. HT was applied for access opening in three studies,⁴³⁻⁴⁵ and surgical apicectomy in two studies.^{14,15} VR simulation was used in one study to teach root canal anatomy.⁴⁶ Four studies showed significant better results of the virtual technology.^{14,43,44,46} Students highly appreciated virtual training in one study,¹⁵ although suggested modifications in spatial registration precision, FFB of different tissues, and more realistic models in another study.⁴⁵

Oral and Maxillofacial Surgery

Nine of the selected studies applied VR technologies in oral and maxillofacial surgery education with total included participants, $n = 730$. Characteristics of the selected studies are shown in ►Table 3. Virtual patient (VP) simulation was applied in four studies,⁴⁷⁻⁵⁰ AR in three studies,⁵¹⁻⁵³ and IVR in two studies.^{54,55} Results showed significant differences in all the selected studies except one study.⁵³ Participants positively appreciated the value of the VR in education, and the test groups reported significantly higher self-confidence.

Prosthodontics

Thirteen of the selected studies applied VR in prosthodontics with total included participants, $n = 815$. Characteristics of the selected studies are shown in ►Table 4.

All studies applied VR in fixed prosthodontics training and evaluation, except two studies: one in preclinical removable partial denture prosthodontics course,⁵⁶ and the second in teaching occlusion.⁵⁷ Manual skills of tooth preparation was evaluated in nine of the selected studies,⁵⁸⁻⁶⁷ acquired knowledge in one study,⁵⁷ and students' perception in three

Fig. 2 Bar chart percentile representation of each dental specialty in the selected studies.

studies.^{3,56,59} Nine studies reported significant statistical differences of the VR scores.^{57,58,60-67}

Implantology

Five of the selected studies applied dental implant education with total included participants, $n = 351$. Characteristics of the selected studies are shown in ►Table 5. Implant placement manual skills were assessed in four studies,⁶⁸⁻⁷¹ and theoretical knowledge in two studies.^{70,72} Results of all the selected studies showed significant improvement of implant education outcomes in both clinical skills and theoretical knowledge.

Oral and Maxillofacial Radiology

Two studies reported the application of VR in dental radiology education with total included participants, $n = 84$. Characteristics of the selected studies are shown in ►Table 6. Both studies reported significant improvement of students' skill to interpret spatial information in radiographs and acquisition of theoretical knowledge, although OSCE scores were insignificantly different.^{73,74}

Periodontology

Two studies considered HT in periodontology with total included participants, $n = 55$. Characteristics of the selected studies are shown in ►Table 7. HT features were evaluated as high realistic in periodontal tasks,⁷⁵ and significantly improved pocket probing scores.⁷⁶

Pediatric Dentistry

Four studies applied VR in pediatric dentistry with total included participants, $n = 295$. Characteristics of the selected studies are shown in ►Table 8. Pediatric VP significantly improved behavior and communication management,⁷⁷ and AR significantly improved infiltrative anesthesia

administration time.⁷⁸ Students highly perceived HT in the training on pediatric clinical tasks,⁷⁹ and VR superimposing 3D holograms in local anesthesia administration.⁸⁰

Orthodontics

One study considered VR in orthodontics education. The study applied Scenario Based Learning Interactive software (SBLi) on orthodontics postgraduates, $n = 9$. Participants reported a high acceptance rate of the package, greater confidence applying the clinical skills covered in the modules, and reduced contact time.⁸¹

Miscellaneous Dental Skills

Eight studies applied virtual strategies in teaching miscellaneous dental skills; critical thinking,⁸² professionalism,⁸³ scientific writing,⁸⁴ knowledge of home dental practice,⁸⁵ head and neck anatomy,⁸⁶ dental morphology,⁸⁷ dental diagnosis,⁸⁸ and social aspects of dental care delivery.⁸⁹ Total included participants were $n = 543$. Characteristics of the selected studies are shown in ►Table 9.

Discussion

The application of VR in dental education has evolved increasingly, and there is significant scientific evidence that describes different virtual setups in different dental educational modules. However, the actual significance of VR simulation on dental education outcomes is not entirely clear. Earlier, VR may have been considered luxurious or optional, nevertheless in the shadow of the global COVID-19 (coronavirus disease 2019) pandemic, dental students need to proceed with their curriculum without any setbacks of the physical presence. VR may provide an opportunity for dental students to build and retain theoretical and clinical dental expertise remotely.

Table 1 Characteristics of the selected studies in restorative dentistry

S. no	Author, Year, Country	VR system	Participants	Study design	Tool of assessment	Tested outcome	Results
1	Urbankova 2010, UK ³⁹	Adjunctive computerized dental simulator (CDS)	(75) 1st year DS	RCT	Class I and II cavity preparation	Timing on exam performance	CDS significantly better than controls on exams 1 and 2 but not significant on exam 3
2	Urbankova and Engebretson 2011, UK ²²	Haptic simulator	(39) 1st year DS	CS	<ul style="list-style-type: none"> Perceptual ability test (PAT) Geometric figures haptic exercises 	Accuracy, time, and success rate	Correlation is nonsignificant between PAT and exam scores, and significant between exam scores, time and accuracy
3	Amer et al 2011, United States ⁴²	Interactive dental video game to teach dentin bonding	(80) 1st year DS	RCT	<ul style="list-style-type: none"> Pre and post written examination Shear bond strength test Students' perception 	Knowledge and clinical skills	No significant difference in knowledge or clinical skills except in wetness of dentine following etching. Students accredited the method of teaching
4	Urbankova et al 2013, UK ³¹	Complex haptic Simulator	(39) 1st year DS	CST	<ul style="list-style-type: none"> Haptic exercise of geometric figures Plastic tooth preparations 	<ul style="list-style-type: none"> Accuracy and time Quality of plastic-tooth preparation 	Number of failures in haptic exercises showed significant predictor of examination scores
5	Bakr et al 2014, Australia ³²	Simodont haptic (3D-VR)	(42) 2nd year DS	CCO Early or late haptic training	<ul style="list-style-type: none"> pre- and post-psychomotor skills test Pre- and post-experimental and flow questionnaires Class II amalgam preparation on permanent 1st molar 	<ul style="list-style-type: none"> % of target area prepared. Expectations, and attitudes. Quality of prepared cavity 	No significant difference in practical test (pre and post) between groups. The system was highly accepted by the students
6	Koo et al 2015, United States ³³	Haptic device (SensAble)	(34) 2nd year DS	RCT	<ul style="list-style-type: none"> Class II amalgam and class III resin Questionnaire 	<ul style="list-style-type: none"> Cavity outline and integrity of adjacent tooth. Subjective evaluation of the simulation 	Non-statistically significant post haptic scores. Game-feature of the device made the learning experience more interesting
7	Cox et al 2016, UK ³⁴	HapTEL system	(101) 1st year DS	CS	Virtual caries lesions with increased complexity	<ul style="list-style-type: none"> % of caries removed, healthy tissue remaining, pulp exposure, and drilling time 	% caries tissue removed, healthy tissue remaining, and pulp exposure improved for over 90%
8	San Diego et al 2016, UK ³⁵	HapTEL system	(120) 1st year DS	CST	Carries removal tasks with increasing complexity	% of caries removed; healthy tissue remaining; pulp exposure, drilling time	Significant increase in % of carries removed, less pulp exposure, and less preparation time
9	de Boer et al 2016, Netherlands ³⁶	Simodont Haptic dental trainer	(124) 1st year DS	CCO	<ul style="list-style-type: none"> Cross-figure preparation Manual dexterity exercise with 2D or 3D vision Questionnaire 	Rate of success	<ul style="list-style-type: none"> 3D vision achieved significantly better results than 2D. Over 90% preferred 3D vision
10	Tubelo et al 2016, Brazil ⁴⁰	Virtual learning object (VLO)	(46) 1st year DS	RCT	Theoretical knowledge and skill practice of zinc phosphate cement	Zinc phosphate cement manipulation after immediate or longitudinal access to VLO	<ul style="list-style-type: none"> VLO showed significantly higher results in theoretical post-tests and better mechanical properties

(Continued)

Table 1 (Continued)

S. no	Author, Year, Country	VR system	Participants	Study design	Tool of assessment	Tested outcome	Results
11	Shahriari-Rad et al 2017, UK ³⁷	hapTEL virtual dental workstation	(140) 1st year DS	CCT	<ul style="list-style-type: none"> Objective structured clinical examination (OSCE) and clinical skills examination (CSE) 	Students' psychomotor skills and spatial perceptions	Significant improvement in psychomotor skills. Combined use of hapTEL and conventional phantom-head improved spatial reasoning, fine motor skills, hand-eye-finger coordination and 3D/depth perception
12	Cox et al 2017, UK ³⁸	hapTEL workstations	(138) 1st year DS	RCT	Students' fine motor-skills	<ul style="list-style-type: none"> Hand-eye-finger movements (pre-, post-) % of caries removed, pulp exposure, and time Micro-CT scanning of excavated plastic teeth 	<ul style="list-style-type: none"> Significant correlation between the pre- and post-test results, and time with caries removal % and negatively with pulp exposure. Roughness of the preparations varied amongst students
13	Al-Saud et al 2017, UK ¹²	Simodont VR haptic dental simulator	(63) Participants with no previous dental experience	RCT	Preparation of geometric shapes with device feedback, or instructor feedback or both (IDFB)	<ul style="list-style-type: none"> Acceptable target removal percentage of all tasks was 70% 	Significant differences between groups in overall performance, with IDFB group substantially better in performance and fewer errors
14	de Boer et al 2017, Netherlands ²³	Simodont dental trainer	(101) 1st year DS	CCO	Geometric cross preparation with or without force feedback (FFB) <ul style="list-style-type: none"> Questionnaire 	Success if 90% of the red target area removed	Only students with FFB were able to pass the tests. 100% of the students preferred working with FFB
15	Gottlieb et al 2017, United States ⁴¹	VR Advanced simulation	(282) DS of three sequential dental classes	CT	Class I and II amalgam preparations and restoration, and Class III and IV composite restoration	Advanced simulation exams scores in operative dentistry and fixed prosthodontics	Advanced simulation exam scores 1 and 2 were predictors of performance in the two preclinical courses based on final course grades
16	Ria et al 2018, UK ²⁴	hapTEL system	(39) 1st year DS	CST	Cavity preparation and caries removal of increasing difficulty	% of tissue removed, pulp exposure, time	Insignificant better performance with the hapTEL system, despite lower scores reported with increased difficulty
17	Mirghani et al 2018, UK ²⁶	Simodont system	(289) Dental students	CCS	Six manual dexterity exercises, to remove a target "red zone"	<ul style="list-style-type: none"> % score of task completion Drill time (in seconds) 	Significant difference in performance between year 1 and years 4 and 5. Year 3 was significantly different to year 5
18	Dwisaptarini et al 2018, Thailand ²⁵	Visuo-tactile virtual reality simulator connected to two haptic devices	(32) 6th year DS	RCT	Pre- and post-training clinical assessment of carries removal on extracted tooth	<ul style="list-style-type: none"> Performance scores Tooth mass loss and task completion time 	<ul style="list-style-type: none"> Post-training performance significantly improved for both groups with insignificant differences between groups

(Continued)

Table 1 (Continued)

S. no	Author, Year, Country	VR system	Participants	Study design	Tool of assessment	Tested outcome	Results
19	Llena et al. 2018, Spain ¹³	AR cavity models on computers and mobile devices	(43) 3rd year DS	RCT	<ul style="list-style-type: none"> Theoretical knowledge before, immediately and 6 mo after training Clinical skills Satisfaction questionnaire 	<ul style="list-style-type: none"> 10 theoretical concepts Class I and Class II cavity preparation Students' satisfaction 	Insignificant differences in knowledge between groups but significant in cavity depth and extent for Class I and Class II cavities. Students preferred computers over mobile devices
20	de Boer et al 2019, Netherlands ²⁷	Simodont haptic dental trainer	(126) 1st year DS	CST	<ul style="list-style-type: none"> Successful drilling with alternating FFB Post assessment questionnaire 	<ul style="list-style-type: none"> A preparation on one block cross-figure Participants' perception of the study 	83% of the students passed the test. Skill transfer from one level of FFB to another was feasible with sufficient training
21	Vincent et al 2020, France ²⁸	haptic simulator (Virteasy)	(88) 1st year DS	RCT	Both groups took final exam on plastic analogue teeth	Cavity preparation	Improvement in the drilling skill of both groups with insignificant differences
22	Murbay et al 2020, Hong Kong ²⁹	VR-based system (Moog Simodont)	(32) 2nd year DS	RCT	Cavity preparation evaluation based on SISTA classification	Prepared cavity depth and width, and marginal ridge integrity	Satisfactory domains were significantly higher in experimental group and no significant difference between the manual and digital methods of evaluation
23	Osnes et al 2021, UK ³⁰	Simodont, HT for removal of carries	(111) 1st year DS and 17 clinical practitioners	CST	Removal of virtual carious lesion spreading along the amelodentinal junction (ADJ)	Precision score	Clinicians were significantly more precise than students in removing carries without excessively removing the noncarious areas

Abbreviations: AR, augmented reality; CCO, comparative crossover; CCT, case control trial; CS, cohort study; CST, cross sectional trial; DS, dental students; FFB, force feedback; RCT, randomized controlled trial; VR, virtual reality.

This systematic review showed that VR significantly enhanced the acquisition of dental manual skills even in short periods of training and, to a lesser extent, retention of theoretical knowledge. Despite the fact that few studies reported longer periods of follow-up and reported insignificant differences between virtual and traditional groups.^{39,48,49,74}

The diversity in students' learning styles and motivation is the crucial challenge which course designers face. The introduction of virtual simulators in the dental curriculum and the utilization of its data to stratify dental students and predict their clinical performance would provide the opportunity to tailor the learning process to meet individual diversity in students' expertise and allow students to work at their own pace. In this context, the dental curriculum could provide an education that leads to the optimal performance of each student.²⁶

Based on the results of this review, five broad, interrelated areas of significance arose; first, the versatility of VR applications and the increased application in some dental disciplines over others; second, HT and its wide use in dental education; third, the development of virtual dental patients

to enhance dental education; fourth, the value of digital real-time feedback; and fifth, the access of students to the virtual technology.

First, VR applied in dental education showed a wide range of devices and applied technologies ranging from VR simulation with or without immersive environment, haptic simulators with or without force feedback, AR devices, real-time digital mapping and evaluation, virtual mobile platforms, video games, and other forms of virtual packages. The diversity of the individualized detailed features reflects the fact that there are no well-known educational standards for dental simulators or associated exercises. Additionally, it is doubtful how the variable reliability of the simulator systems may affect dental education outcomes.⁶ Taking into consideration the complexity of the required dental training to reach a high degree of clinical competence, most of the studies included in this review applied VR in restorative dentistry, prosthodontics, and oral and maxillofacial surgery. In contrast, few studies represented pediatric dentistry, dental radiology, periodontology, and orthodontics. Restorative dental tasks might offer the feasibility of customization of

Table 2 Characteristics of the selected studies in endodontics

S. no	Author, Year, Country	VR system	Participants	Study design	Assessment tool	Tested outcome	Results
1	Pohlenz et al 2010, Germany ¹⁵	Modified Voxel-Mann virtual simulator with haptic feedback	(53) DS of different years	CST	Students performed virtual apicectomies and responded to a questionnaire	1–5 scale to detect simulator is useful, realistic, sufficient, and desirable	The students indicated that FFB, spatial 3D perception, and image resolution of the simulator were sufficient
2	Suebnuakarn et al 2010, Thailand ⁴³	VR haptic simulator with augmented kinematic feedback	(32) 4th year DS	RCT	Virtual access cavity preparation in upper 1st molar (Three groups received kinematic augmented feedback and one control group did not)	Performance scores	The three kinematic feedback groups significantly scored higher with no significant difference in between
3	Suebnuakarn et al 2011, Thailand ⁴⁴	VR haptic simulator	(32) 4th year DS	RCT	Access cavity preparation was assessed before and after training for both groups on an extracted tooth	Procedural errors assessed by an expert	Post training error scores improved significantly for both groups. Hard tissue loss was significantly less in the haptic group, but not time
4	Suebnuakarn et al 2012, Thailand ¹⁴	VR haptic simulator	(10) Post graduate endodontic trainees	RCT	Endodontic microsurgery of apicectomy	Endodontic competency scale by two experts	Significant higher scores of trials performed after virtual presurgical training
5	Wang et al 2015, China ⁴⁵	iDental surgical simulator with a haptic device	(10) Fresh-graduate DS, (10) Residents	CST	<ul style="list-style-type: none"> Two dental drilling tasks: 1-carries removal, 2- pulp chamber opening Subjective evaluation questionnaire 	<ul style="list-style-type: none"> Time and amount of tissue removed 	Insignificant differences between groups, though the residents spent more time. Dentists' showed positive attitudes toward the system
6	Reymus et al 2020, Germany ⁴⁶	VR environment	(32) 3rd year DS	CST	Root canal anatomy studies on periapical radiographs, CBCT scan and virtual reality environment	Post training knowledge questionnaire	CBCT or VR had significant better results than periapical radiograph. Most students' preferred method of studying dental anatomy was VR

Abbreviations: CBCT, cone beam computerized tomography; CST, cross sectional trial; DS, dental students; FFB, force feedback; RCT, randomized controlled trial; VR, virtual reality.

the required assignments, whereas other dental disciplines may require higher customization and knowledge to fulfill specific field's requirements.⁹⁰

Second, this review showed that HT was the most used technology, especially in tasks that require drilling and tooth preparations, which agree with Towers et al.⁶ HT offers an additional dimension to VR through the sense of touch and force feedback (FFB) of the different tooth-layered structure and bone. Thus, HT proved efficient in training junior dental students the hand-eye coordination and spatial reasoning skills. It also helped students improve the preparation

accuracy, shortened the preparation time in the very early stages of training, and augmented a conservative preparation approach.^{15,22,37,68} However, due to the unique character of dental procedures, FFB should be improved and included as an integral feature in any educational dental simulator to enhance the perception of the tooth structure and different layers of bone. Training with FFB provides a sense of realism and allows the learner to obtain the feel of an invasive procedure in a virtual learning environment.^{23,27}

Third, VP showed wide applications in dental education and had a significant positive impact on manual skills and

Table 3 Characteristics of the selected studies in maxillofacial surgery and oral pain

S. no	Author, Year, Country	VR system	Participants	Study design	Tool of assessment	Tested outcome	Results
1	Clark et al 2012, United States ⁴⁷	Autonomous virtual patient (AVP)	(26) 4th year DS, (10) board experts	CT	Examination of four VP with orofacial pain or oral medicine problem	Examination time, number of diagnostic tests, number of medications	Significant differences in the final total score, the number of diagnostic tests ordered, and the number of medications selected
2	Pulijala et al 2018, India ⁵⁴	IVR surgery to train Le Fort-1 surgery	(95) Surgical residents	RCT	1. Pre- and post-training self-assessment of perceived confidence 2. Objective cognitive skills assessment	1. Self-confidence 2. Change in knowledge of surgical residents	Study group showed significantly greater perceived self-confidence but insignificant differences in knowledge scores
3	Seifert et al 2019, Germany ⁴⁸	VP on e-learning platform "Lernbar"	(57) 4th year DS	RCT	<ul style="list-style-type: none"> Theoretical tests; pre, immediately after T1, and 6-wk T2 Self-assessment questionnaire 	<ul style="list-style-type: none"> MCQs for structured facial examination and placing a venous catheter and Ernst ligature Self-assessment of knowledge and competency 	VP group scored better than control group at T1 and no difference at T2. Both interventions led to a significant growth in self-assessed competence
4	Mladenovic et al 2019, Serbia ⁵¹	AR simulator on mobiles	(41) 4th and 5th year DS	RCT	Application of local anesthesia Post-clinical knowledge questionnaire	<ul style="list-style-type: none"> Knowledge and skills. Measurement of heart-beat during anesthesia administration 	The experimental group had higher average score, less time of administration, and higher success rate. Both groups had a statistically significant increase in heart rate
5	Mardani et al 2020, Iran ⁴⁹	Web-based VP in clinical decision-making ability	(76) DS	Quasi experiment	Knowledge pre-, post- (1 wk), and post-training (1 mo) <ul style="list-style-type: none"> Questionnaire on procedural knowledge 	Procedural knowledge Problem-solving ability	Clinical decision-making score of VP group was significant more than the control group in post-test 1 but control group scores rose significantly more in post-test 2
7	Mladenovic et al 2020, Serbia ⁵²	Mobile AR simulator	(11) 4th year DS	CST	Simulated local anesthesia (infiltrations and nerve block) then electronic satisfaction survey	Student satisfaction	All respondents (100%) believe (agree and strongly agree) that the application helped them to better understand the techniques of local anesthesia
6	Sakowitz et al 2020, United States ⁵³	VP of complex orthognathic cases	(30) 3rd year DS	RCT	<ul style="list-style-type: none"> Knowledge pre- (T0), post- (T1), and follow-up test (T2) Written case analysis of two cases 	<ul style="list-style-type: none"> MCQs score Case analysis score 	No significant difference between the groups in MCQs examinations and the written case analysis
8	Collaço et al 2020, Brazil ⁵⁵	IVR in inferior alveolar nerve block anesthesia	(163) DS	CT	<ul style="list-style-type: none"> Technical skills Participants' subjective experience with syringe handling and simulator sickness 	Task execution time, insertion accuracy, insertion point coordinates, needle angle, and needle depth	IVRs were significantly more accurate and confident and took less time. No significant differences in needle angle and needle depth. Participants perceived a high sense of realism with the haptic feedback when handling the syringe

(Continued)

Table 3 (Continued)

S. no	Author, Year, Country	VR system	Participants	Study design	Tool of assessment	Tested outcome	Results
9	McAlpin et al 2020, United States ⁵⁰	Web-based patient simulator (Web-Sim)	(221) DS	RCT	Cognitive, psychomotor, and professional interpersonal skills in local anesthesia and nonsurgical extraction	Student-recorded role-play video MCQs	Web-Sim group scored significantly higher in the role-play videos but insignificant MCQs scores

Abbreviations: AR, augmented reality; CT, comparative trial; CST, cross sectional trial; IVR, immersive virtual reality; MCQs, multiple choice questions; RCT, randomized controlled trial; VP, virtual patients.

Table 4 Characteristics of the selected studies in prosthodontics

S. no	Author, Year, Country	Technology	Participants	Study design	Assessment tool	Tested outcome	Results
1	Kikuchi et al 2013, Japan ⁵⁸	DentSim, VR simulation (VRS)	(43) 5th year DS	RCT	Porcelain fused to metal crown preparation	Total scores included 12 preparation items and time	VRS scores were significantly higher. Instructor's feedback did not result in significant difference within VRS groups
2	Hamil et al 2014, United States ⁵⁹	Surface mapping technology E4D for students' grading	(81) DS	CST	Students' perception questionnaire	Students' attitudes on the effectiveness of software in developing clinical skills	Students preferred digital grading over traditional and found the software helping them to understand their deficiencies
3	Eve et al 2014, United States ⁶⁰	3D immersive haptic simulator	(12) novice DS, (12) experienced prosthodontics residents	CT	Simulated caries removal exercise	Percentages of carious lesion removed, and volume of surrounding sound tooth structure removed	Efficiency of caries removal improved significantly for both novice and experienced subjects
4	Callan et al 2014, United States ⁶¹	E4D Laboratory works virtual simulation using CAD/CAM technology	(76) 2nd year DS	RCT	<ul style="list-style-type: none"> CES within the intervention group (1st effectiveness analysis) and between the two groups (2nd efficacy analysis) 	Full gold crown preparation on tooth #30. Students' scores before and after using E4D and using E4D versus not. Post training and post-exam survey	1st effectiveness analysis showed no difference in outcomes. 2nd efficacy analysis showed insignificant higher mean competency scores of CAD/CAM group. Students appreciated the subjectivity of system's evaluation and the beneficiary in tooth surfaces reduction
5	Lin et al 2018, United States ⁵⁶	3D instructional models' application on smartphones	(90) 2nd year DS	CST	Instruction models on rest seat preparation then a questionnaire	Evaluate students' usage and perceptions of the digital models	73% of the participants who viewed the models responded either agree or strongly agree to the benefits of the models
6	Liu et al 2018, China ⁶²	Online Peer-Review System (OPRS) and Real-time Dental Training and Evaluation (RDTEs)	(66) 4th year DS	RCT	<ul style="list-style-type: none"> Post-training preparation of an anterior ceramic crown on phantom model Questionnaires 	Pre-defined 15 evaluation criteria of the ceramic crown preparation <ul style="list-style-type: none"> Students' attitude 	Digital group was significantly better than the traditional group and 96.97% of it agreed or strongly agreed on the clinical benefits of the system

(Continued)

Table 4 (continued)

S. no	Author, Year, Country	Technology	Participants	Study design	Assessment tool	Tested outcome	Results
7	Kozarovska and Larsson 2018, Sweden ⁶³	Digital tool for preparation Validation (PVT)	(57) 3rd year DS	CCO	All-ceramic crown in anterior teeth “prep. and scan” or “best of three” • Students’ questionnaire and teachers’ opinions	The level of agreement between the students’ self-assessment and the information from the PVT	“prep-and- scan” showed increase in agreement from attempt one to three, with PVT. In “best of three” lower levels of agreement. Students rated PVT positively and teachers’ feedback suggested improvement modifications
8	Nagy et al 2018, Hungary ⁶⁴	Dental Teacher software	(36) 4th year DS	RCT	Ceramic mesio-occluso-buccal on lay in a plastic model, scanned and assessed by Dental Teacher software	Six cavity evaluation parameters	Three of the six cavity dimension parameters improved significantly in the test group
9	Liu et al 2020, China ⁶⁵	Virtual Real-time dental training and evaluation System (RDTEs)	(57) 5th year DS	CST	Ceramic crown preparation, pre- and post-learning assessment • Questionnaire	Instrument selection, preparation section, reduction, surface and profile	Mean total outcome score after VR training was significantly higher except in mean error score. 97% agreed or strongly agreed that the virtual system could improve their practice
10	Tang et al 2021, China ⁶⁶	Digital real-time evaluation system (DCARER)	(60) DS, (73) Prosthodontic residents, (10) faculty members	RCT	• Crown preparation process and final scores • Questionnaire	• Agreement between DCARER scores and expert • Comparison between groups’ crown preparation scores	Insignificant differences between DCARER and experts’ scoring • Tooth preparation scores of the traditional group were significantly lower. More students in the digital group believed the judgment of DCARER is more objective
11	Serrano et al 2020, Netherlands ³	HT models of real patients added in Simodont	(10) 4th and 5th year DS	CST	Training on real patient-haptic volumetric models, then in real patient Final open answer survey	Perceived learning value of the technology and self-assessed confidence and limitations	Identifiable five dimensions of the main features of VR: added value, competence development, self-efficacy, outcomes, and room for development
12	Mai et al 2020, Korea ⁵⁷	3D simulated graphic dental models and computer designed Software	(60) 2nd year DS	RCT	After the course, 1. An attitudinal survey 2. Final examination	• Assessing the preference of participants • Knowledge test on the principles of adjustment of deflective occlusion	Students’ feedback indicated that the 3D simulation method was effective in acquiring knowledge on occlusion. Examination scores were significantly higher in the 3D simulation group
13	Al-Saud et al 2020, UK ⁶⁷	Simodont haptic simulator	(72) 4th year DS	RCS	Students’ scores at year 2 on traditional training or haptic VR training	Full crown test preparation on patient in year 4	VR haptic simulator assessment score was a significant predictor of clinical crown performance

Abbreviations: CES, competency exam scores; CCO, comparative crossover; CT, comparative trial; CST, cross sectional trial; DS, dental students; RCS, retrospective cohort study; RCT, randomized controlled trial; VR, virtual reality.

Table 5 Characteristics of the selected studies in implantology

S. no	Author, Year, Country	VR system	Participants	Study design	Assessment tool	Tested outcome	Results
1	Qi et al 2013 China ⁷²	Active and passive controlling 3D virtual webpages	(95) 1st and 2nd year DS	RCT	Post-training assessment of knowledge on dental implant restoration	Relative quality of information acquisition	Passive 3D control had significant high scores, a significant correlation existed between the scores on a mental rotations test and the subjects' performance on the post-test
2	Joseph et al 2014, France ⁶⁸	Virteasy, haptic dental simulator (implant surgery)	(40) 3rd year DS, (20) Experienced practitioners	RCT	Implant drilling in the 1st molar region in a custom-made mandibular resin model	Accuracy of implant placement and drilling times	The results of the simulator group were significantly close to the experienced operators
3	Golob Deeb et al 2019, United States ⁶⁹	Dynamic guidance system software for virtual implant placement	(14) Predoctoral students	CST	Five implant placements (3 maxillary or 4 mandibular) positions	Surgical time horizontal, vertical, and angulation discrepancies	Significant reduction in time from 1st to 2nd trial, then plateaued. 3D angulation and 2D vertical apex deviation improved with each attempt, but changes in lateral 2D and overall 3D apex deviations were not significant
4	Zhang et al 2020, China ⁷⁰	VR simulation platform	(166) 2 nd and 3 rd year DS	RCT	<ul style="list-style-type: none"> Pre- and post-theoretical test, subjective evaluation of operation procedures, implant accuracy in CBCT, and questionnaire 	<ul style="list-style-type: none"> Procedural accuracy vs. jaw-bone simulation Degree of satisfaction 	VR combined with jawbone groups had significantly higher increase in scores and showed better implant precision in CBCT than the other groups. Students preferred the combined of jawbone and VR reality simulation
5	Zorzal et al 2021, Brazil ⁷¹	IMMPLANT VR simulator uses smartphone and laptops	(16) dental postgraduates	CST	Place a virtual implant at a specific bone-loss area location within a subject-specific 3D model of a lower jaw	Participants feedback regarding benefits and limitations	VR system is easy to use and promotes greater spatial awareness of the 3D dental model and easy to learn but they reported difficulty selecting the predetermined implant position and inclination

Abbreviations: CST, cross sectional trial; DS, dental students; RCT, randomized controlled trial; VR, virtual reality.

theoretical knowledge acquisition. VP reduced anxiety associated with real patient's management while executing a treatment plan, exposed students to an interactive learning experience, enriched self-assessed competence, and augmented confidence to deal with actual patients. As simulators offer flexibility in terms of time, this allowed the students to repeat the procedure until they demonstrate acceptable skill levels without violating real patients and eliminating the need for prolonged direct contact.^{47-49,53,77} Still, VP for dental training requires further development to simulate the patient's oral environment of gingival tissues, saliva, tongue

movements, and reflexes as gagging, cough, and head movements. Accordingly, it would aid in teaching emergency management in the dental setting.⁷⁵

Fourth, VR applications with real-time dental training and evaluation systems were very beneficial in acquiring motor skills in preclinical settings. It allowed instantaneous feedback of the students' performance, enhanced students' self-assessment, and correction and eliminated the subjectivity of evaluation.^{59,64,65} Nevertheless, dental students indicated that the simulating devices' instructions and feedback should be adjunctive to but not a replacement to the faculty feedback.

Table 6 Characteristics of the selected studies in oral and maxillofacial radiology

S. no	Author, Year, Country	VR system	Participants	Study design	Assessment tool	Tested outcome	Results
1	Nilsson et al 2011, Sweden ⁷³	VR simulator-supported training	(45) 4th and 5th year DS	RCT	Comparison of base line and after intervention theoretical examination	Skill at interpreting spatial information in radiographs	Radiographic interpretation skills 8 mo after simulator-supported training was significantly better than before training
2	Soltanimehr et al 2019, Iran ⁷⁴	Virtual learning management system (LMS)	(39) 4th year DS	RCT	Theoretical test with MCQs and objective structured clinical examination (OSCE) at base line and after 2 mo	Radiographic interpretation of bony lesions	Scores of the virtual group were significantly higher in theoretical exam but insignificant in OSCE. After 2 mo difference was not statistically significant

Abbreviations: DS, dental students; MCQs, multiple choice questions; OSCE, objective structured clinical examination; RCT, randomized controlled trial; VR, virtual reality.

Table 7 Characteristics of the selected studies in periodontology

S. no	Author, Year, Country	VR system	Participants	Study design	Assessment tool	Tested outcome	Results
1	Wang et al 2012, China ⁷⁵	iDental haptic-based simulator	(19) Dental graduates, (10) faculty members	CST	Virtual tasks of periodontal pocket probing, and calculus detection and removal, followed by user questionnaire	Realism of the simulator relative to clinical situations	Participants reported highly realistic shape of teeth, gingivae, periodontal tools, and oral environment, but poor realistic shape of the calculus and FFB
2	Yamaguchi et al 2013, Japan ⁷⁶	Haptic-based simulator	(26) 4th year DS	CST	Carries removal and periodontal pocket probing in three training sessions	Carries removal. Periodontal pocket probing skills	The mean scores from the training sessions were significantly higher than the mean pre-training score for both carries removal and periodontal pocket probing skills

Abbreviations: CST, cross sectional trial; DS, dental students; FFB, force feedback; VR, virtual reality.

Faculty should be attentive to their responsibility in teaching young dentists, treating patients with individual needs, requiring empathy and informed consent for any treatment decision. The faculty's role-model function is essential when supervising students during patient treatment in clinical practices, complex problem solving, in-depth conceptual coverage, and peer interaction. Continuous training with faculty supervision and feedback is still an anticipated key to good dental education.

Fifth, most of the studies applied VR through academic laboratories, a fact that should be reconsidered, and alternative mobile platforms should be developed. To benefit from the technology, the student must be physically present on the academic campus. This situation limits to a great extent the range of getting most of the benefit of the virtual technology due to the condensed academic timetables and the increased training times required. Meanwhile, curriculum designers should notice that virtual applications on personal computers and mobiles might leave the whole education process in the student's hands, for whom some can organize their time

accordingly, while others cannot. Thus, supervisors and teachers must monitor the learning process since a lack of motivation in some students would downgrade the technology's benefit.¹³ In this context, tutors should operate continuous assessment in the form of pop-up quizzes, group discussions, and scheduled assignments or presentations, which would eventually lead to a blended form of learning, highlighting the teacher's role.⁴⁸

Based on the results of this review, it is recommended that low-cost VR hard and software be made readily available to create safe and cost-effective interactive educational training, allowing learners and trainees instantaneous engagement through their personal computers or mobiles. It is advised to clarify learning contents and the extent to which conventional workflows should be taught, aside from the virtual content. One form of a teaching strategy that should be utilized on a wider scale is educational video games. This form of educational material elevated students' enthusiasm for learning and made learning an enjoyable process.^{42,84} Young generations are more prominent in

Table 8 Characteristics of the selected studies in pediatric dentistry

S. no	Author, Year, Country	VR system	Participants	Study design	Assessment tool	Tested outcome	Results
1	Papadopoulos et al 2013 in Greece ⁷⁷	VR simulation pediatric VP	(103) 4th year DS	RCT	<ul style="list-style-type: none"> MCQs knowledge questionnaire VP feedback 	Students' knowledge of behavior and communication pediatric dentistry	VP group had significantly higher scores and the majority evaluated the aspects of the simulation very positively
2	Mladenovic et al 2020 in Serbia ⁷⁸	AR simulator	(21) Fourth and fifth year DS	RCT	The time taken to administer the anesthesia. Level of salivary cortisol before and after Level of salivary cortisol before and after the administration of anesthesia	Perception of learning and acute stress level	AR group reported significantly shorter time. The level of cortisol significantly increased no statistical difference between the groups
3	Zafar et al 2020, Australia ⁷⁹	Simodont Haptic simulator	(100) Doctorate degree students	CCO	Traditional and simulator training on pulpomies and stainless-steel crowns (SSCs), followed by a questionnaire	Experience of pulpotomy and SSCs procedures on the Simodont, vs. conventional training	Over 50% agreed that Simodont-assisted learning, and facilitated understanding of pediatric dentistry tasks, although they felt more comfortable with the conventional training setup
4	Zafar et al 2021, Australia ⁸⁰	Oculus Quest (VR headset plus digital 3D holograms and 360-degree spatial sound)	(71) Second year DS	CST	Self-administered questionnaire before and after the use of dental LA VR simulator	Dental student's perception of dental LA VR simulation on a pediatric patient	Most of the participants reported improved LA skills, more engaged in the learning activity, improved understanding of anatomical landmarks, and added value compared with traditional LA teaching methods

Abbreviations: AR, augmented reality; CCO, comparative crossover; CST, cross sectional trial; DS, dental students; LA VR, local anesthesia virtual reality; MCQs, multiple choice questions; RCT, randomized controlled trial; VP, virtual patient; VR, virtual reality.

Table 9 Characteristics of the selected studies in miscellaneous dental skills

S. no	Author, Year, Country	VR system	Participants	Study design	Assessment tool	Tested outcome	Results
1	Allaire 2015, United States ⁸²	VP in critical thinking assessment	(31) Senior hygiene DS	CST	Pre- and post-theoretical MCQs test and questionnaire	Skills of critical thinking, problem solving, and confidence	Insignificant increase in students' scores although they reported VP an effective teaching method in enhancing self-confidence with real patients
2	Marei et al 2018, Saudi Arabia ⁸³	Five VP for teaching professionalism	(65) First year DS	CST	Structured questionnaire before and after training	Students' perception toward the use of VPs in developing ethical reasoning skills	High-fidelity VPs were significantly better for developing ethical reasoning skills
3	El Tantawi et al 2018, Saudi Arabia ⁸⁴	DentLit video game to develop academic writing skills	(92) First year DS	Quasi experiment	Pre- and post-intervention assessment of students' academic writing skills	1. Satisfaction of students with gamification 2. Perceived and actual improvement of academic writing	Significant improvement in actual writing. Overall satisfaction with game aspects was modest and significantly associated with improvement of writing

(continued)

Table 9 (continued)

S. no	Author, Year, Country	VR system	Participants	Study design	Assessment tool	Tested outcome	Results
4	Takagi et al 2019, Japan ⁸⁵	IVR for teaching home dental practice	(101) DS	CST	Survey before and after watching the VR teaching material	Changes in self-confidence regarding knowledge of home dental practice and treatment assistance	A significant increase in student's knowledge confidence and assistance confidence scores
5	Zafar and Zachar 2020, Australia ⁸⁶	HoloHuman AR to teach head and neck anatomy	(88) Second year DS	CST	Self-administered questionnaire before and after the use of AR	Perceptions of the AR	AR improved anatomical structures learning and understanding, and they felt more confident, but it should not replace traditional cadaver training
6	Liebermann and Erdelt. 2020, Germany ⁸⁷	VR in learning dental morphologies	(48) Second year DS	CST	Questionnaire	Students' acceptance	Most of the students understood dental morphologies much better compared with traditional textbook
7	Tsai et al 2020, United States ⁸⁸	Mobile multimedia platform to teach dental diagnosis	(89) Predoctoral DS	CST	Baseline and 4-d later theoretical test and questionnaire	Basic dental diagnostic skills	Test scores increased significantly. Most students agreed on the ease of access and use of the platform and preferred Instagram stories over traditional lectures
8	Amini et al 2021, United States ⁸⁹	IVR to teach social aspects of dental care delivery	(29) Dental residents	CST	Pre, immediately after and after 1-mo survey	Knowledge, skills, and attitude toward social determinants of health	Significant increased mean scores for cognitive, affective, and skill-based learning immediately post-training and no significant changes after 1-mo. Participants reported high satisfaction with the content and methods used in this training

Abbreviations: AR, augmented reality; CST, cross sectional trial; DS, dental students; IVR, immersive virtual reality; VP, virtual patients; VR, virtual reality.

adapting to new technologies and increasingly familiarized with video games, encouraging further development and improvements in this field to introduce education with more fun.

Limitations

Our study has several limitations. The retrospective nature of our review, incorporating data from published studies and not on individual patients, limits the availability of information on some issues as long-term follow-up of the students and the influence of VR on clinical practices. The search process revealed heterogeneous studies addressing the systematic review's aim, and while meta-analysis was not feasible, we conducted a descriptive approach for identifying the effective outcome of virtual applications. Custom-made software was only used by authors who first described them, which is a significant flaw and could represent a conflict of

interest in validating a new proposed system. Also, there was a lack of randomized clinical trials with a proper sample size calculation and other efforts to avoid major bias.

Conclusion

Advanced simulation technology improved the quality of dental education outcomes. It offered applications in different dental disciplines and various clinical procedures. HT enhanced manual skills and perceived self-confidence within few clinical sessions. The most remarkable improvement was the cavity walls convergence, pulpal floor, extension of class I, cavity outline, fewer pulpal exposure, and faster preparation. Students performed better in 3D than 2D vision, with FFB than without, and with a combined instructor and device feedback than with instructor or device feedback alone. Quality of crown preparation and implant placement improved over time after using VR with or without

instructor's feedback. AR reinforced orthognathic surgical training, virtual apicectomies, and local anesthesia administration. Application of VR improved acquisition of theoretical knowledge to a lesser extent. The role of the teacher and verbal instructions cannot be ruled out.

Conflict of Interest

None declared.

References

- Perry S, Bridges SM, Burrow MF. A review of the use of simulation in dental education. *Simul Healthc* 2015;10(1):31–37
- Pottle J. Virtual reality and the transformation of medical education. *Future Healthc J* 2019;6(3):181–185
- Serrano CM, Wesselink PR, Vervoorn JM. First experiences with patient-centered training in virtual reality. *J Dent Educ* 2020;84(5):607–614
- Dixon J, Towers A, Martin N, Field J. Re-defining the virtual reality dental simulator: demonstrating concurrent validity of clinically relevant assessment and feedback. *Eur J Dent Educ* 2021;25(1):108–116
- Khurshid Z, Asiri FYI, Al Wadaani H. Human saliva: non-invasive fluid for detecting novel coronavirus (2019-nCoV). *Int J Environ Res Public Health* 2020;17(7):17–20
- Towers A, Field J, Stokes C, Maddock S, Martin N. A scoping review of the use and application of virtual reality in pre-clinical dental education. *Br Dent J* 2019;226(5):358–366
- Dută M, Amariei CI, Bogdan CM, Popovici DM, Ionescu N, Nuca CI. An overview of virtual and augmented reality in dental education. *Oral Heal Dent Manag* 2011;10(1):42–49
- Wu HK, Lee SW, Chang H, Liang JC. Current status, opportunities and challenges of augmented reality in education. *Comput Educ* 2013;62:41–49
- Farronato M, Maspero C, Lanteri V, et al. Current state of the art in the use of augmented reality in dentistry: a systematic review of the literature. *BMC Oral Health* 2019;19(1):135
- Yoshida Y, Yamaguchi S, Kawamoto Y, Noborio H, Murakami S, Sohmura T. Development of a multi-layered virtual tooth model for the haptic dental training system. *Dent Mater J* 2011;30(1):1–6
- de Boer IR, Wesselink PR, Vervoorn JM. The creation of virtual teeth with and without tooth pathology for a virtual learning environment in dental education. *Eur J Dent Educ* 2013;17(4):191–197
- Al-Saud LM, Mushtaq F, Allsop MJ, et al. Feedback and motor skill acquisition using a haptic dental simulator. *Eur J Dent Educ* 2017;21(4):240–247
- Llena C, Folguera S, Forner L, Rodríguez-Lozano FJ. Implementation of augmented reality in operative dentistry learning. *Eur J Dent Educ* 2018;22(1):e122–e130
- Suebnuksarn S, Rhiemora P, Haddawy P. The use of cone-beam computed tomography and virtual reality simulation for pre-surgical practice in endodontic microsurgery. *Int Endod J* 2012;45(7):627–632
- Pohlentz P, Gröbe A, Petersik A, et al. Virtual dental surgery as a new educational tool in dental school. *J Craniomaxillofac Surg* 2010;38(8):560–564
- Huang T-K, Yang C-H, Hsieh Y-H, Wang J-C, Hung C-C. Augmented reality (AR) and virtual reality (VR) applied in dentistry. *Kaohsiung J Med Sci* 2018;34(4):243–248
- Kwon H-B, Park Y-S, Han J-S. Augmented reality in dentistry: a current perspective. *Acta Odontol Scand* 2018;76(7):497–503
- Ayoub A, Pulijala Y. The application of virtual reality and augmented reality in Oral & Maxillofacial Surgery. *BMC Oral Health* 2019;19(1):238
- Iwanaga J, Kamura Y, Nishimura Y, et al. A new option for education during surgical procedures and related clinical anatomy in a virtual reality workspace. *Clin Anat* 2021;34(3):496–503
- Liberati A, Altman DG, Tetzlaff J, et al. The PRISMA statement for reporting systematic reviews and meta-analyses of studies that evaluate healthcare interventions: explanation and elaboration. *BMJ* 2009;339:b2700
- Higgins JPT, Thomas J, Chandler J, et al, eds. *Cochrane Handbook for Systematic Reviews of Interventions* version 6.1 (updated September 2020). Cochrane; 2020. Available at: www.training.cochrane.org/handbook. Accessed October 12, 2020
- Urbankova A, Engebretson SP. The use of haptics to predict preclinical operative dentistry performance and perceptual ability. *J Dent Educ* 2011;75(12):1548–1557
- de Boer IR, Lagerweij MD, de Vries MW, Wesselink PR, Vervoorn JM. The effect of force feedback in a virtual learning environment on the performance and satisfaction of dental students. *Simul Healthc* 2017;12(2):83–90
- Ria S, Cox MJ, Quinn BF, San Diego JP, Bakir A, Woolford MJ. A scoring system for assessing learning progression of dental students' clinical skills using haptic virtual workstations. *J Dent Educ* 2018;82(3):277–285
- Dwisaptarini AP, Suebnukarn S, Rhiemora P, Haddawy P, Koontongkaew S. Effectiveness of the multilayered caries model and visuo-tactile virtual reality simulator for minimally invasive caries removal: a randomized controlled trial. *Oper Dent* 2018;43(3):E110–E118
- Mirghani I, Mushtaq F, Allsop MJ, et al. Capturing differences in dental training using a virtual reality simulator. *Eur J Dent Educ* 2018;22(1):67–71
- de Boer IR, Lagerweij MD, Wesselink PR, Vervoorn JM. The effect of variations in force feedback in a virtual reality environment on the performance and satisfaction of dental students. *Simul Healthc* 2019;14(3):169–174
- Vincent M, Joseph D, Amory C, et al. Contribution of haptic simulation to analogic training environment in restorative dentistry. *J Dent Educ* 2020;84(3):367–376
- Murbay S, Neelakantan P, Chang JWW, Yeung S. 'Evaluation of the introduction of a dental virtual simulator on the performance of undergraduate dental students in the pre-clinical operative dentistry course' *Eur J Dent Educ* 2020;24(1):5–16
- Osnes C, Duke A, Wu J, Franklin P, Mushtaq F, Keeling A. Investigating the construct validity of a haptic virtual caries simulation for dental education. *BMJ Simul Technol Enhanc Learn* 2021;7(2):81–85
- Urbankova A, Eber M, Engebretson SP. A complex haptic exercise to predict preclinical operative dentistry performance: a retrospective study. *J Dent Educ* 2013;77(11):1443–1450
- Bakr MM, Massey W, Alexander H. Students' evaluation of a 3DVR haptic device (Simodont®). Does early exposure to haptic feedback during preclinical dental education enhance the development of psychomotor skills? *Int J Dent Clin* 2014;6(2):1–7
- Koo S, Kim A, Donoff RB, Karimbux NY. An initial assessment of haptics in preclinical operative dentistry training. *J Investig Clin Dent* 2015;6(1):69–76
- Cox M, Ria S, Quinn B, San Diego J, Woolford M. An investigation into the clinical skills performance of year 1 dental undergraduate students' using haptel—a haptic virtual dental simulator which provides individual student feedback. Paper presented at: Proceedings of the 14th Anglo-Italian Conference; 2016 April; Brescia, Italy
- San Diego J, Cox M, Quinn B, Ria S, San Diego J, Woolford M. Performance of students' clinical skills using a haptic dental simulator. Paper presented at: Proceedings of International Association for Dental Research; 2016 June; Seoul, Korea

- 36 de Boer IR, Wesselink PR, Vervoorn JM. Student performance and appreciation using 3D vs. 2D vision in a virtual learning environment. *Eur J Dent Educ* 2016;20(3):142–147
- 37 Shahriari-Rad A, Cox M, Woolford M. Clinical skills acquisition: rethinking assessment using a virtual haptic simulator. *Technol Knowl Learn* 2017;22(2):185–197
- 38 Cox M, Quinn B, Shahriari-Rad A, San Diego J, Woolford M. Innovative techniques to assess the performance of cavity preparation skills. Paper presented at: Proceedings of International Association for Dental Research; 2017 March; San Francisco, California
- 39 Urbankova A. Impact of computerized dental simulation training on preclinical operative dentistry examination scores. *J Dent Educ* 2010;74(4):402–409
- 40 Tubelo RA, Branco VL, Dahmer A, Samuel SM, Collares FM. The influence of a learning object with virtual simulation for dentistry: a randomized controlled trial. *Int J Med Inform* 2016;85(1):68–75
- 41 Gottlieb R, Baechle MA, Janus C, Lanning SK. Predicting performance in technical preclinical dental courses using advanced simulation. *J Dent Educ* 2017;81(1):101–109
- 42 Amer RS, Denehy GE, Cobb DS, Dawson DV, Cunningham-Ford MA, Bergeron C. Development and evaluation of an interactive dental video game to teach dentin bonding. *J Dent Educ* 2011;75(6):823–831
- 43 Suebnukarn S, Haddawy P, Rhiemora P, Jittimanee P, Viratket P. Augmented kinematic feedback from haptic virtual reality for dental skill acquisition. *J Dent Educ* 2010;74(12):1357–1366
- 44 Suebnukarn S, Hataidechadusadee R, Suwannasri N, Suprasert N, Rhiemora P, Haddawy P. Access cavity preparation training using haptic virtual reality and microcomputed tomography tooth models. *Int Endod J* 2011;44(11):983–989
- 45 Wang D, Zhao S, Li T, Zhang Y, Wang X. Preliminary evaluation of a virtual reality dental simulation system on drilling operation. *Biomed Mater Eng* 2015;26(Suppl 1):S747–S756
- 46 Reymus M, Liebermann A, Diegritz C. Virtual reality: an effective tool for teaching root canal anatomy to undergraduate dental students—a preliminary study. *Int Endod J* 2020;53(11):1581–1587
- 47 Clark GT, Suri A, Enciso R. Autonomous virtual patients in dentistry: system accuracy and expert versus novice comparison. *J Dent Educ* 2012;76(10):1365–1370
- 48 Seifert LB, Socolan O, Sader R, Rüsseler M, Sterz J. Virtual patients versus small-group teaching in the training of oral and maxillofacial surgery: a randomized controlled trial. *BMC Med Educ* 2019;19(1):454
- 49 Mardani M, Cheraghian S, Naeeni SK, Zarifsanaiey N. Effectiveness of virtual patients in teaching clinical decision-making skills to dental students. *J Dent Educ* 2020;84(5):615–623
- 50 McAlpin E, Bergner Y, Levine M. Summative assessments of web-based patient simulations of pre-clinical local anaesthesia and non-surgical extraction. *Eur J Dent Educ* 2020;00:1–11
- 51 Mladenovic R, Pereira LAP, Mladenovic K, Videnovic N, Bukumiric Z, Mladenovic J. Effectiveness of augmented reality mobile simulator in teaching local anesthesia of inferior alveolar nerve block. *J Dent Educ* 2019;83(4):423–428
- 52 Mladenovic R, Bukumiric Z, Mladenovic K. Practice of local anesthesia applications in 3D environment during the COVID-19 pandemic. *J Dent Educ* 2020. Doi: 10.1002/jdd.12410
- 53 Sakowitz SM, Inglehart MR, Ramaswamy V, et al. A comparison of two-dimensional prediction tracing and a virtual reality patient methods for diagnosis and treatment planning of orthognathic cases in dental students: a randomized preliminary study. *Virtual Real (Walth Cross)* 2020;24(3):399–409
- 54 Pulijala Y, Ma M, Pears M, Peebles D, Ayoub A. Effectiveness of immersive virtual reality in surgical training-a randomized control trial. *J Oral Maxillofac Surg* 2018;76(5):1065–1072
- 55 Collaço E, Kira E, Sallaberry LH, et al. Immersion and haptic feedback impacts on dental anesthesia technical skills virtual reality training. *J Dent Educ* 2020;00:1–10
- 56 Lin WS, Chou JC, Charette JR, Metz MJ, Harris BT, Choi N. Creating virtual 3-dimensional models for teaching pre-clinical tooth preparation: Students' usages and perceptions. *Eur J Dent Educ* 2018;22(3):e573–e581
- 57 Mai HY, Mai HN, Lee DH. Computer-based 3D simulation method in dental occlusion education: student response and learning effect. *Appl Sci (Basel)* 2020;10(17):6073
- 58 Kikuchi H, Ikeda M, Araki K. Evaluation of a virtual reality simulation system for porcelain fused to metal crown preparation at Tokyo Medical and Dental University. *J Dent Educ* 2013;77(6):782–792
- 59 Hamil LM, Mennito AS, Renné WG, Vuthiganon J. Dental students' opinions of preparation assessment with E4D compare software versus traditional methods. *J Dent Educ* 2014;78(10):1424–1431
- 60 Eve EJ, Koo S, Alshihri AA, et al. Performance of dental students versus prosthodontics residents on a 3D immersive haptic simulator. *J Dent Educ* 2014;78(4):630–637
- 61 Callan RS, Palladino CL, Furness AR, Bundy EL, Ange BL. Effectiveness and feasibility of utilizing E4D technology as a teaching tool in a preclinical dental education environment. *J Dent Educ* 2014;78(10):1416–1423
- 62 Liu L, Li J, Yuan S, et al. Evaluating the effectiveness of a pre-clinical practice of tooth preparation using digital training system: a randomised controlled trial. *Eur J Dent Educ* 2018;22(4):e679–e686
- 63 Kozarovska A, Larsson C. Implementation of a digital preparation validation tool in dental skills laboratory training. *Eur J Dent Educ* 2018;22(2):115–121
- 64 Nagy ZA, Simon B, Tóth Z, Vág J. Evaluating the efficiency of the Dental Teacher system as a digital preclinical teaching tool. *Eur J Dent Educ* 2018;22(3):e619–e623
- 65 Liu L, Zhou R, Yuan S, et al. Simulation training for ceramic crown preparation in the dental setting using a virtual educational system. *Eur J Dent Educ* 2020;24(2):199–206
- 66 Tang L, Cao Y, Liu Z, et al. Improving the quality of pre-clinical simulation training for dental students using a new digital real-time evaluation system. *Eur J Dent Educ* 2021;25(1):100–107
- 67 Al-Saud LM, Mushtaq F, Mann RP, et al. Early assessment with a virtual reality haptic simulator predicts performance in clinical practice. *BMJ Simul Technol Enhanc Learn* 2020;6(5):274–278
- 68 Joseph D, Jehl J-P, Maureira P, et al. Relative contribution of haptic technology to assessment and training in implantology. *BioMed Res Int* 2014;2014:413951
- 69 Golob Deeb J, Bencharit S, Carrico CK, et al. Exploring training dental implant placement using computer-guided implant navigation system for predoctoral students: a pilot study. *Eur J Dent Educ* 2019;23(4):415–423
- 70 Zhang B, Li S, Gao S, et al. Virtual versus jaw simulation in oral implant education: a randomized controlled trial. *BMC Med Educ* 2020;20(1):272
- 71 Zorzal ER, Paulo SF, Rodrigues P, Mendes JJ, Lopes DS. An immersive educational tool for dental implant placement: a study on user acceptance. *Int J Med Inform* 2021;146:104342
- 72 Qi S, Yan Y, Li R, Hu J. The impact of active versus passive use of 3D technology: a study of dental students at Wuhan University, China. *J Dent Educ* 2013;77(11):1536–1542
- 73 Nilsson TA, Hedman LR, Ahlqvist JB. Dental student skill retention eight months after simulator-supported training in oral radiology. *J Dent Educ* 2011;75(5):679–684

- 74 Soltanimehr E, Bahrapour E, Imani MM, Rahimi F, Almasi B, Moattari M. Effect of virtual versus traditional education on theoretical knowledge and reporting skills of dental students in radiographic interpretation of bony lesions of the jaw. *BMC Med Educ* 2019;19(1):233
- 75 Wang D, Zhang Y, Hou J, et al. IDental: a haptic-based dental simulator and its preliminary user evaluation. *IEEE Trans Haptics* 2012;5(4):332–343
- 76 Yamaguchi S, Yoshida Y, Noborio H, Murakami S, Imazato S. The usefulness of a haptic virtual reality simulator with repetitive training to teach caries removal and periodontal pocket probing skills. *Dent Mater J* 2013;32(5):847–852
- 77 Papadopoulos L, Pentzou AE, Louloudiadis K, Tsiatsos TK. Design and evaluation of a simulation for pediatric dentistry in virtual worlds. *J Med Internet Res* 2013;15(11):e240
- 78 Mladenovic R, Dakovic D, Pereira L, Matvijenko V, Mladenovic K. Effect of augmented reality simulation on administration of local anaesthesia in paediatric patients. *Eur J Dent Educ* 2020;24(3):507–512
- 79 Zafar S, Lai Y, Sexton C, Siddiqi A. Virtual reality as a novel educational tool in pre-clinical paediatric dentistry training: students' perceptions. *Int J Paediatr Dent* 2020;30(6):791–797
- 80 Zafar S, Siddiqi A, Yasir M, Zachar JJ. Pedagogical development in local anaesthetic training in paediatric dentistry using virtual reality simulator. *Eur Arch Paediatr Dent* 2021;10:1–8
- 81 Naser-ud-Din S. Introducing scenario based learning interactive to postgraduates in UQ Orthodontic Program. *Eur J Dent Educ* 2015;19(3):169–176
- 82 Allaire JL. Assessing critical thinking outcomes of dental hygiene students utilizing virtual patient simulation: a mixed methods study. *J Dent Educ* 2015;79(9):1082–1092
- 83 Marei HF, Al-Eraky MM, Almasoud NN, Donkers J, Van Merriënboer JJ. The use of virtual patient scenarios as a vehicle for teaching professionalism. *Eur J Dent Educ* 2018;22(2):e253–e260
- 84 El Tantawi M, Sadaf S, AlHumaid J. Using gamification to develop academic writing skills in dental undergraduate students. *Eur J Dent Educ* 2018;22(1):15–22
- 85 Takagi D, Hayashi M, Iida T, et al. Effects of dental students' training using immersive virtual reality technology for home dental practice. *Educ Gerontol* 2019;45(11):670–680
- 86 Zafar S, Zachar JJ. Evaluation of HoloHuman augmented reality application as a novel educational tool in dentistry. *Eur J Dent Educ* 2020;24(2):259–265
- 87 Liebermann A, Erdelt K. Virtual education: dental morphologies in a virtual teaching environment. *J Dent Educ* 2020;84(10):1143–1150
- 88 Tsai R, Nguyễn CDB, Hồ ĐSM, Nguyễn YHT, Taylor RH. Using mobile multimedia platforms in teaching dental diagnosis. *J Taibah Univ Med Sci* 2020;15(4):265–271
- 89 Amini H, Gregory ME, Abrams MA, et al. Feasibility and usability study of a pilot immersive virtual reality-based empathy training for dental providers. *J Dent Educ* 2021;2021;85(6):856–865
- 90 Berry MCC, de M Neto JM, de Souza MIC, Figueredo CMDS, Reher V, Evans JL. Effectiveness of technology-enhanced learning to improve periodontics educational outcomes: a systematic review. *J Dent Educ* 2020;84(7):830–839