Erratum to: Tuberculosis is still the most Common Cause of Mediastinal and Intra-abdominal Lymphadenopathy by EUS-FNA in India

Manas Kumar Behera¹ Jimmy Narayan² Shobhit Agarwal² Debakanta Mishra²
Pruthvi Reddy² Ayaskanta Singh² Girish Kumar Pati² Manoj Kumar Sahu²

¹Department of Hepatology, SCB Medical College, Cuttack, Orrisa, India

²Department of Gastroenterology, Institute of Medical Sciences & SUM Hospital, Siksha O Anusandhan Deemed to be University, K8, Kalinganagar, Bhubaneswar, Orissa, India

Address for correspondence Manoj Kumar MD, DM Sahu, Department of Gastroenterology, Institute of Medical Sciences & SUM Hospital, Siksha O Anusandhan Deemed to be University, K8, Kalinganagar, Bhubaneswar, Orissa, 751003, India (e-mail: manoj.sahu@soa.ac.in).

J Digest Endosc 2021;12:133–137.

Erratum

The authors of the above-mentioned article have informed the Publisher about change in first author's affiliations. The article was published in volume 12, issue 3. The doi of the original article is: 10.1055/s-0041-1739965.

The corrected affiliations should be read as:

¹Department of Hepatology, SCB Medical College, Cuttack, Orrisa, India

²Department of Gastroenterology, Institute of Medical Sciences & SUM Hospital, Siksha O Anusandhan Deemed to be University, K8, Kalinganagar, Bhubaneswar, Orissa, India

DOI <https://doi.org/10.1055/s-0042-1743293>
ISSN 0976-5042

© 2021. Society of Gastrointestinal Endoscopy of India.
Society of Gastrointestinal Endoscopy of India. This is an open access article published by Thieme under the terms of the Creative Commons Attribution-NonDerivative-NonCommercial-License, permitting copying and reproduction so long as the original work is given appropriate credit. Contents may not be used for commercial purposes, or adapted, remixed, transformed or built upon. (<https://creativecommons.org/licenses/by-nc-nd/4.0/>).
Thieme Medical and Scientific Publishers Pvt. Ltd. A-12, 2nd Floor, Sector 2, Noida-201301 UP, India