M. D'HOOGHE, M. ROTTIER, R. JOLIE, N. DE KIMPE* (GHENT UNIVERSITY, BELGIUM)

Coupling of 1-Alkyl-2-(bromomethyl)aziridines with Lithium Dialkylcuprates towards 1,2-Dialkylaziridines
Synlett **2005**, 931-934.

Coupling of 1-Alkyl-2-(bromomethyl)aziridines with Lithium Dialkylcuprates towards 1,2-Dialkylaziridines

Significance: This work constitutes the first report of a reaction between an organocuprate and a 1-alkyl-2-(bromomethyl)aziridines **1**. Thus **1** may be considered as a synthetic equivalent of an aziridinylmethyl cation **2**. A variety of substituted 1,2-dialkylaziridines are obtained by this route. However, in a few cases, using bis(isopropenyl)cuprate and lithium bis(allyl)cuprate, allyl amines resulting from ring opening were isolated in 40–78%.

Comment: The reaction is of interest because, contrary to ring opening of a strained ring, either direct or via Payne rearrangement, side chain nucleophilic displacement is observed. 1,2-Dialkylaziridines are important substrates for making various cyclic and acyclic compounds such as oxazolidinones and 1,2-diamines.

SYNFACTS Contributors: Victor Snieckus, Zhongdong Zhao

Synfacts 2005, 0, 0026-0026

DOI: 10.1055/s-2005-865373; Reg-No.: V00805SF

2005 © THIEME STUTTGART • NEW YORK