R. MARTIN, S. L. BUCHWALD* (MASSACHUSETTS INSTITUTE OF TECHNOLOGY, CAMBRIDGE, USA)

Pd-Catalyzed Kumada–Corriu Cross-Coupling Reactions at Low Temperatures Allow the Use of Knochel-type Grignard Reagents

J. Am. Chem. Soc. **2007**, *129*, 3844–3845.

Low-Temperature Cross-Coupling of Functionalized Grignard Reagents

Category

Metal-Mediated Synthesis

Key words

Kumada–Corriu cross-coupling

palladium catalysis

Grignard reagents

SYNFACT
of the month

Significance: The Kumada–Corriu cross-coupling process is very attractive since the required (het)arylmagnesium species, including polyfunctionalized ones, can be readily prepared directly by the halogen–magnesium exchange or a metalation reaction. The group of Buchwald report herein a robust protocol, allowing a very efficient coupling of polyfunctionalized arylmagnesium species at the temperatures, which tolerate a vast majority of functional groups. This method is therefore extremely attractive for the direct synthesis of functionalized biaryls starting from (het)aryl halides.

Comment: While the preparation of polyfunctionalized (het)aryl Grignard reagents has become recently a great progress, the low temperatures (around $-40\text{ }^{\circ}\text{C}$ in some cases) required for their stability limited their direct use in cross-coupling processes. The use of the new generation of biaryl phosphine catalysts, developed in the group of Buchwald, overcomes this problem. Several reactions can be performed even at $-65\text{ }^{\circ}\text{C}$, which has never been found for a Pd-catalyzed cross-coupling reaction.

Review: For a recent review on the preparation of polyfunctionalized Grignard reagents, see: H. Ila, O. Baron, A. J. Wagner, P. Knochel *Chem. Commun.* **2006**, 583–593.

SYNFACTS Contributors: Paul Knochel, Andrei Gavryushin
Synfacts 2007, 6, 0633–0633 Published online: 22.05.2007
DOI: 10.1055/s-2007-968538; Reg-No.: P04807SF