Letter to Editor

Importance of imparting adequate training to general dentists regarding oral cancer

Sir,

Oral cancer accounts for 30% of all cancers in India. 60–80% of patients in India present with an advanced stage of oral cancer when detected.^[1] Tobacco, alcohol, human papillomavirus, and Epstein-Barr virus are implicated in the etiology of oral cancer.^[2] Two important routes to effectively manage and control oral cancer lies in its prevention and early diagnosis.^[2] The prognosis of oral cancer depends upon the stage of its detection. The earlier the detection better is the prognosis.

General dentists are often consulted by a significant amount of the Indian population for oral complaints. It is of utmost importance to give proper basic awareness and education about various aspects of oral cancer to the budding undergraduate dentists. Dental surgeons should be thoroughly trained to identify persons with a significant risk of oral cancer. They should be able to recognize the earliest clinical manifestations of oral cancer including those of the preceding precancerous lesions and conditions of the oral cavity. They should promptly be able to differentiate the clinical appearance of common lesions such as aphthous ulcers, traumatic ulcers, and denture sores from that of oral cancers. They should also be aware of common sites of occurrence of oral cancer such as tongue, floor of the mouth, buccal mucosa, and gingiva.^[3]

Oral cancer is more fatal when compared to the cancers of the cervix, breast, and prostate. A simple method for early detection is the 90 s visual and tactile examination.^[4] Dentists should be trained to detect oral precancerous lesions and conditions such as leukoplakia, erythroplakia, and oral submucous fibrosis. Complete case history including habits should be documented in dental records with frequent oral

examinations in a high-risk group. Lesions that exhibit altered surface texture, color, and contour; loss of surface integrity; changes in size; and mobility of oral and extraoral structures should be identified during the visual clinical examination.^[4]

A recent study undertook a simple, low-cost method of screening oral cancer and found it to be considerably effective. It utilized magnivisualizer. Magnivisualizer uses white light instead of the yellow light spectrum of torch light used in screening by a general dentist. Furthermore, it provides magnification from 1 to 5 diopter. It is not only superior in detecting oral cancer lesions, but also in differentiating those lesions.^[5]

General dentists play an important role in the early detection and prevention of oral cancer. Workshops and continuing dental education programs on oral cancer should be conducted regularly to educate and update the knowledge of existing general dental practitioners.^[6,7] Dental schools should devote sufficient time to train undergraduates about the etiologies, detection, and prevention of oral cancer.^[8] A well trained and educated dentist not only plays an important role in arresting the mortality rate due to oral cancer, but also prevents the occurring of oral cancer by educating his patients about various aspects of oral cancer.

VAGISH KUMAR L SHANBHAG

Department of Oral Medicine and Radiology, Yenepoya Dental College and Hospital, Yenepoya Research Centre, Yenepoya University, Mangalore, Karnataka, India

Address for correspondence: Dr. Vagish Kumar L Shanbhag, Department of Oral Medicine and Radiology, Yenepoya Dental College and Hospital, Yenepoya Research Centre, Yenepoya University, Mangalore - 575 018, Karnataka, India.
E-mail: vagishkumar_12@rediffmail.com

Access this article online

Website:
www.asjo.in

DOI:
10.4103/2454-6798.165117

Quick Response Code

This is an open access article distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 License, which allows others to remix, tweak, and build upon the work non-commercially, as long as the author is credited and the new creations are licensed under the identical terms.

For reprints contact: reprints@medknow.com

How to cite this article: Shanbhag VL. Importance of imparting adequate training to general dentists regarding oral cancer. Asian J Oncol 2015;1:58-9.

References

1. Coelho KR. Challenges of the oral cancer burden in India. *J Cancer Epidemiol* 2012;2012:701932.
2. Kumar P, Dupare R, Kumar P, Singh HP, Yadav S, Tyagi S. Imperative role of early diagnosis in precancerous lesions: Old ideas, new findings, yet more questions. *Clin Cancer Investig J* 2012;1:184-9.
3. Krishna Rao SV, Mejia G, Roberts-Thomson K, Logan R. Epidemiology of oral cancer in Asia in the past decade – an update (2000-2012). *Asian Pac J Cancer Prev* 2013;14:5567-77.
4. Messadi DV, Wilder-Smith P, Wolinsky L. Improving oral cancer survival: the role of dental providers. *J Calif Dent Assoc* 2009;37:789-98.
5. Parashari A, Singh V, Mittal T, Ahmed S, Grewal H, Gupta S, et al. Low cost technology for screening early cancerous lesions of oral cavity in rural settings. *Ann Med Health Sci Res* 2014;4:146-8.
6. Shaila M, Shetty P, Decruz AM, Pai P. The self-reported knowledge, attitude and the practices regarding the early detection of oral cancer and precancerous lesions among the practising dentists of Dakshina Kannada – A pilot study. *J Clin Diagn Res* 2013;7:1491-4.
7. Vijay Kumar KV, Suresan V. Knowledge, attitude and screening practices of general dentists concerning oral cancer in Bangalore city. *Indian J Cancer* 2012;49:33-8.
8. Fotedar S, Bhardwaj V, Manchanda K, Fotedar V, Sarkar AD, Sood N. Knowledge, attitude and practices about oral cancers among dental students in H.P Government Dental College, Shimla-Himachal Pradesh. *South Asian J Cancer* 2015;4:65-7.

AUTHOR INSTITUTION MAP FOR THIS ISSUE

Please note that not all the institutions may get mapped due to non-availability of requisite information in Google Map. For AIM of other issues, please check Archives/ Back Issues page on the journal's website.