Dental amalgam fillings and the use of technological devices as an environmental factor: Updating the cumulative mercury exposure-based hypothesis of autism

Dear Editor,

The molecular basis of autism spectrum disorders (ASD) still remains obscure and little is known about the specific gene-environment interactions that may increase the prevalence of the disorder.^[1,2] There has been a lot of controversy in the past regarding the association of thimerosal, mercury (Hg)-containing preservative in vaccines, and the increased probability of developing autism among children. With the lack of information concerning amalgam hazards, it has been suggested that the traces of Hg found in dental fillings could be considered safe; however, this may not be true since the link between Hg exposure and autism also needs to include the individual's susceptibility. In 2011, as a more consensual theory, we alternatively proposed the "cumulative Hg exposure-based hypothesis" which considers not only one but the total contribution of different environmental sources of this element, such as (i) maternal amalgam fillings, (ii) pollution, (iii) food, and also (iv) thimerosal-preserved vaccines together with a genetic/biochemical susceptibility to remove Hg from the body.^[3]

Common technological devices (e.g., mobile phones, mobile base stations, and magnetic resonance imaging machines and other wireless devices) produce electromagnetic fields (EMFs). Neurobehavioral and neurodevelopmental symptoms such as retarded memory, learning, cognition, and attention have been attributed to EMF exposure.^[4] Of note, these symptoms are also attributed to ASD and attention deficit hyperactivity disorders. A recent *in vivo* study observed autism-relevant social abnormalities in mice exposed to extremely low-frequency EMFs during perinatal development.^[5] This may indicate a potential direct link between EMFs and the prevalence of autism in specific window/s of vulnerability that would deserve further investigation. An indirect link might be also plausible since high-field magnetic resonance and microwave radiation emitted by common mobile phones have been reported to increase the release

of mercury from dental amalgam fillings.^[6,7] These recent evidence (2014), far from being conflictive, is consistent with our previous cumulative Hg exposure-based hypothesis of ASD (2011) and could be included as the fifth (v) additional environmental factor, synergistically contributing to the release of Hg in mothers with dental amalgam fillings, and increasing the probability of developing and/or aggravating autism among children. Nevertheless, this updated version of our hypothesis would require more extensive clinical confirmation and supporting evidence.

Financial support and sponsorship

Nil.

Conflicts of interest

There are no conflicts of interest.

Isadora Argou-Cardozo¹,
José Antonio Cano Martín²,
Fares Zeidán-Chuliá³

¹Specialization Course in Public Management and Regional Development, Faculty of Administration and Tourism, Federal University of Pelotas (UFPEL), Pelotas, RS, Brazil,

²Deusto Business School, University of Deusto, Madrid, Spain,

³Department of Periodontology, Institute of Dentistry, Faculty of Medicine, University of Turku, Turku, Finland

Correspondence: Dr. Fares Zeidán-Chuliá

Email: fzchulia.biomed@gmail.com

REFERENCES

1. Zeidán-Chuliá F, Rybarczyk-Filho JL, Salmina AB, de Oliveira BH, Noda M, Moreira JC. Exploring the multifactorial nature of autism through computational systems biology: Calcium and the Rho GTPase RAC1 under the spotlight. *Neuromolecular Med* 2013;15:364-83.
2. Zeidán-Chuliá F, Salmina AB, Noda M, Verkhratsky A. Rho GTPase RAC1 at the molecular interface between genetic and environmental factors of autism spectrum disorders. *Neuromolecular Med* 2015;17:333-4.
3. Zeidán-Chuliá F, Gursoy UK, Könönen E, Gottfried C. A dental look at the autistic patient through orofacial pain. *Acta Odontol Scand* 2011;69:193-200.
4. Sage C, Burgio E. Electromagnetic fields, pulsed radiofrequency radiation, and epigenetics: How wireless technologies may affect

- childhood development. *Child Dev* 2017. doi: 10.1111/cdev.12824.
5. Alsaeed I, Al-Somali F, Sakhnini L, Aljarallah OS, Hamdan RM, Bubishate SA, *et al.* Autism-relevant social abnormalities in mice exposed perinatally to extremely low frequency electromagnetic fields. *Int J Dev Neurosci* 2014;37:58-64.
 6. Mortazavi SM, Neghab M, Anoosheh SM, Bahaeddini N, Mortazavi G, Neghab P, *et al.* High-field MRI and mercury release from dental amalgam fillings. *Int J Occup Environ Med* 2014;5:101-5.
 7. Mortazavi G, Haghani M, Rastegarian N, Zarei S, Mortazavi SM. Increased release of mercury from dental amalgam fillings due to maternal exposure to electromagnetic fields as a possible mechanism for the high rates of autism in the offspring: Introducing a hypothesis. *J Biomed Phys Eng* 2016;6:41-6.

This is an open access article distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 License, which allows others to remix, tweak, and build upon the work non-commercially, as long as the author is credited and the new creations are licensed under the identical terms.

Access this article online

Quick Response Code:

Website:
www.eurjdent.com

How to cite this article: Argou-Cardozo I, Cano Martín JA, Zeidán-Chuliá F. Dental amalgam fillings and the use of technological devices as an environmental factor: Updating the cumulative mercury exposure-based hypothesis of autism. *Eur J Dent* 2017;11:569-70.

DOI: 10.4103/ejd.ejd_222_17