

Literatur zu

Kasuistik

Zerebrales Fettemboliesyndrom nach beidseitiger Oberschenkelfraktur

Patrick Wöhler • Bertrand Hirl • Wolfgang Kellermann

- 1 Montangana M, Cervellin G, Franchini M, et al. Pathophysiology, clinics and diagnostics of non-thrombotic pulmonary embolism. J ThrombThrombolysis 2011; 31: 436-444
- 2 Chen JJ, Ha JC, Mirvis SE. MR imaging of the brain in fat embolism syndrom. EmergRadiol 2008; 15: 187-192
- 3 Cox G, Tzioupis C, Calori GM, et al. Cerebral fat emboli: A trigger of post-operative delirium. Injury 2011; 42: S6-S10
- 4 Eriksson EA, Schultz SE, Cohle SD, et al. Cerebral fat embolism without intracardiac shunt: A novel presentation. J Emerg Trauma Shock 2011; 4: 309-312
- 5 Gurd AR, Wilson RI. The fat embolism syndrom. J Bone Joint Surg 1974; 56B: 408-416
- 6 Lee SC, Yoon JY, Nam CH, et al. Cerebral Fat EmblismSyndrom After Simultaneous Bilateral Total Knee Arthroplasty. Journal ofArthroplasty 2012; 27: 409-414
- 7 King MB, Harmon KR. Unusual forms of ulmonary embolism. ClinChestMed 1994; 15: 561-580
- 8 Goenka N, Ropper AH. Cerebral Fat Embolism. NEJM 2012; 367: 1045
- 9 Shobha N, Bermejo PG, Bhatia R, et al. Multimodal imaging tools for diagnosis of fat embolism. J Emerg Trauma Shock 2011; 4: 306-308

10 Parizel PM, Demey HE, et al. Early Diagnosis of Cerebral Fat Embolism Syndrome by Diffusion-Weighted MRI (Starfield Pattern). Stroke 2001; 32: 2942-2944

11 Forteza AM, Koch S, Romano JG, et al. Transcranial Doppler Detection of Fat Emboli. Stroke 1999; 30: 2687 - 2691

12 Kleinert K, Marug D, Soklic P, et al. Fat embolism syndrome following lower limb fracture despite rapid external fixation. Twocasereportsandreviewoftheliterature. Unfallchirurg 2009; 112: 796-798

13 Pitto RP, Schramm M, Hohman D, et al. Relvance oft he drinage along the lineaaspera fort he reduction of fat embolism during cemented total hip arthroplasty. A prospective, randomizedclinicaltrial. ArchOrthop Trauma Surg 1999; 119: 146-150

14 Kröpfl A, Davies J, Berger U, et al. Intramedullary pressure and bone marrow fat extravasation in reamed and unreamed femoral nailing. J Orthop Res 1999; 17: 261-268

15 Bederman SS, Bhandari M, McKee MD, et al. Do corticosteroids reduce the risk of fat embolism syndrome in patients with long-bone fractures? A meta-analysis. J canchir 2009; 52: 386-393

16 Buskens CJ, Gratama JWC, Hogervorst M, et al. Encephalopathy nd MRI abnormalities in fat embolism syndrome: a case report. MedSciMonit 2008; 14: CS125-9

17 Aravapalli A, Fox J, Lazaridis C. Cerebral fat embolism and the „starfield“ pattern: a case report. Cases J 2009; 2: 212

18 Gupta B, Kaur M, D'souza N, et al. Cerebral fat embolism: A diagnostic challenge. Saudi J Anaesth 2011; 5: 348-352

19 Hübner K, Holtmannspötter M, et al. Fat Embolism Syndrom as a Neurologic Emergency. ArchNeurol 2008; 65: 1124-1125

20 Manousakis G, Han DY, Backonja M. Cognitive Outcome of Cerebral Fat Embolism. *Journal of Stroke and Cerebrovascular Diseases* 2012; 21: 906.e1-906.e3