


A novel endoscopic electrocoagulation hemostasis technique for uncontrolled intraprocedural bleeding: series connection of foreign body forceps and hemostatic forceps


OPEN
ACCESS




► **Fig. 1** Examinations before endoscopic full-thickness resection of a gastric mass in a 72-year-old woman. **a** Endoscopy showed a raised lesion with a central depression at the gastric antrum–body junction. **b** Endoscopic ultrasound demonstrated a hypoechoic mass about 3.1 × 3.5 cm in size, with heterogeneous anechoic areas, originating from the muscularis propria layer. **c** Upper abdominal enhanced computed tomography showed a soft tissue density mass measuring 4.4 × 3.6 cm, with calcification in the gastric antrum, protruding into the abdominal cavity (yellow arrowhead).

Intraprocedural bleeding is unavoidable during endoscopic procedures [1,2]. Minor bleeding from small vessels can typically be managed with an electric knife, while significant bleeding from larger vessels requires the use of hemostatic forceps [3,4]. In cases of uncontrollable severe bleeding, clips can be used as rescue treatment, but their use may impede subsequent procedures. Here, we introduce a method using foreign body forceps and hemostatic forceps to achieve hemostasis for emergency massive bleeding during endoscopic full-thickness resection (EFTR).

A 72-year-old woman was referred to our hospital for the treatment of a gastric mass. Endoscopy, endoscopic ultrasound, and upper abdominal enhanced computed tomography were performed (► **Fig. 1**). Following consultation with the patient and her family, EFTR was chosen as the optimal treatment approach. During the procedure, sudden bleeding occurred that could not be controlled using the electric knife (► **Video 1**, ► **Fig.**



► **Fig. 2** Series connection of foreign body forceps and hemostatic forceps for hemostasis of uncontrolled intraprocedural bleeding. **a** Sudden bleeding occurred during an endoscopic full-thickness resection, which could not be controlled using the electric knife and hemostatic forceps. **b** Extracorporeal connection of a hemostatic forceps in series with the foreign body forceps that was clamping the bleeding site. **c** This series connection enabled the distal end of the foreign body forceps to be charged, thereby providing electrocoagulation functionality. **d** This enabled successful hemostasis of the sudden bleeding. **e** The lesion was completely resected. **f** The wound was closed with a pursestring suture of clips and nylon ring.



► **Fig. 3** Histopathology of postoperative specimen. **a** Histology showed a spindle-cell tumor (hematoxylin and eosin, $\times 100$). **b** Immunohistochemical staining of S-100 was positive, confirming the diagnosis of a gastric schwannoma ($\times 100$).



► **Video 1** A novel endoscopic electrocoagulation technique for hemostasis of uncontrolled intraprocedural bleeding: series connection of foreign body forceps and hemostatic forceps.

2a). Despite repeated attempts with hemostatic forceps (FG-44NR-1; Olympus, Tokyo), bleeding persisted. Given the potential depth of the bleeding site and the longer jaws of foreign body forceps (4.5 mm, FD-410LR; Olympus) compared to hemostatic forceps (3.6 mm), we used a foreign body forceps to clamp the bleeding site, despite its lack of electrocoagulation capabilities. We then extracorporeally connected the foreign body forceps in series with a hemostatic forceps (► **Fig. 2b**). This enabled charging of the distal end of the foreign body forceps and successful hemostasis of the bleeding site (► **Fig. 2c, d**).

Finally, the lesion was completely removed, and the wound was closed with a pursestring suture of clips and nylon ring (► **Fig. 2e, f**). Postoperative recovery was uneventful, with no rebleeding. Histopathology revealed a gastric schwannoma [5] (► **Fig. 3**).

This connection in series of forceps to enable hemostasis highlights the adaptability of endoscopic equipment and the imaginative innovation on the part of the endoscopist, providing a novel approach for managing uncontrollable intraprocedural bleeding without interrupting the operation.

Endoscopy_UCTN_Code_TTT_1AO_2AD

Funding Information

1·3·5 project for disciplines of excellence, West China Hospital, Sichuan University ZYJC21011
National Natural Science Foundation of China
<http://dx.doi.org/10.13039/501100001809>
82170675

Conflict of Interest

The authors declare that they have no conflict of interest.

The authors

Ruide Liu^{1‡}, Xianglei Yuan^{1‡}, Jia Liu¹, Shuang Liu¹, Jia Xie¹, Bing Hu¹

¹ Department of Gastroenterology and Hepatology & Digestive Endoscopy Medical Engineering Research Laboratory West China Hospital, Sichuan University, Chengdu, Sichuan, China

Corresponding author

Bing Hu, MD

Department of Gastroenterology and Hepatology & Digestive Endoscopy Medical Engineering Research Laboratory West China Hospital, Sichuan University, No. 37, Guo Xue Xiang, Wuhou District, Chengdu Sichuan 610041, China
huibing@wchscu.edu.cn

References

- [1] Libânio D, Pimentel-Nunes P, Bastiaansen B et al. Endoscopic submucosal dissection techniques and technology: European Society of Gastrointestinal Endoscopy (ESGE) Technical Review. *Endoscopy* 2023; 55: 361–389. doi:10.1055/a-2031-0874
- [2] Rajan E, Wong Kee Song LM. Endoscopic full thickness resection. *Gastroenterology* 2018; 154: 1925–1937.e2. doi:10.1053/j.gastro.2018.02.020
- [3] Gralnek IM, Stanley AJ, Morris AJ et al. Endoscopic diagnosis and management of non-variceal upper gastrointestinal hemorrhage (NVUGIH): European Society of Gastrointestinal Endoscopy (ESGE) Guideline – Update 2021. *Endoscopy* 2021; 53: 300–332. doi:10.1055/a-1369-5274

‡ Contributed equally to this article

- [4] Mullady DK, Wang AY, Waschke KA. AGA Clinical practice update on endoscopic therapies for non-variceal upper gastrointestinal bleeding: Expert review. *Gastroenterology* 2020; 159: 1120–1128. doi:10.1053/j.gastro.2020.05.095
- [5] Albshesh A, Kaufmann MI, Levy I. Gastric schwannoma. *Clin Gastroenterol Hepatol* 2020; 18: e142–e143. doi:10.1016/j.cgh.2019.08.027

Bibliography

Endoscopy 2024; 56: E338–E340

DOI 10.1055/a-2291-9766

ISSN 0013-726X

© 2024. The Author(s).

This is an open access article published by Thieme under the terms of the Creative Commons Attribution License, permitting unrestricted use, distribution, and reproduction so long as the original work is properly cited.

(<https://creativecommons.org/licenses/by/4.0/>)

Georg Thieme Verlag KG, Rüdigerstraße 14,
70469 Stuttgart, Germany



ENDOSCOPY E-VIDEOS

<https://eref.thieme.de/e-videos>



E-Videos is an open access online section of the journal *Endoscopy*, reporting on interesting cases and new techniques in gastroenterological endoscopy. All papers include a high-quality video and are published with a Creative Commons CC-BY license. *Endoscopy E-Videos* qualify for HINARI discounts and waivers and eligibility is automatically checked during the submission process. We grant 100% waivers to articles whose corresponding authors are based in Group A countries and 50% waivers to those who are based in Group B countries as classified by Research4Life (see: <https://www.research4life.org/access/eligibility/>).

This section has its own submission website at
<https://mc.manuscriptcentral.com/e-videos>