
T. KANZIAN, S. LAKHDAR, H. MAYR* (LUDWIG-MAXIMILIANS-UNIVERSITÄT MÜNCHEN, GERMANY)

Kinetic Evidence for the Formation of Oxazolidinones in the Stereogenic Step of Proline-Catalyzed Reactions Angew. Chem. Int. Ed. 2010, 49, 9526-9529.

The Increased Reactivity of the Proline **Carboxylate Derived Enamine**

Enamines: **Electrophiles:** 2b N_N∠CO₂*t*-Bu 2a Me t-BuO₂C 2c Relative rate constants: 1h 1c 0.058 2b 107



Significance: Mayr and co-workers have performed a kinetic analysis of the reaction of proline carboxylate enamine 1a, pyrrolidine enamine 1b, and proline ester enamine 1c with electrophiles 2a-c. The superior reactivity of the proline carboxylate 1a compared to 1b-c was interpreted as evidence for the operation of an alternative mechanistic pathway that includes anchimeric assistance of the carboxylate group in the addition to the electrophile. These data were suggested to support the formation of oxazolidinones in the stereogenic step of proline carboxylate catalyzed reactions (D. G. Blackmond et al. J. Am. Chem. Soc. 2010, 132, 7598), although catalytic reactions have not actually been studied.

co-workers suggested Hajos' 'oxazolidinone mechanism' (J. Org. Chem. 1974, 39, 1615) as an alternative to the commonly accepted List-Houk model in proline enamine catalysis (Helv. Chim. Acta. 2007, 90, 425). Blackmond, Armstrong, and co-workers discussed a variation of this mechanism (to account for the opposite stereochemical outcome) for proline carboxylate catalyzed reactions as an alternative to a simple steric argumentation (J. Am. Chem. Soc. 2010, 132, 7598). Proline and proline carboxylate catalyzed reactions seem to consistently give the opposite stereochemistry in agreement with the crucial role of the COOH proton in the Houk-List model. In the current paper, the kinetics of reactions of enamines 1 with electrophiles 2 were examined. The lower reactivity of 1c was explained by the electronwithdrawing influence of the ester group and higher reactivity of 1a by anchimeric assistance of the carboxylate group. Alternatively, the higher nucleophilicity of 1a compared to 1b could also be a consequence of the electrostatic stabilization by the carboxylate of the positive charge generated on the nitrogen in the transition state.

Comment: Recently, Seebach, Eschenmoser, and

Synfacts 2011, 1, 0091-0091 DOI: 10.1055/s-0030-1259189; Reg-No.: B13710SF Category

Organo- and **Biocatalysis**

Key words

proline oxazolidinones

enamine catalysis



SYNFACTS Contributors: Benjamin List, Ilija Čorić Published online: 21.12.2010