


Y. WANG, X. WEN, X. CUI, L. WOJTAS, X. P. ZHANG* (BOSTON COLLEGE, CHESTNUT HILL AND UNIVERSITY OF SOUTH FLORIDA, TAMPA, USA)

Asymmetric Radical Cyclopropanation of Alkenes with In Situ-Generated Donor-Substituted Diazo Reagents via Co(II)-Based Metalloradical Catalysis
J. Am. Chem. Soc. **2017**, *139*, 1049–1052.

Asymmetric Radical Cyclopropanation of Alkenes



Significance: The use of cobalt(II) complexes with chiral amidoporphyrins has emerged as a powerful approach to asymmetric radical transformations. Zhang and co-workers report the use of a chiral cobalt catalyst in the asymmetric radical cyclopropanation of alkenes with diazo reagents to generate enantioenriched substituted cyclopropanes.

SYNFACTS Contributors: Mark Lautens, Ivan Franzoni
Synfacts 2017, 13(03), 0267 Published online: 15.02.2017
DOI: 10.1055/s-0036-1590060; Reg-No.: L00117SF

Comment: Diazo reagents, generated in situ from sulfonyl hydrazones under basic conditions, reacted with terminal mono- and disubstituted alkenes to form the corresponding cyclopropane products in good yields and diastereoselectivities, and with excellent enantioselectivities. Mechanistic experiments support a stepwise radical mechanism in which the cobalt complex first reacts with the diazo reagent to form a cobalt(III) benzyl radical followed by radical addition of the alkene.

Category

Metal-Catalyzed
Asymmetric
Synthesis and
Stereoselective
Reactions

Key words

cobalt catalysis

asymmetric radical
reaction

cyclopropanation

diazo reagents

Synfact
of the month