



B. E. AMBLER, B. W. H. TURNBULL, S. R. SURAVARAPU, M. M. UTEULIYEV, N. O. HUYNH, M. J. KRISCHE* (UNIVERSITY OF TEXAS AT AUSTIN, USA)
 Enantioselective Ruthenium-Catalyzed Benzocyclobutenone–Ketol Cycloaddition: Merging C–C Bond Activation and Transfer Hydrogenative Coupling for Type II Polyketide Construction
J. Am. Chem. Soc. **2018**, *140*, 9091–9094.


Enantioselective Intermolecular Ruthenium-Catalyzed Cycloaddition



Selected examples:



Transformation:



Significance: Metal-catalyzed cycloaddition is one of the most active areas of research. The authors have developed an enantioselective intermolecular cycloaddition of benzocyclobutenones with tetralone-derived ketols through a C–C bond oxidative addition catalyzed by a chiral ruthenium–DM-SEGPHOS complex.

SYNFACTS Contributors: Hisashi Yamamoto, Wataru Muramatsu
Synfacts 2018, 14(10), 1043 Published online: 17.09.2018
 DOI: 10.1055/s-0037-1610889; Reg-No.: H11818SF

Comment: This ruthenium-catalyzed intermolecular cycloaddition merging C–C bond activation and transfer hydrogenative coupling proceeds smoothly in moderate to high yield with excellent enantio-, diastereo-, and regioselectivities. The obtained products can be transformed into the corresponding compounds containing dione and amine motifs.

Category

Metal-Catalyzed Asymmetric Synthesis and Stereoselective Reactions

Key words

ruthenium catalysis
 cycloaddition
 C–C activation
 transfer hydrogenation
 polyketides

Synfact
of the month

This document was downloaded for personal use only. Unauthorized distribution is strictly prohibited.