Y. YANO, N. MITOMA, K. MATSUSHIMA, F. WANG, K. MATSUI, A. TAKAKURA, Y. MIYAUCHI, H. ITO*, K. ITAMI* (NAGOYA UNIVERSITY, JST-ERATO, NAGOYA, AND KYOTO UNIVERSITY, JAPAN)

Living Annulative π-Extension Polymerization for Graphene Nanoribbon Synthesis *Nature* **2019**. *571*. 387–392.

Reaching the APEX in Controlled Synthesis of 2D Nanomaterials

Significance: A living method to grow narrow dispersity fjord-type graphene nanoribbons (as low as D = 1.03) with controlled degree of polymerization (7–391) is disclosed. Scholl oxidation of this precursor affords armchair-type nanoribbons, whereas further polymerization affords block copolymers.

Comment: The precise control over structure affords the opportunity to make block copolymers with conjugated (e.g., different benzonaphthosiloles) or nonconjugated (e.g., functionalized initiators) blocks, which could lead to interesting optoelectronic or physical/self-assembly properties.

SYNFACTS Contributors: Timothy M. Swager, Darryl Fong Synfacts 2019, 15(09), 0993 Published online: 20.08.2019 **DOI:** 10.1055/s-0039-1690591; **Reg-No.:** S07719SF

Synthesis of Materials and Unnatural Products

Key words

graphene nanoribbons

living annulative π -extension polymerization

block copolymers

