
Y. QU, Z. WANG, Z. ZHANG, W. ZHANG, J. HUANG\*, Z. YANG\* (PEKING UNIVERSITY SHENZEN GRADUATE SCHOOL, PEKING UNIVERSITY, BEIJING, AND SHENZEN BAY LABORATORY, P. R. OF CHINA)

Asymmetric Total Synthesis of (+)-Waihoensene J. Am. Chem. Soc. 2020, 142, 6511-6515.

## Asymmetric Total Synthesis of (+)-Waihoensene



Significance: Huang, Yang, and co-workers report the asymmetric synthesis of (+)-waihoensene in 15 steps. Waihoensene features a congested [6,5,5,5] tetracyclic core, containing four contiguous quaternary carbons and a cis-fused six-membered ring.

**Comment:** In five steps, enone **A** is transformed into G, which undergoes diastereoselective Coniaene reaction to H. Enyne H is elaborated to I through a Pauson-Khand reaction, followed by a mediated intramolecular HAT reaction to give N. Shortly after the publication of this synthesis, Snyder and co-workers reported another synthesis of this natural product following a very similar strategy (Angew. Chem. Int. Ed. 2020, DOI: 10.1002/

SYNFACTS Contributors: Erick M. Carreira, Moritz J. Classen Synfacts 2020, 16(06), 0617 Published online: 15.05.2020 DOI: 10.1055/s-0040-1706993; Reg-No.: C02320SF

nickel-catalyzed 1,4-addition. Reduction of the exocyclic double bond is achieved by Fe(acac)<sub>3</sub>/PhSiH<sub>3</sub>anie.202004177).

## Category

**Synthesis of Natural** Products and **Potential Drugs** 

## Key words

(+)-waihoensene

Conia-ene reaction

Pauson-Khand reaction

Wittig olefination

intramolecular HAT reaction

