

Erratum: Marginal Gap Evaluation of Metal Onlays and Resin Nanoceramic Computer-Aided Design and Computer-Aided Manufacturing Blocks Onlays

Nor Faharina Abdul Hamid¹ Wan Zaripah Wan Bakar² Zaihan Ariffin²

¹Restorative Dentistry Unit, Faculty of Dentistry, Universiti Teknologi MARA, Sungai Buloh Campus, Jalan Hospital, Selangor,

²Conservative and Prosthodontics Unit, School of Dental Sciences Health Campus, Universiti Sains Malaysia, Kubang Kerian, Kota Bahru, Kelantan, Malaysia

Eur | Dent 2020;13:e1

Address for correspondence Wan Zaripah Wan Bakar, BDS, GDCD, DCD, Conservative and Prosthodontics Unit, School of Dental Sciences Health Campus, Universiti Sains Malaysia, 16150, Kubang Kerian, Kota Bahru, Kelantan, Malaysia (e-mail: wzaripah@usm.my).

ERRATUM

It has been brought to the Publisher's attention that the University's name in affiliation 2 was published incorrectly in the above article in the European Journal of Dentistry, Volume 13, Issue 1, 2019 (DOI: 10.1055/s-0039-1688740). The correct affiliation appears as above.







