

H. D. Allescher<sup>1</sup>  
M. Storr<sup>1</sup>  
M. Seige<sup>1</sup>  
R. Gonzales-Donoso<sup>1</sup>  
R. Ott<sup>1</sup>  
P. Born<sup>1</sup>  
E. Frimberger<sup>1</sup>  
N. Weigert<sup>1</sup>  
A. Stier<sup>2</sup>  
M. Kurjak<sup>1</sup>  
T. Rösch<sup>1</sup>  
M. Classen<sup>1</sup>

## Treatment of Achalasia: Botulinum Toxin Injection vs. Pneumatic Balloon Dilation. A Prospective Study with Long-Term Follow-Up

**Allescher HD, Storr M, Seige M et al. Treatment of Achalasia: Botulinum Toxine Injection vs. Pneumatic Balloon Dilation. A Prospective Study with Long-Term Follow-Up. Endoscopy 2001; 33: 1007 – 1017**

The authors stated in the *patients and methods* section (p. 1008) that this study was approved by an ethics committee vote. They have informed us that this is partly incorrect, as only a part of the study (the manometric follow-up) but not the injection protocol itself was approved by an ethics committee vote.

The sentence "All procedures and the functional studies were performed after written consent had been obtained from patients; the study protocol was approved by the Ethics Committee of the Technical University of Munich" should read "The manometric study protocol was approved by an ethics committee and the individual BTX injection protocol was approved by an institutional review board. All patients signed an informed consent form."

### Institution

<sup>1</sup> Department of Internal Medicine II, Technical University of Munich, Munich, Germany

<sup>2</sup> Department of Surgery, Technical University of Munich, Munich, Germany

### Bibliography

Endoscopy 2004; 36 (2): 185 © Georg Thieme Verlag Stuttgart · New York · ISSN 0013-726X  
DOI 10.1055/s-2004-814189