

Synthesis Alerts is a monthly feature to help readers of Synthesis keep abreast of new reagents, catalysts, ligands, chiral auxiliaries, and protecting groups which have appeared in the recent literature. Emphasis is placed on new developments but established reagents, catalysts etc are also covered if they are used in novel and useful reactions. In each abstract, a specific example of a transformation is given in a concise format designed to aid visual retrieval of information.

Synthesis Alerts is a personal selection by:

Fiona Black, John Cooksey, Victoria Coombes, Joanne Peach, Przemyslaw Kubinski, Thomas Snaddon, and Eddy Viseux, Department of Chemistry, Leeds University, Leeds, LS2 9JT, UK.

Georg Thieme Verlag does not accept responsibility for the accuracy, content, or selection of the data.

SYNTHESIS 2005, No. 10, pp 1718–1725

Advanced online publication: 21.06.2005

Art ID: X1005SS


© Georg Thieme Verlag Stuttgart · New York

The journals regularly covered by the abstractors are:

Angewandte Chemie International Edition
Bulletin of the Chemical Society of Japan
Chemical Communications
Chemistry A European Journal
Chemistry Letters
Collection Czechoslovak Chemical Communications
European Journal of Organic Chemistry
Helvetica Chimica Acta
Heterocycles
Journal of the American Chemical Society
Journal of Organic Chemistry
Organic and Biomolecular Chemistry
Organic Letters
Organometallics
Synlett
Synthesis
Tetrahedron
Tetrahedron Asymmetry
Tetrahedron Letters

Alkyl addition to ketones with magnesium ate complexes.
Hatano, M.; Matsumura, T.; Ishihara, K. *Org. Lett.* **2005**, 7, 573.

1,2-Addition




R₃MgLi: 12 examples (yields 64->99%). RMe₂MgLi: 14 examples (yields 87->99%).

Total synthesis of (−)-Isodomoic acid C.


Clayden, J.; Knowles, F. E.; Baldwin, I. R. *J. Am. Chem. Soc.* **2005**, 127, 2412.

Annulation



Brønsted acid catalyzed regio- and enantioselective nitroso aldol reaction.
Momiyama, N.; Yamamoto, H. *J. Am. Chem. Soc.* **2005**, 127, 1080.


Nitroso Aldol



Ar = 1-naphthalene. 16 examples (yields 4-91%, %ee 65-93%).

Enantioselective radical addition/trapping reactions with α,β -disubstituted unsaturated imides.
Sibi, M. P.; Petrovic, G.; Zimmerman, J. J. *J. Am. Chem. Soc.* **2005**, 127, 2390.


1,4-Addition



12 examples (yields 50-83%, %dr 74-98%, %ee 56-94%).

Rh(I)-Catalyzed cyclization of 1-arylprop-2-yn-1-ol compounds.
Yamabe, H.; Mizuno, A.; Kusama, H.; Iwasawa, N. *J. Am. Chem. Soc.* **2005**, 127, 3248.


Annulation



TMP = 2,2,6-tetramethylpiperidine. 10 examples (yields 31-95%).

Enantioselective Diels-Alder reactions catalyzed by a Lewis acid assisted Lewis acid catalyst.
Futatsugi, K.; Yamamoto, H. *Angew. Chem. Int. Ed.* **2005**, 44, 1484.


Diels-Alder



8 examples (yields 73->99%, %ee 88-99%).

1,2,4-Oxadiazolidinones as configurationally stable chiral building blocks.
Ritter, T.; Carreira, E. M. *Angew. Chem. Int. Ed.* **2005**, 44, 936.


Cycloaddition



20 examples (yields 69-87%, %de 86->98%).

Catalytic asymmetric allylation of aldehydes via a chiral In(III)-complex.
Teo, Y.-C.; Tan, K.-T.; Loh, T.-P. *Chem. Commun.* **2005**, 1318.


Asymmetric Allylation



7 examples (yields 53-76%, %ee 90-96%).

Cu(II)-Catalyzed enantioselective Friedel-Crafts alkylations of pyrroles and indoles with α' -hydroxy enones.
Palomo, C.; Oiarbide, M.; Kardak, B. G.; Garcia, J. M.; Linden, A. *J. Am. Chem. Soc.* **2005**, 127, 4154.


Friedel-Crafts



Pyrroles: 10 examples (yields 80-95%, %ee 68-97%). Indoles: 14 examples (yields 32-96%, %ee 83-98%).


Pd(OH)₂/C-Mediated selective oxidation of silyl enol ethers by *tert*-butyl hydroperoxide.
Yu, J.-Q.; Wu, H.-C.; Corey, E. *J. Org. Lett.* **2005**, 7, 1415.

Oxidation



Cu-Catalyzed asymmetric conjugate additions in the synthesis of nitroalkanes bearing an all-carbon quaternary centre.
Wu, J.; Mampreian, D. M.; Hoveyda, A. H. *J. Am. Chem. Soc.* **2005**, 127, 4584.


1,4-Addition



15 examples (yields 40-87%, %ee -14-98%).

Ru-Catalyzed cycloisomerizations of diynols and utilisation in the synthesis of (+)- α -kainic acid.
Trost, B. M.; Rudd, M. T. *J. Am. Chem. Soc.* **2005**, 127, 4763.


Annulation



34 examples (yields 40-99%).


Enantioselective Friedel-Crafts alkylations with benzoylhydrazones.
Shirakawa, S.; Berger, R.; Leighton, J. L. *J. Am. Chem. Soc.* **2005**, 127, 2858.

Friedel-Crafts




13 examples (yields 54-92%, %ee 87-95%).

Regio- and enantioselective Pd-catalyzed allylic alkylation of ketones through allyl enol carbonates.
Trost, B. M.; Xu, J. *J. Am. Chem. Soc.* **2005**, 127, 2846.


Asymmetric Alkylation

Highly selective 1,3-isomerization of allylic alcohols via Re-oxo catalysis.
Morrill, C.; Grubbs, R. H. *J. Am. Chem. Soc.* **2005**, 127, 2842.

Isomerization


17 examples (yields 30-98%, %ee 72-81%).

A four-component [5+1+2+1]-cycloaddition of vinylcyclopropanes, alkynes and CO.
Wender, P. A.; Gamber, G. G.; Hubbard, R. D.; Pham, S. M.; Zhang, L. *J. Am. Chem. Soc.* **2005**, 127, 2836.

[5+1+2+1]-Cycloaddition


19 examples (yields 42-92%).

Ti-Crossed-Claisen condensation between esters and acid chlorides or acids: preparation of β-keto esters.
Misaki, T.; Nagase, R.; Matsumoto, K.; Tanabe, Y. *J. Am. Chem. Soc.* **2005**, 127, 2854.

C-C Bond Formation

35 examples (yields 15-95%).


Pd-Catalyzed regio- and stereoselective 4-component coupling reaction.
Knapton, D. J.; Meyer, T. Y. *J. Org. Chem.* **2005**, 70, 785.

C-C Bond Formation

18 examples (yields 0-95%).

Synthesis of the tetracyclic core of Nakadomarin A using a nitrone/cyclopropane cycloaddition.
Young, I. S.; Williams, J. L.; Kerr, M. A. *Org. Lett.* **2005**, 7, 953.


[3+2]-Cycloaddition



8 examples (yields 70-94%).


A highly efficient synthesis of the FGH ring of micrandilactone A. Application of thioureas as ligands in the Co-catalyzed Pauson-Khand reaction and Pd-catalyzed carbonylative annulation.
Tang, Y.; Zhang, Y.; Dai, M.; Luo, T.; Deng, L.; Chen, J.; Yang, Z. *Org. Lett.* **2005**, 7, 885.

Annulation



An aerobic, organocatalytic and chemoselective method for Baeyer-Villiger oxidation.
Imada, Y.; Iida, H.; Murahashi, S.; Naota, T. *Angew. Chem. Int. Ed.* **2005**, 44, 1704.


Oxidation



5 examples (yields 78-95%).

Catalytic enantioselective synthesis of protected aryl β -hydroxy- α -amino acids.
Willis, M. C.; Cutting, G. A.; Piccio, V. J.-D.; Durbin, M. J.; John, M. P. *Angew. Chem. Int. Ed.* **2005**, 44, 1543.

Asymmetric Aldol




11 examples (yields 64-95%, %de 0-86%, %ee 86-95%).

Enantioselective protonation of silyl enolates.

Yanagisawa, A.; Touge, T.; Arai, T. *Angew. Chem. Int. Ed.* **2005**, 44, 1546.


Enantioselective Protonation



10 examples (yields 72-96%, %ee 62->99%).

Enantioselective organocatalytic cyclopropanations.
Kunz, R. K.; MacMillan, D. W. C. *J. Am. Chem. Soc.* **2005**, 127, 3240.


Cyclopropanation



9 examples (yields 63-85%, %de >92-99%, %ee 89-96%).

Catalytic asymmetric synthesis of chiral allylic esters.
Kirsch, S. F.; Overman, L. E. *J. Am. Chem. Soc.* **2005**, 127, 2866.


C-O Bond Formation



17 examples (yields 17-100%, %ee 93->99%).


Rh-Catalyzed isomerization of α -arylpropargyl alcohols to indanones.
Shintani, R.; Okamoto, K.; Hayashi, T. *J. Am. Chem. Soc.* **2005**, 127, 2872.

Annulation




6 examples (yields 74-92%).

Thiazolylalanine-derived catalysts for enantioselective intermolecular aldehyde-imine cross-couplings.
Mennen, S. M.; Gipson, J. D.; Kim, Y. R.; Miller, S. J. *J. Am. Chem. Soc.* **2005**, 127, 1654.

sp²-sp³ Coupling

Ligand-catalyzed asymmetric alkynylboration of enones.
Wu, T. R.; Chong, J. M. *J. Am. Chem. Soc.* **2005**, 127, 3244.

Asymmetric Alkynylboration




8 examples (yields 78-97%, %ee 82-96%).

Stille reactions catalytic in tin.

Gallagher, W. P.; Maleczka, R. E. *J. Org. Chem.* **2005**, *70*, 841.

sp²-sp² Coupling




PMHS = polymethylhydrosiloxane. 18 examples (yields 0-90%).

Bifunctional Lewis acid-nucleophile-based asymmetric catalyst for the synthesis of β -lactams.

France, S.; Shah, M. H.; Weatherwax, A.; Wack, H.; Roth, J. P.; Lectka, T. *J. Am. Chem. Soc.* **2005**, *127*, 1206.


[2+2]-Cycloaddition



Enantioselective biaryl diols as catalysts for the hetero Diels–Alder reaction.

Unni, A. K.; Takenaka, N.; Yamamoto, H.; Rawal, V. H. *J. Am. Chem. Soc.* **2005**, *127*, 1336.


Hetero Diels–Alder



A highly efficient Cu-catalyzed nitro-Mannich type reaction.

Li, Z.; Li, C. J. *J. Am. Chem. Soc.* **2005**, *127*, 3672.

Nitro-Mannich




20 examples (yields 30-75%).


Kinetic resolution of sec-alcohols by a new class of pyridine catalysts having a conformation switch system.

Yamada, S.; Misra, T.; Iwai, Y. *Tetrahedron Lett.* **2005**, *46*, 2239.

Kinetic Resolution




Ni-Catalyzed Negishi couplings of α -bromo amides with organozinc reagents.
Fischer, C.; Fu, G. C. *J. Am. Chem. Soc.* **2005**, 127, 4594.

sp³-sp³ Coupling


DMI = 1,3-dimethyl-2-imidazolidinone. 12 examples (yields 51-90%, %ee 87->98%).

Preparation of enamides via Pd-catalyzed amidation of enol tosylates.
Klapars, A.; Campos, K. R.; Chen, C.-Y.; Volante, R. P. *Org. Lett.* **2005**, 7, 1185.

Amidation


13 examples (yields 58-97%).

Zinc trimethylsilylamine as a mild ammonia equivalent and base for the amination of aryl halides and triflates.
Lee, D.-Y.; Hartwig, J. F. *Org. Lett.* **2005**, 7, 1169.

Amination

43 examples (yields 70-97%).

Stereocontrolled synthesis of angularly substituted 1-azabicyclic rings by cationic 2-aza-Cope rearrangements. **Aza-Cope Rearrangement**
Aron, Z. D.; Overman, L. E. *Org. Lett.* **2005**, 7, 913.



10 examples (yields <15%-96%).

Organocatalytic and stereoselective synthesis of spiro-pyrrolidone-3,3'-oxoindoles via nucleophilic aromatic substitution.
Bella, M.; Kobbelgaard, S.; Jørgensen, K. A. *J. Am. Chem. Soc.* **2005**, 127, 3670.

Substitution