
C. R. GRAVES, B.-S. ZENG, S. T. NGUYEN\* (NORTHWESTERN UNIVERSITY, EVANSTON, USA)

Efficient and Selective Al-Catalyzed Alcohol Oxidation via Oppenauer Chemistry *J. Am. Chem. Soc.* **2006**, *128*, 12596-12597.

## Highly Efficient Al-Catalyzed Alcohol Oxidation via Oppenauer Reaction



**Significance:** This publication presents an extremely simple, selective and versatile method for the oxidation of alcohols to carbonyl compounds, based on Oppenauer chemistry. Catalytic amounts of AlMe<sub>3</sub> in toluene (a commercial reagent) are used along with quite inexpensive *m*-nitrobenz-aldehyde as a stoichiometric oxidant. A great variety of alcohols, including sterically hindered, allylic, propargylic and others were successfully subjected to oxidation by this method. This protocol is one of the most versatile and robust methods for the alcohol oxidation, reported to date.

**Comment:** While the Oppenauer oxidation has been known since 1930, only recently some attempts were made to improve this potentially very simple and attractive synthetic method. Since this process is reversible, the position of the equilibria depends on the relative oxidative potentials of the alcohols and ketones involved in the reaction. 3-Nitrobenzaldehyde is the optimal oxidant because of its high oxidative potential and availability. For several primary alcohols more active 2,4-dinitrobenzaldehyde was used. The excess of the oxidant as well as the nitrobenzylic alcohol formed can be easily separated from the product by filtration through a plug of alumina. Category

Metal-Mediated Synthesis

## Key words

Oppenauer oxidation

aluminium

carbonyl compounds



 SYNFACTS Contributors: Paul Knochel, Andrei Gavryushin

 Synfacts 2006, 12, 1265-1265
 Published online: 22.11.2006

 D0I: 10.1055/s-2006-955615; Reg-No.: P13006SF

2006 © THIEME STUTTGART • NEW YORK