


R. BALASUBRAMANIAN, Y.-G. KWON, A. WEI* (PURDUE UNIVERSITY, WEST LAFAYETTE, USA)

Encapsulation and Functionalization of Nanoparticles in Crosslinked Resorcinarene Shells

J. Mater. Chem. **2007**, *17*, 105-112.

Robust Nanocoatings for Nanoparticles



Significance: Methods to create stable functionalized nanoparticles are needed for applications of these materials. The rigid tetrathio-resorcinarene scaffold creates a strong interaction with gold nanoparticles and subsequent acyclic diene metathesis polymerization by the first-generation Grubbs catalyst gives well-behaved materials that can be precipitated and redispersed multiple times. These crosslinked nanocoatings can be subjected to oxidation reactions that provide access to a diverse array of functionality.

Comment: Gold nanoparticles have found many applications in biosensing and nanophotonics. However, the utility of larger gold nanoparticles (>10 nm) is generally limited by instabilities in their coatings and a tendency to aggregate. This research provides one of the best examples of a designed coating for nanoparticles that is robust and functionalizable. Larger nanoparticles are stabilized and functionalization of the nanocoatings allows for the solubility to be modified and for bioconjugation.

SYNFACTS Contributors: Timothy M. Swager
Synfacts 2007, 5, 0481-0481 Published online: 24.04.2007
DOI: 10.1055/s-2007-968410; Reg-No.: S02507SF

2007 © THIEME STUTTGART • NEW YORK

Category

Synthesis of
Materials and
Unnatural Products

Key words

nanoparticles
calixarenes
monolayers

SYNFACTS
of the month