Erratum

Pharmacokinetic Evaluation of Visnagin and *Ammi visnaga* Aqueous Extract after Oral Administration in Rats

Karin G. Haug, Benjamin Weber, Guenther Hochhaus, Veronika Butterweck

Planta Med 2012; 78: 1831–1836
DOI: 10.1055/s-0032-1315393

Table 1 has been corrected.

Table 1 Results of non-compartmental analysis (median (SD)). VG: visnagin, AVE: *Ammi visnaga* extract, N: number of subjects, AUC_{last}: AUC over the time interval from zero to last quantifiable time point, AUC_{inf}: AUC over the time interval from zero extrapolated to infinity, C_{max}: maximum observed concentration, t_{max}: time at C_{max}, λ_z: terminal elimination rate constant, t_{1/2}: terminal half-life, AUMC_{last}: AUMC over the time interval from zero to last quantifiable time point, AUMC_{inf}: AUMC over the time interval from zero extrapolated to infinity, MRT_{last}: mean residence time over the time interval from zero to last quantifiable time point, MRT_{inf}: mean residence time over the time interval from zero extrapolated to infinity, CL/F: clearance uncorrected for oral bioavailability (F), V_z/F: volume of distribution during the terminal phase λ_z uncorrected for F.

Dosing Group (mg/kg)	2.5		5		10	
Compound	VG	AVE	VG	AVE	VG	AVE
N	8	7	8	6	8	5
AUC _{last} (mg·h/L)	0.21 (0.29)	2.72 (0.65)	2.45 (2.40)	10.11 (2.66)	9.85 (4.09)	35.42 (11.59)
AUC _{inf} (mg·h/L) ⁺	0.15 (0.33)	2.72 (0.67)	2.45 (2.49)	10.22 (2.49)	10.14 (7.86)	35.67 (11.42)
AUC extrap. (%) ⁺	0.10 (2.37)	0.08 (3.99)	0.05 (4.45)	0.05 (5.22)	6.06 (16.84)	0.71 (1.31)
C _{max} (mg/L)	0.17 (0.15)	0.52 (0.15)	0.84 (0.63)	1.38 (0.45)	2.03 (0.85)	3.61 (0.47)
t _{max} (h)	0.42 (0.36)	1 (1.67)	1 (0.52)	2 (1.86)	1 (0.53)	6 (3.27)
λ _z (1/h) ⁺	2.46 (0.88)	0.81 (0.21)	1.39 (0.72)	0.67 (0.75)	0.36 (0.94)	0.39 (0.13)
t _{1/2} (h) ⁺	0.28 (0.45)	0.86 (0.41)	0.50 (0.57)	1.14 (2.88)	1.94 (2.19)	1.77 (0.83)
AUMC _{last} (mg·h ² /L)	0.23 (0.56)	10.56 (2.82)	4.89 (5.74)	50.00 (6.43)	29.24 (16.62)	227.8 (110.7)
AUMC _{inf} (mg·h ² /L) ⁺⁺	0.10 (0.77)	10.59 (3.55)	4.90 (6.60)	52.00 (19.40)	21.14 (12.17)	235.0 (107.7)
AUMC extrap. (%) ⁺⁺	0.63 (8.19)	0.28 (9.14)	0.16 (12.15)	0.17 (18.75)	7.50 (11.24)	3.06 (3.51)
MRT _{last} (h)	1.05 (0.55)	3.58 (0.49)	2.37 (0.49)	4.62 (0.77)	3.37 (0.66)	6.43 (1.26)
MRT _{inf} (h) ⁺⁺	1.04 (0.62)	3.58 (0.71)	2.45 (0.59)	4.69 (2.19)	2.84 (0.73)	6.59 (1.16)
CL/F (L/h) ⁺	5.24 (5.47)	0.30 (0.08)	0.65 (0.41)	0.17 (0.04)	0.31 (0.26)	0.10 (0.04)
V _z /F (L) ⁺	1.86 (2.38)	0.41 (0.22)	0.62 (0.33)	0.26 (0.77)	0.86 (0.87)	0.36 (0.25)

⁺ Plasma concentration-time profiles with an extrapolated AUC greater than 50% were excluded from calculation for those parameters, N = 7, 7, 8, 6, 6, 5
⁺⁺ Plasma concentration-time profiles with an extrapolated AUMC greater than 50% were excluded from calculation for those parameters, N = 7, 7, 8, 6, 4, 5