Original Article

KAP study of solid waste disposal of households in Kuttar & Manjanadi Panchayath covered under gramaskhema programme of K.S. Hegde Medical Academy

K.G. Kiran¹, Sanjay Kini², Ravi K.³, Santhosh N.P.³ & N. Udaya Kiran⁴

¹Associate Professor, ²Assistant Professor, ³Medico-Social Worker, ⁴Professor & HOD

Department of Community Medicine, K.S. Hegde Medical Academy, Nitte University, Mangalore, Karnataka, India.

Correspondence

K.G. Kiran

Associate Professor, Department of Community Medicine, K.S. Hegde Medical Academy,

Nitte University, Mangalore 575018, Karnataka, India.

E-mail : kgkirankg@gmail.com

Abstract

An important problem faced by many societies across the world is unhealthy disposal of solid wastes. Knowledge, attitude, practices of people plays a crucial role as their view point is extremely vital in providing solutions to future environmental problems. A cross sectional study was conducted among the households of Kuttar and Manjanadi villages and a sample of 120 households were studied. Majority had a good knowledge about the ill effects of improper solid waste disposal and that 82.5% said collectively that it causes disease, unpleasant odour, unpleasant site and rodent nuisance. Majority of them had a positive attitude towards solid waste disposal and 98.3% felt that improper solid waste removal and disposal effects environment. Regarding household waste disposal practice it was found to be unsatisfactory as 78 households disposed of household wastes by just throwing away outside the house. Strict surveillance, supervision and timely removal for disposal of solid waste by management are the key factors in reducing environmental hazards.

Key words- Solid waste management, knowledge, attitude, practice

Introduction

Solid waste is the unwanted or useless solid materials generated from combined residential, industrial and commercial activities in a given area. It may be categorised according to its origin (domestic, industrial, commercial, construction or institutional); according to its contents (organic material, glass, metal, plastic paper etc); or according to hazard potential (toxic, non-toxin, flammable, radioactive, infectious etc)¹. Management of solid waste reduces or eliminates adverse impacts on the environment and human health and supports economic development and improved quality of life. A number of processes are involved in effectively managing waste for a municipality.

These include monitoring, collection, transport, processing, recycling and disposal². Methods of waste reduction, waste reuse and recycling are the preferred options when managing waste. Other

methods of waste reduction includes manufacturing products with less packaging, encouraging customers to bring their own reusable bags for packaging, encouraging the public to choose reusable products such as cloth napkins and reusable plastic and glass containers, backyard composting and sharing and donating any unwanted items rather than discarding them. There are many environmental benefits that can be derived from the use of these methods. They reduce or prevent green house gas emissions, reduce the release of pollutants, conserve resources, save energy and reduce the demand for waste treatment technology and landfill space³. Therefore it is advisable that these methods be adopted and incorporated as part of the waste management plan.

With rising urbanization and change in lifestyle and food habits, the amount of municipal solid waste has been increasing rapidly and its composition changing. In 1947 cities and towns in India generated an estimated 6 million tonnes of solid waste; in 1997 it was about 48 million tonnes⁴. More than 25% of the municipal solid

Access this article online

Quick Response Code

waste is not collected at all; 70% of the Indian cities lack adequate capacity to transport it and there are no sanitary landfills to dispose of the waste⁴. The existing landfills are neither well equipped nor well managed and are not lined properly to protect against contamination of soil and ground water. With increase in the global population and the rising demand for food and other essentials, there has been a rise in the amount of waste being generated daily by each household. This waste is ultimately thrown into municipal waste collection centres from where it is collected by the area municipalities to be further thrown into the landfills and dumps. However, either due to resource crunch or inefficient infrastructure, not all of this waste gets collected and transported to the final dump sites. If at this stage the management and disposal is improperly done, it can cause serious impacts on health and problems to the surrounding environment. The group at risk from the unscientific disposal of solid waste include the population in areas where there is no proper waste disposal method, especially the pre-school children; waste workers; and workers in facilities producing toxic and infectious material. Other high-risk group includes population living close to a waste dump and those, whose water supply has become contaminated either due to waste dumping or leakage from landfill sites. Uncollected solid waste also increases risk of injury, and infection⁵. With increasing use of packing materials, disposables & polythene bags management of solid waste disposal is a major problem in both rural & urban areas, specially so in cities with lack of infrastructure. This study was basically undertaken to assess the Knowledge, Attitude & Practice of solid waste collection & disposal amongst the households of Kuttar & Manjanadi Panchayath, which come under the field practice area of K.S. Hegde Medical Academy, Mangalore, which can play an important role in management of solid waste in a town/municipality or a Panchayath.

Methodology

The KAP study was a cross sectional study in which the Head of the households were interviewed on a pre-tested questionnaire by the trained field staff. The study was

carried out from 01 Aug 2014 31 Dec 2014. The place of study was Kuttar & Manjanadi Panchayath in Mangalore, Dakshina Kannada dist. The study includes households that have been dwelling in the respective place at least 6 months prior to the time of interview. A total of – 120 households were covered during the study. Universal sampling technique was followed in which all the households which were covered by the Gramakshema scheme of K.S. Hegde Medical Academy was covered during the study. Both quantitative and qualitative data was collected in this study. A structured questionnaire was administered to the households on their knowledge, attitude, and practices in solid waste disposal after obtaining their informed consent. It had parts that are multiple choice questions and others that are open ended to allow the households to express their attitude and perception of specific areas within the services by the local body. Data was analysed using SPSS version 16. Categorical data was expressed as percentages and proportions.

Results

There were total of 120 households. Socio-demographic variables are depicted in table 1. Thirty two households (26.7%) had a total of less than 5 family members, 81 (67.5%) had 5-10 family members and 7 (5.8%) had more than 10 family members. It was found that 82 (65.3%) households had a puccahouse and 38 (31.7%) had a kutchahouse. According to modified BG Prasad classification (2014) majority, about 107 (89.2%) families belonged to class V socio-economic strata. About 10 (8.3%) belonged to class IV socio-economic strata, 2 (1.7%) families belonged to class III socio-economic strata and 1 (0.8%) belonged to class II Socio-economic strata. When we assessed the knowledge of the participants about what is solid waste, 60 participants said that it is unwanted materials left over from human activity, 51 participants said that it is something hazardous to human health, 76 participants said that it is a source of recyclable materials, 102 participants said it is rotten / spoilt food and 70 participants said that it is broken items that cannot be repaired. When asked who is responsible for removal of household waste to waste collection dump, 35 (29.2%) households said that it's the house occupants, 20 (16.7%) said that it's the local

governing body and 65(54.2%) said that it's both. When asked what happens if solid waste is not disposed in time, 10 (8.3%) households said that it causes disease, 11 (9.2%) said that it causes unpleasant site and 99 (82.5%) said collectively that it causes disease, unpleasant odour, unpleasant site and rodent nuisance. Knowledge of the subjects regarding disposal, segregation and recycling of solid wastes is shown in Table 2. Fig 1 depicts the response of the households regarding the knowledge as to how often kitchen wastes and general solid wastes need to be removed from the house. When the respondents were asked as to why is it important to remove solid wastes regularly from the house, 50 (41.6%) of them said that it is unhygienic, 6 (5.0%) said that it is to avoid bad smell, 8 (6.6%) said that because otherwise it will attract rats and insects and 56 (46.6%) said that it is all of the above facts. When asked what are the different methods by which wastes can be disposed of, 72 said that it's by burning, 5 said that it's by dumping in municipality pit/bin and 43 collectively said that it's by burning, burying in a pit, throwing in pits or low lying areas and dumping in municipality pit/bin. Neighbours 20(16.7%), friends 15(12.5%), newspapers 15 (12.5%) were the major source of information about solid waste management to the households, rest got information from other sources. The attitude of the participants regarding disposal of solid wastes is shown in table 3. When we accessed the practices of households regarding solid waste disposal we found that 92 (76.6%) households generated less than or equal to one kg of solid wastes per day whereas 28 (23.4%) households generated 1-2 kg of solid wastes per day. Regarding waste removal practice it was found that about 100 (83.3%) households removed solid wastes once a day from their house, 14 (11.6%) of them removed twice a day and 6 (5.1%) of them removed it once in 2 days. When asked what is the distance of the govt/panchayat waste dumping area from the house, 20 (16.6%) of them said its less than 500 meters, 68 (56.6%) of them said its more than 500 meters, 32 (26.6%) of them said its more than 1 km. Figure 2 shows the various methods of disposal practiced by different households. When asked how often the waste is removed from waste collecting/dumping area 26 (21.6%) said its daily, 6 (5.0%) said its once in 2 weeks and 88 (73.4%) said

never. It was observed that only 16 (13.3%) knew that who removes waste from dumping area. Out of that, 10 (8.3%) said that its gram panchayath and 6 (5.0%) said that its municipality. Regarding waste segregation practices 39(32.5%) households said that they segregate wastes before disposal and 104 (86.6%) used to compost kitchen and garden wastes at home. Regarding storage of solid waste, 104(86.6%) used to store wastes in closed containers and 10 (8.3%) used to store in polythene bags before disposal. The methods of waste disposal by the households are shown in Table 4

Regarding attitude towards reducing household wastes 119 (99.1%) said that they want to reduce household wastes. Regarding the content of household waste 115 said that their household wastes contain mostly vegetable matter, 120 said that it contains plastic, 5 said it contains polythene and 115 said it contains paper. When assessed for the methods by which they intend to reduce household wastes 61 said that they intend to reduce household wastes by buying only required items, 59 said by buying less of plastic goods, 39 said by carrying own bags to market so as to reduce buying plastic bags. 113 (94.1%) said that they do use reusable items. Out of those who use 31 said it is because it reduces household wastes, 30 said that it reduces household expenditure and 52 said that it is good for the environment. Regarding removal of waste from the house, 10 (8.3%) households said that father removes wastes from house to dumping area/pit, 56 (46.6%) said mother removes and 54 (45.1%) said all of them remove by turns. Figure 3 shows the area of dumping household wastes by the study subjects

When asked why do they dump household wastes in street and not in dumping areas, 82 households said that no proper dumping area is present, 25 said dumping area is far from house and 28 said it's convenient. 103 (85.8%) said that the local government is not taking action on this and the rest said they have no idea. Only 6 of them said waste removal and Management in their area is satisfactory and the rest said it's unsatisfactory. Regarding the reason for unsatisfactory management of waste, 82 of them quoted the absence of waste collection and removal management,

45 said that it's lack of demarcated area or dustbin provided for dumping waste, 68 said waste is not removed in time.

Table 1: Socio-demographic variables

Occupation of Head	Number (%)	Literacy of Head	Number (%)
Skilled	24 (20.0)	Illiterate	26 (21.7)
Unskilled	51 (42.5)	Primary school	78 (65.0)
Housewife	14 (11.7)	Secondary school	15 (12.5)
Retired	31 (25.8)	Graduation	1 (0.8)
Total	120 (100.0)	Total	120 (100.0)

Table 2: Knowledge regarding disposal, segregation and recycling of solid wastes

Question	Answer	Number (%)
Does improper solid waste removal & disposal effect Environment?	Yes	118 (98.3)
Do you have an idea of waste segregation?	Yes	42 (35.0)
Do you know about recycling of waste?	Yes	35 (29.2)
Does production of more waste harm the environment?	Yes	99 (82.5)

Table 3: The attitude of the participants regarding disposal of solid wastes

Question	Answer	Number (%)
Do you feel that street should be clean & be free of solid waste?	Yes	114 (95.0)
Are you concerned about disposal of house hold solid waste?	Yes	120 (100.0)
Are you & your house hold members willing to carry house hold waste to collecting point?	Yes	120 (100.0)
Do you play an important role in solid waste disposal?	Yes	109 (90.8)
Does the community play an important role in solid waste disposal?	Yes	77 (64.1)
role in solid waste disposal?	Yes	77 (64.1)
Should solid waste disposal be taught in school as part of Environmental education?	Yes	119 (99.1)
Should correct waste disposal methods be taught to the community?	Yes	114 (95.0)
Do you want to use less of disposable item & more of reusable items to reduce waste generation?	Yes	105 (87.5)
Do you feel that less waste should be generated by house hold for betterment of environment?	Yes	101 (84.1)
Do you think that proper solid waste removal & disposal is important?	Yes	107 (89.1)

Table 4: Method of waste disposal by households

Type of waste	Feed animals Number (%)	Burn Number (%)	Dispose in dustbin Number (%)	Scrap Number (%)
Food	120 (100.0%)	-	-	-
Paper	-	119 (99.1%)	1 (0.9%)	-
Plastic	-	68 (56.6%)	52 (43.4%)	-
Metal	-	-	20 (16.6%)	100 (83.4%)
Glass	-	-	120 (100.0%)	-

Fig 1: How often kitchen waste and general solid wastes to be removed from house

Fig 2: Methods of solid waste disposal followed

Fig 3: Area of dumping household waste

Discussion

In our study about 42.5% of the respondents were unskilled workers and 65% had studied upto primary class and 21.7% were illiterate. In a similar study done by Kumar

M et al⁶ in Bangalore it was found that 38.3% had studied upto secondary school, 28.0% had studied upto primary school and 4.0% were illiterate. In our study about 26.7% households had a total of less than 5 family members, 81 (67.5%) had 5-10 family members and 7 (5.8%) had more than 10 family members. In the study conducted by Kumar M et al⁶ it was found that 0.5% had more than 11 people, 2.0% had 8-10 people, 7.7% had 5-7 people, 49.0% had 3-4 people, 32.0% had 1-2 individuals and 8.85 had only one individual. In our study according to modified BG Prasad classification (2014) majority ie about 107 (89.2%) families belonged to class V socio-economic strata, about 10 (8.3%) belonged to class IV socio-economic strata, 2 (1.7%) families belonged to class III socio-economic strata and 1(0.8%) belonged to class II socio-economic strata. Kumar M et al⁶ in their study found that 34.0% belonged to low income level, 42.0% belonged to middle income level and 24.0% belonged to high income level.

In the present study the subjects had a good knowledge about what is solid waste. 29.2% also knew about recycling of wastes. In a study conducted by Arora L et al⁷ it was found that 162(54%) of the respondents could be classified as possessing low knowledge, whilst 138(46%) respondents were having medium level of knowledge regarding waste management. It was found that in the study by Kumar M et al⁶ only 14.2% were aware about solid waste generation and 5.5% had knowledge of recycling of wastes. A study by Tatlonghari RV et al⁸ in Philippines showed that majority of the respondents knew segregation (55 %), and reuse and recycling (51 %). Study by Tatlonghari RV et al⁸ revealed among the various media available for use within the community, local cable channel was the most widely preferred medium of solid waste management information. In the present study it was observed that neighbours for 20(16.7%), friends for 15(12.5%), newspapers for 15 (12.5%) of respondents were the major source of information about solid waste management. Study by Kumar M et al⁶ showed that municipality (3.2%), friends and neighbours (1.0%), media (4.5%) and NGO's (5.8%) were the major source of information. Tatlonghari RV et al⁸ in their study found that among the various media

available for use within the community, local cable channel was the most widely preferred medium of SWM information. A study by Banga M⁹ in Zambia showed that when asked from whom they got their information on waste segregation, 39% of the households that had heard of solid waste segregation said they had learnt about it from friends and relatives, 30% from the itinerant buyers, 27% from newspapers and magazines and 4% said they had learnt about it at school.

In our study about 90.8% felt that they play an important role in solid waste management. Results are similar to a study conducted by Ambat B¹⁰ where it was found that 88% of people reported that they too have a major role to play in solid waste management as they form the first part of solid waste management program as the generators of waste. They reported that even though there are very few initiatives from various organisations in waste collection and management but they are not successful. In the study conducted by Tatlonghari RV et al⁸ majority of the respondents realized their contributory role to the Solid waste management problem, taking into consideration the internal factor first before laying the blame on external factors. For this study, this attitude was rated as favorable since if people realized that problems were caused by themselves, then they would also realize that they could do something to solve the problems.

In the present study it was found that households generated 1-2 kg of solid wastes per day. Results are consistent with the study conducted by Ambat B¹⁰ where household waste was 1.5-2 kg/house in corporation, municipality and panchayath areas. Dumping, burying, burning and throwing away were some of the methods of waste disposal in our study. In the study by Ambat B¹⁰ it was found that above 60% of the households simply throw away solid wastes outside the house. About 55% of households reduce, reuse and recycle waste materials. A study conducted by et al in Mogadishu showed that bury (27%), burn (34%) and dump (27%) were the major methods of solid waste disposal.

Conclusion

Solid waste management would remain to be the most urgent concern and task of urbanizing towns. The challenge confronting the City and many other booming towns in the country was the balance between environment and development. Toward this end, communication strategies toward environmental protection becomes crucial. Particularly in Solid waste management, turning intention to desirable behavior and creating favourable social and political environments should not only be the concern of local officials but also of residents.

Recommendations

We recommend that strict supervision and surveillance of refuse management activities.

- To achieve the goal of safe refuse management practices in household waste, awareness, education and importance of safe refuse disposal program should be initiated for the public.
- Refuse disposal laws either by local government or Ministry of Environment should ensure that the safe refuse management is embarked upon and refuse should not be discarded in the rivers, gutters, drains, open space or public locations like parks, buildings or streets.
- Laws should be publicized on safe refuse disposal method; this should be adequately promoted and advertised.
- Government should encourage private/government partnership in wastes management at an affordable rate. It is very important that the related professionals such as the sanitary inspectors become involved as they play a vital role in promoting awareness on proper refuse management.

What one can do to reduce solid waste?

1. Carry own cloth or jute bag when one goes shopping

2. Say no to all plastic bags as far as possible
3. Reduce the use of paper bags also.
4. Reuse the soft drinks poly bottles for storing water.
5. Segregate biodegradable and the non-biodegradable are put into separate bins and disposed off separately.
6. Dig a compost pit in one's garden and put all the biodegradable materials into it.
7. See to it that all garbage is thrown into the municipal/Panchayat bins as the collection is generally done from there.
8. When one goes out, not throw paper and other wrappings or even leftover food here and there, make sure that it is put in the correct place, or into a dustbin.

What one should not do?

1. Do not litter. If one drops litter, it will encourage others to litter.
2. Do not put out garbage too early, especially garbage that contains meat and fish scraps.
3. Do not dump or litter illegally at the sides of the roads or in gullies, it is not only unsightly but dangerous and hazardous to health.
4. Do not allow water to collect in the garbage bin.
5. Do not place old stoves, refrigerators, or other big or bulky items at the side of the road.
6. Do not use an oversize bin (e.g. 50 gallons (190L) drum) to contain the garbage. They are generally too heavy to lift.
7. Do not overload the garbage bags; they may burst as a result of excessive weight or bulk.
8. Do not throw broken objects (e.g. glass, ceramic, etc.) into the garbage without wrapping them first.
9. Do not place needles and syringes in the garbage or leave them lying around.
10. Do not overload the waste bin or put out loosely tied or untied bags for collection.
11. Do not compact waste in the waste bin. This makes it difficult to extract the waste.

References

1. Femi F, Oluwole O. Management of municipal solid wastes. Academia.edu [updated july 2013; cited july 2013]. Available from- http://www.academia.edu/4254191/Management_of_Municipal_Solid_Waste (accessed on 30-03-2015)
2. United Nations Environment Programme International Source Book on Environmentally Sound Technologies (ESTs) for Municipal Solid Waste Management (MSWM). Available from- <http://www.unep.or.jp/ietc/ESTdir/Pub/MSW/index.asp> (accessed on 30-03-2015)
3. Mukherjee S. The science of clays: Applications in industry, engineering and environment; 2013.
4. Anand S. Solid waste management. Mittal Publication; 2010.
5. Solid Waste Management Principles and Terminologies. Prakriti, Centre for Management Studies, Dibrugarh University as part of the National Environment Awareness Campaign, 2006 – 07 for distribution. Available in - <http://cmsdu.org> (accessed on 30-03-2015)
6. Kumar M, Nandini N. Community attitude, perception and willingness towards solid waste management in Bangalore city, Karnataka, India. International Journal Of Environmental Sciences 2013; 4 (1): 87-95
7. Arora L, Agarwal S. Knowledge, Attitude and Practices regarding Waste Management in Selected Hostel Students of University of Rajasthan, Jaipur. International Journal of Chemical, Environmental and Pharmaceutical Research 2011; 2(1): 40-43
8. Tatlonghari RV, Jamias SB. Village-Level Knowledge, Attitudes and Practices on Solid Waste Management in Sta. Rosa City, Laguna, Philippines. Journal of Environmental Science and Management 2010; 13(1):35-51
9. Banga M. Household Knowledge, Attitudes and Practices in Solid Waste Segregation and Recycling: The Case of Urban Kampala. Zambia Social Science Journal 2011; 2 (1): 27-39
10. Ambat B. Study of the attitude and perception of community towards solid waste management – a case study of Thiruvananthapuram city – phase ii. Kerala research programme on local level development 2003.
11. Mwaura P, Owillah EO, Dahir M. Report of KAP survey on solid waste management in Mogadishu, Somalia. UN HABITAT 2012.